

**4231FIRST AID KIT- 4231 first aid kit
Honeywell Safety Products USA, INC**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4231: First Aid Kit (EW, triple, BZK wipe, Sting relief- 6816SCE)

First Aid Burn Cream
Active ingredient

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

First Aid Burn Cream
Purpose

First aid antiseptic

External analgesic

First Aid Burn Cream
Uses

- prevent skin infection
- for temporary relief of pain associated with minor burns

First Aid Burn Cream
Warnings

For external use only

Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens

- symptoms persist for more than 7 days or clear up and occurs again within a few days

First Aid Burn Cream

Directions

- **adults and children 2 years of age and older:**
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

First Aid Burn Cream

Other information

- tamper evident sealed packets
- do not use if packet is opened or torn

First Aid Burn Cream

Inactive ingredients

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

First Aid Burn Cream

Questions

1-800-430-5490

Eyewash

Active ingredient

Sterile Water 99%

Eyewash

Purpose

Eyewash

Eyewash

Uses

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash

Warnings

For external use only Obtain immediate medical treatment for all open wounds in or near eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Eyewash

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash

Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyewash

Questions

1-800-430-5490

Triple

Active ingredient (each gram contains)

Bacitracin zinc 400 units - Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)
Polymyxin B sulfate 5000 units

Triple

Purpose

First aid antibiotic
First aid antibiotic
First aid antibiotic

Triple Uses

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

Triple Warnings

For external use only

Allergy alert do not use if you are allergic to any of the ingredients

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- a deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of the reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Triple Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Triple Other information

store at 15 ° to 25 ° C (59 ° to 77 ° F) tamper evident sealed packets - do not use if packet is torn or opened

Triple
Inactive ingredient

petrolatum

Triple
Questions

1-800-430-5490

Sting Relief
Active ingredient (in each wipe)

Ethyl alcohol 50.0% Lidocaine HCl 2.0%

Sting Relief
Purpose

Antiseptic-Topical pain relief

Sting Relief
Uses

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief
Warnings

For external use only
Flammable, keep away from open fire or flame

Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

Stop use and ask a doctor

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Sting Relief

Directions

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief**Inactive ingredients**

benzalkonium chloride, menthol, and purified water

Questions or Comments?

1-800-430-5490

PVP**Active ingredient**

Povidone-iodine 10% (equivalent to 1% titratable iodine)

PVP**Purpose**

First aid antiseptic

PVP**Uses**

- first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

PVP**Warnings**

For external use only.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours
- irritation and redness develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

PVP

Directions

- clean the affected area
- apply 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

PVP

Other information

- do not use on individuals who are allergic or sensitive to iodine
- store at controlled temperature 59-86°F (15-30°C)
- do not use if pouch is open or torn

PVP

Inactive ingredients

nonoxynol 9, water

PVP

Questions

1-800-430-5490

BZK

Active ingredient

Benzalkonium chloride 0.13% w/v

BZK

Purpose

First aid antiseptic

BZK

Uses

Antiseptic cleansing of face, hands, and body without soap and water

BZK

Warnings

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

BZK***Directions***

- tear open packet and use as a washcloth

BZK***Other information***

- store at room temperature 15⁰ to 30⁰ C (59⁰ - 86⁰ F)
- do not reuse towelette

BZK***Inactive ingredient***

water

BZK***Questions***

1-800-430-5490

4197**019710-0006L Kit Contents**

- 1 KNUCKLE BAND 8 PER
- 1 TRIPLE ANTIBIOTIC 10 PER
- 1 FIRST AID BURN CREAM 6 PER
- 1 TRIANGULAR BDG, NON-STERILE
- 1 GAUZE PADS, 3" X 3", 4 PER
- 1 ADH TAPE, .5" X 2.5 YD, 2 PER
- 1 FORCEPS & SCISSORS, 1 EA

1 GAUZE COMP, 1 SQ YARD, 1 PER
1 INSTANT COLD PACK 4" X 6"
1 BUFFERED EYE WASH 1 OZ BTL
1 BANDAGE COMP, 4" OFFSET, 1 PER
2 ADHESIVE BDG,PLSTIC,1"X3"16PER
1 PVP IODINE WIPES 10 PER
1 NITRILE GLOVES 2PR BBP
1 FIRST AID GUIDE ASHI
LBL STOCK 6-3/8"X4"
LBL STOCK 4"X2-7/8"
1 LBL STOCK 3"x1-7/8"
1 LBL NORTH CONTS 6.75X3.5 ID B
1 KIT, PP 16 UNIT FA
1 LBL CONTENTS ANSI Z308.1-2009 REV B
1 LBL 16U CVR NORTH ID C
1 STING Relief WIPES 10

4198

019711-0006L Kit Contents

1 KNUCKLE BAND 8 PER
1 TRIPLE ANTIBIOTIC 10 PER
1 FIRST AID BURN CREAM 6 PER
1 TRIANGULAR BDG, NON-STERILE
1 GAUZE PADS, 3" X 3", 4 PER
1 ADH TAPE, .5" X 2.5 YD, 2 PER
1 FORCEPS & SCISSORS, 1 EA
1 GAUZE COMP, 1 SQ YARD, 1 PER
1 INSTANT COLD PACK 4" X 6"
1 BUFFERED EYE WASH 1 OZ BTL
1 BANDAGE COMP, 4" OFFSET, 1 PER
1 ADHESIVE BDG,PLSTIC,1"X3"16PER
1 PVP IODINE WIPES 10 PER
1 NITRILE GLOVES 2PR BBP

1 FIRST AID GUIDE ASHI
LBL STOCK 6-3/8"X4"
LBL STOCK 4"X2-7/8"
1 LBL STOCK 3"x1-7/8"
1 LBL NORTH CONTS 6.75X3.5 ID B
1 KIT STL 16 UN (HORIZONTAL)
1 LBL CONTENTS ANSI Z308.1-2009 REV B
1 LBL 16U CVR NORTH ID C
1 STING Relief WIPES 10

4199
019712-0007L Kit Contents

1 KNUCKLE BAND 8 PER
1 TRIPLE ANTIBIOTIC 10 PER
2 FIRST AID BURN CREAM 6 PER
1 TRIANGULAR BDG, NON-STERILE
1 GAUZE PADS, 3" X 3", 4 PER
1 ADH TAPE, .5" X 2.5 YD, 2 PER
1 FORCEPS & SCISSORS, 1 EA
1 GAUZE BANDAGE, 2" X 6 YD, 2 PER
1 GAUZE COMP, 1 SQ YARD, 1 PER
1 INSTANT COLD PACK 4" X 6"
1 BUFFERED EYE WASH 1 OZ BTL
1 BANDAGE COMP, 4" OFFSET, 1 PER
3 ADHESIVE BDG, PLSTIC, 1"X3"16PER
1 FINGERTIP BANDAGE, 10 PER
2 PVP IODINE WIPES 10 PER
2 NITRILE GLOVES 2PR BBP
1 FIRST AID GUIDE ASHI
LBL STOCK 6-3/8"X4"
LBL STOCK 4"X2-7/8"
1 LBL STOCK 3"x1-7/8"
1 LABEL NORTH CONTENTS 8X8 ID B



1 KIT PP 24 UNIT FA

1 LBL CONTENTS ANSI Z308.1-2009 REV B

1 BBL 24U CVR NORTH ID C

1 STING Relief WIPES 10

**First Aid Burn Cream
Principal Display Panel**



Principal Display Panel



eyesaline®

**LAVAOJOS
EYESALINE**

Solución
Isotónico Estéril

**EYESALINE
EYEWASH**


Sterile
Isotonic Solution

**LAVAGE
OCULAIRE
EYESALINE**

La Solution
Isotonique Stérile

16 fl. oz. (473 mL)

TAMPER-EVIDENT CAP.
TAPA CON SELLO DE SEGURIDAD.
BOUCHON INDICATEUR D'INFRACTION.



NPN: 80057528
3 64809 45033 7

Drug Facts (for USA only)

Active ingredient
Sterile water 99% Purpose
Eyewash

Uses
for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.

Warnings
For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use
• if solution changes color or becomes cloudy
• if you have open wounds in or near the eyes, get medical help right away

Stop use and consult a doctor if:
• you experience eye pain • changes in vision
• continued redness or irritation of the eye
• condition worsens or persists

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• remove contacts before using • twist top to remove
• flush the affected area as needed
• control rate of flow by pressure on the bottle
• if necessary, continue flushing with emergency eyewash or shower

Inactive ingredients
sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Questions? Call 1-800-430-5490
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

space for lot code and supplier part number

PEEL / PELAR / PELEER

Datos de medicamento (Para EE.UU. solamente)

Ingrediente Activo	Propósito
Agua estéril 99%	Lavaojos
<p>Usos para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aéros, o agua de cloruro</p> <p>Advertencias Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte.</p> <p>No se use • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato</p> <p>Deje de usar y consulte a un médico si: • experimenta dolor de ojo • cambio de visión • rojez continuo o irritación del ojo • la condición empeora o persiste</p> <p>Manténgase fuera del alcance de los niños. En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.</p> <p>Instrucciones • quítase los lentes de contacto antes de usar la solución • tuerza la tapa para quitar • enjuague el área afectada según se necesite • controle el chorro haciendo presión en la botella • si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia</p> <p>Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico</p> <p>¿Preguntas? Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917</p>	

Information

Usages
Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.

Advertissements
Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.

Ne pas utiliser
• si la solution a changé de couleur ou si elle est brouillée
• si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin

Cesser d'utiliser la solution et consulter un médecin
• vous sentez une douleur oculaire • si votre vision change
• rougeur ou irritation persistante des yeux
• condition empire ou persiste

Garder hors de la portée des enfants.
En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.

Mode d'emploi
• enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant
• si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche

Ingédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium

Des questions? Faites le 1-800-430-5490
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Triple Principal Display Panel

Honeywell

TRIPLE ANTIBIOTIC OINTMENT
Bacitracin zinc, Neomycin sulfate, Polymyxin B sulfate
First Aid Antibiotic

Triple Antibiotic Ointment
To Help Prevent Infection in Minor Cuts, Scrapes and Burns
144 Packets
Net wt. per packet 0.5g (0.02 oz)

Honeywell

TRIPLE ANTIBIOTIC OINTMENT
Bacitracin zinc, Neomycin sulfate, Polymyxin B sulfate
First Aid Antibiotic

Triple Antibiotic Ointment
To Help Prevent Infection in Minor Cuts, Scrapes and Burns
144 Packets
Net wt. per packet 0.5g (0.02 oz)

Honeywell

TRIPLE ANTIBIOTIC OINTMENT
Bacitracin zinc, Neomycin sulfate, Polymyxin B sulfate
First Aid Antibiotic

Triple Antibiotic Ointment
To Help Prevent Infection in Minor Cuts, Scrapes and Burns
144 Packets
Net wt. per packet 0.5g (0.02 oz)

Honeywell

TRIPLE ANTIBIOTIC OINTMENT
Bacitracin zinc, Neomycin sulfate, Polymyxin B sulfate
First Aid Antibiotic

Triple Antibiotic Ointment
To Help Prevent Infection in Minor Cuts, Scrapes and Burns
144 Packets
Net wt. per packet 0.5g (0.02 oz)

Drug Facts

Active Ingredients (in each gram)	Purpose
Bacitracin zinc 400 units	First aid antibiotic
Neomycin sulfate 5 mg (equivalent to 3.5 mg neomycin base)	First aid antibiotic
Polymyxin B sulfate 5000 units	First aid antibiotic

Uses - First aid to help prevent infection in:
 • minor cuts • scrapes • burns

Warnings
For external use only.
Allergy alert - do not use if you are allergic to any of the ingredients.

Do not use
 • in the eyes

Ask a doctor before use if you have
 • deep or puncture wounds • animal bites • serious burns
 • conditions worse or past wounds
 • rash or other allergic reaction develops
 • you need to use longer than 1 week

Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 • apply to affected area
 • apply a small amount of product (amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
 • may be covered with a sterile bandage

Other information
 • keep out of reach of children (39 to 79°F)
 • tamper evident sealed packets
 • do not use if packet is broken or opened

Inactive ingredient petrolatum

Questions? 1-800-430-5490

Distributed by
Honeywell Safety Products USA, Inc.
 Smithfield, RI 02917

Re-order #231209G

Caution:
 This package is for industrial use only.
 Not for retail sales.

Keep this and all drugs out of the reach of children.
 In case of ingestion, seek professional assistance or contact a poison control center immediately.

771209G Rev A

Sting Relief Principal Display Panel

Honeywell

032043P

Sting Relief Wipes

Use for:
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches
Saturated Wipes

100 Wipes

Honeywell

032043P

Sting Relief Wipes

Use for:
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches
Saturated Wipes

100 Wipes

Drug Facts

Active Ingredients	Purpose
Ethyl alcohol 50.0%	First aid antiseptic
Lidocaine HCl 2.0%	Topical analgesic

Uses - First aid to help prevent infection in minor scrapes and temporary relief of itching of insect bites.

Warnings
For external use only.
 Flammable, keep away from fire or flame.

Do not use • over large areas of the body • in eyes • over raw or blistered areas

Stop use and ask a doctor • if conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.
 If swallowed get medical help or contact Poison Control center right away.

Directions
 • adults and children 2 years and older: apply to cleaned affected area not more than 3 times daily.
 • children under 2 years of age: consult a doctor.

Inactive Ingredients
 benzalkonium chloride, menthol, purified water

Questions or comments? 1-800-430-5490


Honeywell

825366 Rev B

Distributed by
Honeywell Safety Products, USA, Inc.
 Smithfield, RI 02917

www.honeywellsafety.com


USA
 1-800-430-5490
 0-401-943-4400



8 21812 01264 1

Made in USA
 Packaged in Mexico

PVP Principal Display Panel



Drug Facts	
Active ingredient (in each swab) Povidone-iodine 10% (equivalent to 1% titratable iodine)	Purpose First aid antiseptic
Use first aid to help prevent infection in minor cuts, scrapes and burns	
Warnings	
For external use only	
Do not use - in or near the eyes - over large areas of the body - on individuals who are allergic or sensitive to iodine	
Ask a doctor before use if you have - deep or puncture wounds - animal bites - serious burns	
When using this product do not use longer than one week unless directed by a doctor	
Stop use and ask a doctor if - condition persists or gets worse - irritation or redness develops	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions Reverse cardboard sleeve, then crush at dot between thumb and forefinger. Allow solution to saturate tip and apply solution to injury.	
- clean the affected area - apply to affected area 1 to 3 times daily	
- may be covered with a sterile bandage - discard swab after single use	
Other information - store at room temperature away from light - keep from freezing or excessive heat	
- do not use if package is torn or open	
Inactive ingredients citric acid, disodium phosphate, nonoxynol 9, sodium hydroxide, water.	
Questions or comments? 1-800-430-5490	

Honeywell

**P.V.P.
Iodine Swabs**
First Aid Antiseptic
Povidone-Iodine 10%

Net wt. 10 Swabs 0.02 fl oz (0.5 mL) each REORDER NO. 35132PV

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917



77132 PV RevA

BZK
Principal Display Panel

47001083
Rev B

Antiseptic Towelettes

Honeywell

02-16-35MD

Antiseptic Towelettes

Benzalkonium chloride
First aid antiseptic

Six-Saturated Towelettes

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

47001083
Rev B

Antiseptic Towelettes

Honeywell

Drug Facts

Active Ingredient	Purpose
Benzalkonium chloride 0.133% w/v	First aid antiseptic

Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds

Warnings

For external use only

When using this product • do not use in the eyes or apply over large areas of the body

Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns

Stop use and consult a doctor if

• irritation, redness or other symptoms develop • condition persists or gets worse

Do not use • longer than 1 week unless directed by doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • tear open packet, unfold and use as washcloth

Other information

• store at room temperature 15° -30° C (59° -86° F) • do not reuse towelette

Inactive ingredient water

Questions or comments 1-800-430-5490

4197 Kit Label
019710-0006L

Honeywell

First Aid Kit

Unitized



For Up To 16 People



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02957

777025 Rev. D

4198 KIT LABEL
019711-0006L

Honeywell

First Aid Kit

Unitized



For Up To 16 People



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4199 Kit Label
019712-0007L

Honeywell

First Aid Kit

Unitized



For Up To 16 People



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02887

777035 Dsw.D

4231FIRST AID KIT

4231 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4231
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4231-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 PACKET	1.4 mL
Part 2	1 BOTTLE	30 mL
Part 3	10 PACKET	9 g
Part 4	10 POUCH	4 mL

Part 1 of 4

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

Item Code (Source) NDC:0498-0501

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/22/2017	

Part 2 of 4

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source) NDC:0498-0100

Route of Administration OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 3 of 4**TRIPLE ANTIBIOTIC**

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

PETROLATUM (UNII: 4T6H12BN9U)

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

Part 4 of 4

STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product Information

Item Code (Source)	NDC:0498-0733
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/23/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (118768815)

Revised: 1/2024

Honeywell Safety Products USA, INC