

**4190 FIRST AID KIT - 4190 first aid kit**  
**Honeywell Safety Products USA, INC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**4190 First Aid Kit (Amm Inh, EW, PVP wipes, alcohol wipes, Sting Relief-010885-4514)**

**Ammonia Inhalent**

***Active ingredient (in each ampule)***

Ammonia 15%

**Ammonia Inhalent**

***Purpose***

Respiratory stimulant

**Ammonia Inhalent**

***Uses***

- to prevent or treat fainting

**Ammonia Inhalent**

***Warnings***

**For external use only**

**Do not use**

- if you have breathing problems such as asthma or emphysema

**Stop use and ask a doctor if**

- condition persists

**Keep out of reach of children**

- If swallowed get medical help or contact a Poison Control Center right away.

**Ammonia Inhalent**

***Directions***

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

**Ammonia Inhalent**

***Other information***

- store at room temperature away from light

**Ammonia Inhalent**

***Inactive ingredients***

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

## **Ammonia Inhalent**

### **Questions**

1-800-430-5490

## **Eyewash**

### **Active ingredient**

Sterile Water 99%

## **Eyewash**

### **Purpose**

Eyewash

## **Eyewash**

### **Uses**

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

## **Eyewash**

### **Warnings**

**For external use only** Obtain immediate medical treatment for all open wounds in or near eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

### **Do not use**

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

### **Stop use and ask a doctor if**

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

### **Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

## **Eyewash**

### **Directions**

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

## **Eyewash**

### **Inactive ingredients**

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

## **Eyewash**

### **Questions**

1-800-430-5490

## **PVP**

### **Active Ingredient**

Povidone-iodine solution USP, 10% (equivalent to 1% titratable iodine)

## **PVP**

### **Purpose**

First aid antiseptic

## **PVP**

### **Uses**

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burns

## **PVP**

### **Warnings**

#### **For external use only**

#### **Do not use**

- in the eyes
- over large areas of the body
- on individuals who are allergic or sensitive to iodine

#### **Ask a doctor before use if you have**

- deep or puncture wounds,
- animal bites
- serious burns

#### **When using this product**

- do not use longer than one week unless directed by a doctor

#### **Stop use and ask a doctor if**

- conditions persists or gets worse
- irritation and redness develops

#### **Keep out of reach of children.**

- If swallowed, get medical help or contact a Poison Control Center right away

## **PVP**

### **Directions**

Reverse cardboard sleeve, then crush at dot between thumb and forefinger. Allow solution to saturate tip and apply solution to injury.

- clean affected area
- apply to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard swab after single use

## **PVP**

### ***Other information***

- store at room temperature away from light
- keep from freezing or excessive heat
- do not use if package is torn or open

## **PVP**

### ***Inactive ingredient***

citric acid, disodium phosphate, nonoxynol-9, sodium hydroxide, water

## **PVP**

### ***Questions***

1-800-430-5490

## **Alcohol**

### ***Active ingredient***

Isopropyl alcohol 70%

## **Alcohol**

### ***Purpose***

First aid antiseptic

## **Alcohol**

### ***Uses***

- first aid to help prevent infection in minor cuts, scrapes, and burns

## **Alcohol**

### ***Warnings***

**For external use only**

**Flammable, keep away from fire and flame**

## **Sting Relief**

### ***Active ingredient (in each wipe)***

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

## **Sting Relief**

### ***Purpose***

Antiseptic

Topical pain relief

### **Sting Relief**

#### ***Uses***

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

### **Sting Relief**

#### ***Warnings***

**For external use only**

**Flammable, keep away from open fire or flame**

#### **Do not use**

- over large areas of the body
- in eyes
- over raw or blistered areas

#### **Stop use and ask a doctor**

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

#### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Sting Relief**

#### ***Directions***

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

### **Sting Relief**

#### ***Inactive ingredients***

benzalkonium chloride, menthol, and purified water

### **Sting Relief**

#### ***Questions or comments?***

1-800-430-5490

**4190**

#### **010885-4514 Kit Contents**

1 AMMONIA INHALANTS 10 PER

1 TRIANGULAR BDG, NON-STERILE

1 GAUZE COMPRESS, 1728 SQ IN 1



1 ADHESIVE TPE 1"X2-1/2 YD 2 PER

1 ADH BDG W/NOADHR PAD,1X3 32PER

1 BANDAGE COMP, 4" OFFSET, 1 PER  
1 1 OZ EYE WASH W/PADS & STRIPS  
1 PVP IODINE WIPES 10 PER  
1 ELASTIC BANDAGE 3" X 4.5YD  
1 MICROSHIELD W/VNL GLV/ALCL  
1 NORTH RESPONSE REFILL/KIT  
1 SCISSOR BDGE 4" RED PLS HDL  
LBL STOCK 6-3/8"X4"  
1 LBL STOCK 3"x1-7/8"  
1 KIT STL 24 UN WHITE 01  
1 LABL INSTR 24 & 36 UNIT KITS  
1 STING RELIEF 10


**Ammonia Inhalent**  
***Principal Display Panel***

796006 Rev. E Unit Carton Printing Plate for "A" size carton.



796006 Rev. E (page 3 of 3)

# Principal Display Panel



TAMPER-EVIDENT CAP.  
TAPA CON SELLO DE SEGURIDAD.  
BOUCHON INDICATEUR D'INFRACTION.

# eyesaline®

**LAVAOJOS  
EYESALINE**

Solución  
Isotónica Estéril

**EYESALINE  
EYEWASH**

Sterile  
Isotonic Solution

**LAVAGE  
OCULAIRE  
EYESALINE**

La Solution  
Isotonique Stérile

**16 fl. oz. (473 mL)**

NPN: 80057528



64809 11 45033 17

**Drug Facts (for USA only)**

<b>Active ingredient</b> Sterile water 99%	<b>Purpose</b> Eyewash
<b>Uses</b> for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.	
<b>Warnings</b> <b>For external use only</b> - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.	
<b>Do not use</b> • if solution changes color or becomes cloudy • if you have open wounds in or near the eyes, get medical help right away	
<b>Stop use and consult a doctor if:</b> • you experience eye pain • changes in vision • continued redness or irritation of the eye • condition worsens or persists	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • remove contacts before using • twist top to remove • flush the affected area as needed • control rate of flow by pressure on the bottle • if necessary, continue flushing with emergency eyewash or shower	
<b>Inactive ingredients</b> sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic	
<b>Questions?</b> Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917	

space for lot code and supplier part number

PEEL / PELAR / PELER

## Datos de medicamento (Para EE.UU. solamente)


<b>Ingrediente Activo</b> Agua estéril 99%	<b>Propósito</b> Lavaojos
<b>Usos</b> para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aéreos, o agua de cloruro.	
<b>Advertencias</b> <b>Para el uso externo sólo</b> - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte. <b>No se use</b> • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato	
<b>Deje de usar y consulte a un médico si:</b> • experimenta dolor de ojo • cambio de visión • rojez continuo o irritación del ojo • la condición empeora o persiste	
<b>Manténgase fuera del alcance de los niños.</b> En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.	
<b>Instrucciones</b> • quite los lentes de contacto antes de usar la solución • tuerza la tapa para quitar • enjuague el área afectada según se necesite • controle el chorro haciendo presión en la botella • si es necesario, sigue enjuagado con un lavado o ducha de emergencia	
<b>Ingredientes inactivos</b> cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico	
<b>¿Preguntas?</b> Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917	

## Information


<b>Usages</b> Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.
<b>Advertissements</b> <b>Pour usage externe seulement</b> - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les. <b>Ne pas utiliser</b> • si la solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin
<b>Cesser d'utiliser la solution et consulter un médecin</b> • vous ressentez une douleur oculaire • si votre vision change • rougeur ou irritation persistante des yeux • condition empire ou persiste
<b>Garder hors de la portée des enfants.</b> En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.
<b>Mode d'emploi</b> • enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant • si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche
<b>Ingredients</b> eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium
<b>Des questions?</b> Faites le 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

# PVP Principal Display Panel





**Sting Relief  
Principal Display Panel**



**4190 Kit Label  
010885-4514**

**Cover Dimensions: 9-1/2" X 9-1/2" (Two Color Job)  
First Pass pms 186 red Second pass Black Screen Number 4514**

**Used for: 24 UNIT PLASTIC FIRST AID KIT**



# ConocoPhillips

## First Aid Kit

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

**This drawing has been submitted for your approval.**

- Needs changes (indicate changes and fax back to North Safety Products).
- Approved (Sign below and fax to North Safety Products).

\_\_\_\_\_  
Name

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0498-4190
---------------------	----------------	---------------------------	---------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4190-01	1 in 1 KIT; Type 0: Not a Combination Product	03/14/2019	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	10 AMPULE	3 mL
Part 2	1 BOTTLE	30 mL
Part 3	10 POUCH	3 mL
Part 4	10 POUCH	4 mL
Part 5	10 POUCH	4 mL

## Part 1 of 5

### AMMONIA INHALENT

ammonia inhalent inhalant

## Product Information

<b>Item Code (Source)</b>	NDC:0498-3334
<b>Route of Administration</b>	RESPIRATORY (INHALATION)

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII:5138Q19F1X)	AMMONIA	0.045 g in 0.3 mL

## Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-3334-00	0.3 mL in 1 AMPULE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

## Part 2 of 5

### EYESALINE EMERGENCY EYEWASH

purified water liquid

#### Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

#### Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

## Part 3 of 5

### PVP IODINE WIPE

povidone-iodine 10% swab

#### Product Information

Item Code (Source)	NDC:0498-0121
--------------------	---------------

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0K00R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

### Part 4 of 5

#### ALCOHOL WIPE

isopropyl alcohol swab

### Product Information

Item Code (Source)	NDC:0498-0143
Route of Administration	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	09/18/2018	

**Part 5 of 5****STING RELIEF PAD**

ethyl alcohol, lidocaine swab

**Product Information**

Item Code (Source)	NDC:0498-0733
Route of Administration	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/23/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/14/2019	

**Labeler** - Honeywell Safety Products USA, INC (079287321)

## Establishment

Name	Address	ID/FEI	Business Operations
James Alexander		040756421	manufacture(0498-3334)

## Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, INC		079287321	pack(0498-4190)

## Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)

## Establishment

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0143)

## Establishment

Name	Address	ID/FEI	Business Operations
Sion Biotext Medical		532775194	manufacture(0498-0121)

## Establishment

Name	Address	ID/FEI	Business Operations
Safetec of America Inc		874965262	manufacture(0498-0733)

Revised: 3/2019

Honeywell Safety Products USA, INC