

CARPE ANTIPERSPIRANT FOR UNDERARMS- aluminum sesquichlorohydrate lotion
Cosco International, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient Purpose

Aluminum Sesquichlorohydrate 15%Antiperspirant

Anti Perspirant

Use

- Reduces underarm perspiration

Warnings

For external use only

Do not use

- on broken or irritated skin

Stop use and ask a doctor if

- rash or irritation occurs

Ask doctor before use if

- you have kidney disease

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Apply to underarms only
- Apply pea-sized amount to underarms and rub in vigorously
- For best results, apply every night before bed and an additional two times per day for at least four weeks

Inactive ingredients

Water, Isopropyl Alcohol, Silica, Silica Silylate, Talc, Polysorbate-20, Dimethicone, C12-15 Alkyl Benzoate, Phenoxyethanol, Isopropyl Myristate, Eucalyptus Oil, Glycerin, Hydroxypropyl Methylcellulose, Ethylhexylglycerin, Citric Acid, Sodium Hydroxide

Questions?

Call 888-621-0135

Distributed by:

Carpe
Durham, NC 27701
Made in: USA

Questions:

Call 888-621-0135

www.carpelotion.com



READY?

LET'S STAND UP TO SWEAT THE RIGHT WAY

-  apply every morning
-  apply every night

CONSISTENCY IS KEY!

 It takes 4 weeks of consistent use to begin seeing full results



WHY?

Carpe was designed to reduce sweat every day.

But to do that, it needs to be used correctly. Applying twice a day (right before bed, and again before you head out in the morning) to clean and dry hands (wash those right before!) is critical, because the antiperspirant ingredient in Carpe needs time to slowly build up a barrier within your sweat glands, and reduce the amount of sweat coming to the surface.

So why before bed?


It turns out that sweat glands tend to be least active at night, meaning that there will be less sweat pushing over Carpe's antiperspirant ingredient, allowing it more time to build the anti-sweat barrier.

And why four weeks?

Research has shown that with consistent use, the antiperspirant ingredient is able to build a stronger and stronger barrier each day, with results continuing to improve up to four weeks of twice-daily use.

After that, it's important to keep using Carpe twice a day to maintain the anti-sweat barrier, and to maintain maximum results.

If you have any questions, we'd love to hear from you!
You can reach us at support@carpe.com




READY?

**LET'S STAND UP TO
SWEAT THE RIGHT WAY**

 apply every morning

 apply every night

CONSISTENCY IS KEY!

 It takes 4 weeks
of consistent use
to begin seeing
full results



WHY?

**Carpe was designed to reduce
sweat every day.**

But to do that, it needs to be used correctly. Applying twice a day (right before bed, and again before you head out in the morning) to clean and dry hands (wash the right before!) is critical, because the antiperspirant ingredient in Carpe needs time to slowly build up a barrier within your sweat glands, and reduce the amount of sweat coming to the surface.

So why before bed?

It turns out that sweat glands tend to be least active at night, meaning that there will be less sweat pushing away Carpe's antiperspirant ingredient, allowing it more time to build the anti-sweat barrier.

And why four weeks?

Research has shown that with consistent use, the antiperspirant ingredient is able to build a stronger and stronger barrier each day, with results continuing to improve up to four weeks of twice-daily use.

After that, it's important to keep using Carpe twice a day to maintain the anti-sweat barrier, and to maintain maximum results.

If you have any questions,
we'd love to hear from you!

You can reach us at support@epiccarpe.com


READY?

**LET'S STAND UP TO
SWEAT THE RIGHT WAY**

 apply every morning

 apply every night

CONSISTENCY IS KEY!

 It takes 4 weeks
of consistent use
to begin seeing
full results

WHY?

**Carpe was designed to reduce
sweat every day.**

But to do that, it needs to be used correctly. Applying twice a day (right before bed, and again before you head out in the morning) to clean and dry hands (wash your right before!) is critical, because the antiperspirant ingredient in Carpe needs time to slowly build up a barrier within your sweat glands, and reduce the amount of sweat coming to the surface.

So why before bed?

It turns out that sweat glands tend to be least active at night, meaning that there will be less sweat pushing away Carpe's antiperspirant ingredient, allowing it more time to build the anti-sweat barrier.

And why four weeks?

Research has shown that with consistent use, the antiperspirant ingredient is able to build a stronger and stronger barrier each day, with results continuing to improve up to four weeks of twice-daily use.

After that, it's important to keep using Carpe twice a day to maintain the anti-sweat barrier, and to maintain maximum results.

If you have any questions,
we'd love to hear from you!

You can reach us at support@pepercarpe.com


READY?

**LET'S STAND UP TO
SWEAT THE RIGHT WAY**

 apply every morning

 apply every night

CONSISTENCY IS KEY!

 It takes 4 weeks
of consistent use
to begin seeing
full results

WHY?

**Carpe was designed to reduce
sweat every day.**

But to do that, it needs to be used correctly. Applying twice a day (right before bed, and again before you head out in the morning) to clean and dry hands (wash your right before!) is critical, because the antiperspirant ingredient in Carpe needs time to slowly build up a barrier within your sweat glands, and reduce the amount of sweat coming to the surface.

So why before bed?

It turns out that sweat glands tend to be least active at night, meaning that there will be less sweat pushing away Carpe's antiperspirant ingredient, allowing it more time to build the anti-sweat barrier.

And why four weeks?

Research has shown that with consistent use, the antiperspirant ingredient is able to build a stronger and stronger barrier each day, with results continuing to improve up to four weeks of twice-daily use.

After that, it's important to keep using Carpe twice a day to maintain the anti-sweat barrier, and to maintain maximum results.

If you have any questions,
we'd love to hear from you!

You can reach us at support@carpe.com

carpe

ANTIPERSPIRANT UNDERARM LOTION

CLINICALLY PROVEN
TO REDUCE SWEAT



DERMATOLOGIST
RECOMMENDED
50ml (1.69 Fl oz)

Drug Facts

Active Ingredient	Purpose
Aluminum Sesquichlorohydrate (20%)	Anti-perspirant

Use
• Reduce armpit perspiration

Warnings
For external use only

Do not use
• on broken or irritated skin

Stop use and ask a doctor if
• rash or irritation occurs

Ask doctor before use if
• you have kidney disease

Keep out of reach of children
• If swallowed, get medical help or contact
a Poison Control Center right away

Directions
• Apply to underarms only
• Apply pea-sized amount to underarms and rub in vigorously
• For best results, apply every night before bed and an
additional two times per day for at least four weeks

Inactive Ingredients: Water, Isopropyl Alcohol, Ethox, Glycerin, Triethyl Citrate, Polysorbate-20, Dimethylsiloxane, C12-15 Alkyl Benzoate, Phenoxyethanol, Isopropyl Myristate, Eucalyptus Oil, Glycolic Acid, Hydroxypropyl Methylcellulose, Ethylhexylglycerin, Citric Acid, Sodium Hydroxide

Questions? Call 888-421-0138



Distributed by: www.mycarpe.com
Carpe
Chapel Hill, NC 27517
Mixed & Filled in: USA

8 5769 00800 8

carpe

ANTIPERSPIRANT UNDERARM LOTION

CLINICALLY PROVEN
TO REDUCE SWEAT



DERMATOLOGIST
RECOMMENDED
50ml (1.69 Fl oz)

Drug Facts

Active Ingredient	Purpose
Aluminum Sesquichlorohydrate (20%)	Anti-perspirant

Use
• Reduce armpit perspiration

Warnings
For external use only

Do not use
• on broken or irritated skin

Stop use and ask a doctor if
• rash or irritation occurs

Ask doctor before use if
• you have kidney disease

Keep out of reach of children
• If swallowed, get medical help or contact
a Poison Control Center right away

Directions
• Apply to underarms only
• Apply pea-sized amount to underarms and rub in vigorously
• For best results, apply every night before bed and an
additional two times per day for at least four weeks

Inactive Ingredients: Water, Isopropyl Alcohol, Ethox, Glycerin, Triethyl Citrate, Polysorbate-20, Dimethylsiloxane, C12-15 Alkyl Benzoate, Phenoxyethanol, Isopropyl Myristate, Eucalyptus Oil, Glycolic Acid, Hydroxypropyl Methylcellulose, Ethylhexylglycerin, Citric Acid, Sodium Hydroxide

Questions? Call 888-421-0138



Distributed by: www.mycarpe.com
Carpe
Chapel Hill, NC 27517
Mixed & Filled in: USA

8 5769 00800 8

carpe

ANTIPERSPIRANT UNDERARM LOTION

CLINICALLY PROVEN
TO REDUCE SWEAT



DERMATOLOGIST
RECOMMENDED
50ml (1.69 Fl oz)

Drug Facts

Active Ingredient	Purpose
Aluminum Sesquichlorohydrate (18%)	Anti-perspirant

Use
• Reduce axillary perspiration

Warnings
For external use only

Do not use
• on broken or irritated skin

Stop use and ask a doctor if
• rash or irritation occurs

Ask doctor before use if
• you have kidney disease

Keep out of reach of children
• If swallowed, get medical help or contact
a Poison Control Center right away

Directions
• Apply to underarms only
• Apply pea-sized amount to underarms and rub in vigorously
• For best results, apply every night before bed and an
additional two times per day for at least four weeks

Inactive Ingredients: Water, Isopropyl Alcohol, Ethox, Glycerin, Triethyl Citrate, Polysorbate-20, Dimethylsiloxane, C12-15 Alkyl Benzoate, Phenoxyethanol, Isopropyl Myristate, Eucalyptus Oil, Glycolic Acid, Hydroxypropyl Methylcellulose, Ethylhexylglycerin, Citric Acid, Sodium Hydroxide

Questions? Call 888-421-0138



Distributed by: www.mycarpe.com
Carpe
Chapel Hill, NC 27517
Mixed & Filled in: USA

8 5769 00800 8

carpe

ANTIPERSPIRANT UNDERARM LOTION

CLINICALLY PROVEN
TO REDUCE SWEAT



DERMATOLOGIST
RECOMMENDED
50ml (1.69 Fl oz)

Drug Facts

Active Ingredient	Purpose
Aluminum Sesquichlorohydrate (18%)	Anti-perspirant

Use
• Reduce axillary perspiration

Warnings
For external use only

Do not use
• on broken or irritated skin

Stop use and ask a doctor if
• rash or irritation occurs

Ask doctor before use if
• you have kidney disease

Keep out of reach of children
• If swallowed, get medical help or contact
a Poison Control Center right away

Directions
• Apply to underarms only
• Apply pea-sized amount to underarms and rub in vigorously
• For best results, apply every night before bed and an
additional two times per day for at least four weeks

Inactive Ingredients: Water, Isopropyl Alcohol, Ethox, Glycerin, Triethyl Citrate, Polysorbate-20, Dimethylsiloxane, C12-15 Alkyl Benzoate, Phenoxyethanol, Isopropyl Myristate, Eucalyptus Oil, Glycolic Acid, Hydroxypropyl Methylcellulose, Ethylhexylglycerin, Citric Acid, Sodium Hydroxide

Questions? Call 888-421-0138



Distributed by: www.mycarpe.com
Carpe
Chapel Hill, NC 27517
Mixed & Filled in: USA

8 5769 00800 8



carpe



STAND UP TO SWEAT

Carpe is a prescription antiperspirant that helps reduce underarm sweating. It works by blocking the pores on your underarms, so sweat can't come out. Carpe is a prescription antiperspirant that helps reduce underarm sweating. It works by blocking the pores on your underarms, so sweat can't come out.

SHARE YOUR SWEAT STORY

Carpe is a prescription antiperspirant that helps reduce underarm sweating. It works by blocking the pores on your underarms, so sweat can't come out. Carpe is a prescription antiperspirant that helps reduce underarm sweating. It works by blocking the pores on your underarms, so sweat can't come out.

ANTIPERSPIRANT
LINDHEPLAFLINE
LOTION

CLINICALLY PROVEN
TO REDUCE SWEAT



DEBRANDLOST
RECOMMENDED

30 mL / 1.06 FL OZ

HOW TO USE

Carpe works best as a daily regimen. Apply every morning and every night before bed – nightly application is critical.

STEP 1

Ensure that underarms are dry.

STEP 2

Rotate the applicator knob until a layer of Carpe emerges.

STEP 3

Rub applicator firmly into underarms.

Efficiency increases with regular use. If desired, apply your regular deodorant in the evening, after applying Carpe.

Drug Facts

Active Ingredient
Aluminum Chlorohydrate (15%)
Purpose
Antiperspirant

Use
• Rubs on underarm perspiration

Warnings
For underarm use only

Do not use
• on broken or irritated skin

Stop use and ask a doctor if
• rash or irritation occurs

Ask a doctor before use if
• you have kidney disease

Keep out of reach of children
• If swallowed, get medical help or contact a Poison Control Center right away

Directions
• Apply to underarms only

• Apply to applicator to underarms and rub in vigorously

• For best results, apply every night before bed and again away from bed

Inactive Ingredients Aqua/Water, C12-15 Alkyl Benzoate, Citric Acid, Dimethylsiloxane, Ethylhexylglycerin, Isosqualane, Glycerol, Linalyl Acrylate, Hydroxypropyl Methylcellulose, Propylparaben, Isopropyl Alcohol, Triethyl Citrate, Polyethylene Glycol, Stearic Acid, Sodium Hydroxide, Tin Dioxide

Questions? Call 1-800-821-0120

Distributed by: Carpe, Chapel Hill, NC 27517, www.carpe.com

Questions: Call 1-800-821-0120, www.carpe.com

Note: Paper container: full seal should be present on tube



SEAL OFF
NON-FLAMMABLE AREA



carpe



STAND UP TO SWEAT

Carpe is a prescription antiperspirant that helps reduce underarm sweating. It works by blocking the pores that sweat comes out of. Carpe is a prescription antiperspirant that helps reduce underarm sweating. It works by blocking the pores that sweat comes out of.

**ANTIPERSPIRANT
LINDHEPLAFLAVI
LOTION**

**CLINICALLY PROVEN
TO REDUCE SWEAT**



DEBRANDLOGIST
RECOMMENDED

**SHARE YOUR
SWEAT STORY**

Carpe is a prescription antiperspirant that helps reduce underarm sweating. It works by blocking the pores that sweat comes out of. Carpe is a prescription antiperspirant that helps reduce underarm sweating. It works by blocking the pores that sweat comes out of.

30 mL / 1.06 FL OZ

HOW TO USE

Carpe works best as a daily regimen. Apply every morning and every night before bed – nightly application is critical.

STEP 1
Ensure that underarms are dry.

STEP 2
Rotate the applicator knob until a layer of Carpe emerges.

STEP 3
Rub applicator firmly into underarms.

Efficiency increases with regular use. If desired, apply your regular deodorant in the evening, after applying Carpe.

Drug Facts

Active Ingredient
Hexylresorcinolhydroxide (15%)
Purpose
Antiperspirant

Use
• Rubs on underarm perspiration

Warnings
For underarm use only

Do not use
• on broken or irritated skin

Stop use and ask a doctor if
• rash or irritation occurs

Ask doctor before use if
• you have kidney disease

Keep out of reach of children
• If swallowed, get medical help or contact a Poison Control Center right away

Directions
• Apply to underarms only
• Apply to applicator to underarms and rub in vigorously
• For best results, apply every night before bed and again away from bed

Inactive Ingredients Aqua/Water, C12-15 Alkyl Benzoate, Citric Acid, Dimethylsiloxane, Ethylhexylglycerin, Isosqualane, Octylalcohol, PEG-40, Polybutene-1, Polybutene-2, Silica, Stearic Acid, Titanium Dioxide, Triethylcitrate, Zinc Oxide


Questions? Call 1-800-821-0120

Distributed by: Carpe, Chapel Hill, NC 27517
Questions: Call 1-800-821-0120, mycarpe.com
Filled in USA

Note: Paper packaging: full seal should be present on tube



SEAL OFF
NON-PALESH AREA



CARPE ANTIPERSPIRANT FOR UNDERARMS

aluminum sesquichlorohydrate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52261-4703
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Aluminum Sesquichlorohydrate (UNII:UCN889409V) (ALUMINUM SESQUICHLOROXYDRATE - UNII:UCN889409V)	Aluminum Sesquichlorohydrate	0.15048 kg in 1 kg

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
isopropyl alcohol (UNII: ND2M416302)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
HEXAMETHYLDISILAZANE (UNII: H36C68P1BH)	
talc (UNII: 7SEV7J4R1U)	
polysorbate 20 (UNII: 7T1F30V5YH)	
dimethicone 350 (UNII: 2Y53S6ATLU)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
phenoxyethanol (UNII: HIE492ZZ3T)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
eucalyptus oil (UNII: 2R04ON1662)	
glycerin (UNII: PDC6A3C0OX)	
hypromellose 2208 (60000 MPA.S) (UNII: 2F7T07H9ZD)	
sodium hydroxide (UNII: 55X04QC32I)	
citric acid monohydrate (UNII: 2968PHW8QP)	
ethylhexylglycerin (UNII: 147D247K3P)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52261-4703-2	1 in 1 CARTON	08/27/2018	
1	NDC:52261-4703-1	0.058 kg in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	08/27/2018	

Labeler - Cosco International, Inc. (016433141)

Registrant - Cosco International, Inc. (016433141)

Establishment

Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	manufacture(52261-4703) , label(52261-4703) , pack(52261-4703)