

**4234 FIRST AID KIT- 4234 first aid
Honeywell Safety Products USA, Inc.**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

4234 First Aid Kit (Triple, Ammonia Inh, Burn Jel, Hydrogen Peroxide Sp, BZK wipe-68180SIGMA)

Active ingredient

Ammonia 15%

Purpose

Respiratory stimulant

Uses

to prevent or treat fainting

Warnings

For external use only

Do not use

- if you have asthma or emphysema

Stop use and ask a doctor if

- condition persists

Keep out of reach of children

If swallowed get medical help or contact a Poison Control Center right away.

Directions

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

Other information

store at room temperature away from light

Inactive ingredients

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

Questions or Comments

1-800-430-5490

Burn Jel***Active ingredient***

Lidocaine HCl 2.0%

Burn Jel***Purpose***

External analgesic

Burn Jel***Uses***

- temporarily relieves pain due to minor burns

Burn Jel***Warnings*****For external use only****Do not use**

- on large areas of the body, particularly over raw surfaces or blistered areas

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Burn JEl***Directions***

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

Burn Jel***Other information***

- store at room temperature - do not use if opened or torn

Burn Jel***Inactive ingredients***

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

Burn Jel

Questions

1-800-430-5490

Triple

Active ingredient

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

Triple

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Triple

Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Triple

Warnings

For external use only

Allergy alert: do not use if you are allergic to any of the ingredients

Do not use

- in the eyes
- over large areas of the body
- Ask a doctor before use if you have
- a deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Triple

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Triple

Other information

- store at 15⁰ to 25⁰ C (59⁰ to 77⁰ F)
- tamper evident sealed packets
- do not use if packet is torn or opened

Triple

Inactive ingredient

petrolatum

Triple

Questions?

1-800-430-5490

BZK Wipe

Active ingredient

Benzalkonium chloride 0.13% w/v

BZK Wipe

Purpose

First aid antiseptic

BzK Wipe

Uses

Antiseptic cleansing of face, hands, and body without soap and water

BZK Wipe

Warnings

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

BZK Wipe***Directions***

tear open packet and use as a washcloth

BZK Wipe***Other information***

- store at room temperature 15⁰ to 30⁰ C (59⁰ - 86⁰ F)
- do not reuse towelette

BZK Wipe***Other information***

water

BZK Wipe***Questions***

1-800-430-5490

Hydrogen Peroxide***Active ingredient***

Hydrogen peroxide 3%

Hydrogen Peroxide***Purpose***

First aid antiseptic

Hydrogen peroxide***Uses***

- first aid to help prevent infection in minor cuts, scrapes and burns

Hydrogen peroxide***Warnings*****For external use only****Do not use**

- in the eyes or apply over large areas of the body
- longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- or serious burns

Stop use and ask a doctor if

- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Hydrogen peroxide***Directions***

- clean the affected area
- spray a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Hydrogen peroxide***Other information***

- store at room temperature

Hydrogen peroxide***Inactive ingredient***

purified water

Hydrogen peroxide***Questions or Comments?***

1-800-430-5490

4234

68180SIGMA Kit Contents

1 WOVEN 7/8 X 3 50/BOX

1 FNGERTP LRG WOVEN 25/BOX

1 FNGERTP WOVEN REG 40/BOX

1 WOVEN 2" X 3" 25/BOX

1 SWIFT KNUCKLE 40/BX

1 AMMONIA INHALANTS 10 PER

1 EYE DRESS PKT W/4 ADH STRIPS

1 BURN JEL 1/8 OZ, 6 PER

1 NITRILE GLOVES 2PR BBP

1 ADHESIVE TAPE W/P 1/2"X 5 YD

1 HYDROGEN PEROXIDE SPRAY PUMP

1 GAUZE BANDAGE 4"X2 YDS STRETCH GZ

1 FIRST AID GUIDE ASHI

2 BLOODSTOPPER

1 NON ADHERENT PADS 2"X3" 50'S

1 COTTON BALLS STERILE 130

1 ANTISEPTIC WIPES BZK CHL 20'S

1 TRIPLE BIOTIC .5 GRAM PKT 20

2 COLD PACK 5"X9" BOXED

1 SCISSOR BDGE 4" RED PLS HDL

1 KIT TWEEZER 3 1/2" SLANTED

1 180 EMPTY BLANK NO LOGO

1 BANDAGE COMP 3" W/TELFA PAD 2

LBL STOCK 6-3/8"X4"



1 LBL STOCK 4"X2-7/8"

1 LBL STOCK 3"x1-7/8"

1 TRI BNDG NON WOVEN 40"X40"X56"

Principal Display Panel

796006 Rev. E Unit Carton Printing Plate for "A" size carton.




796006 Rev. E (page 3 of 3)

Principal Display Panel

796353 Rev. E Unit Carton Printing Plate for "B" size cartor



Triple Principal Display Panel



BZK Wipe Principal Display Panel

47001083
Rev B

Antiseptic Towelettes

Honeywell

02-16-35MD

Antiseptic Towelettes

Benzalkonium chloride
First aid antiseptic

Six-Saturated Towelettes

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

47001083
Rev B

Antiseptic Towelettes

Honeywell

Drug Facts

Active Ingredient	Purpose
Benzalkonium chloride 0.133% w/v	First aid antiseptic

Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds

Warnings

For external use only

When using this product • do not use in the eyes or apply over large areas of the body

Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns

Stop use and consult a doctor if

• irritation, redness or other symptoms develop • condition persists or gets worse

Do not use • longer than 1 week unless directed by doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • tear open packet, unfold and use as washcloth


Other information


• store at room temperature 15° -30° C (59° -86° F) • do not reuse towelette

Inactive ingredient water

Questions or comments 1-800-430-5490

Hydrogen peroxide
Principal Display Panel

Drug Facts		
Active ingredient	Purpose	
Hydrogen peroxide Topical Solution U.S.P. 3%	First aid antiseptic	<h1>Hydrogen Peroxide</h1> <p>First Aid Antiseptic Spray</p> <p>Irrigates and Cleanses Wounds</p> <ul style="list-style-type: none"> • For minor cuts and scrapes • Helps prevent infection • Non-aerosol spray • Topical antiseptic <p>2 Fl. Oz. (59 mL)</p>
Uses first aid to help prevent infection in minor cuts, scrapes and burns		
Warnings		
For external use only		
Do not use		
<ul style="list-style-type: none"> ■ in the eyes or apply over large areas of the body ■ longer than 1 week unless directed by a doctor 		
Ask a doctor before use if you have		
<ul style="list-style-type: none"> ■ deep or puncture wounds, animal bites, or serious burns 		
Stop use and ask a doctor if		
<ul style="list-style-type: none"> ■ the condition persists or gets worse 		
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		
Directions ■ clean the affected area ■ spray a small amount of this product on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first		
Other information		
<ul style="list-style-type: none"> ■ store at room temperature 		
Inactive ingredients purified water		
Questions or comments? 1-800-275-3433 info@waterjel.com www.waterjel.com		
WATER-JEL TECHNOLOGIES CARLSTADT, NJ 07072 Rev 1		



7 43537 50002 4

4234 Kit Label
68180SIGMA



Distributed by Honeywell Safety Products USA, Inc Smithfield, RI 02917

4234 FIRST AID KIT

4234 first aid kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4234
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4234-01	1 in 1 KIT	09/13/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE, SPRAY	59 mL
Part 2	10 AMPULE	3 mL
Part 3	6 PACKET	21 g
Part 4	20 PACKET	10 g
Part 5	20 PACKET	28 mL

Part 1 of 5**WATER JEL HYDROGEN PEROXIDE**

hydrogen peroxide spray

Product Information

Item Code (Source)	NDC:59898-403
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	3 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59898-403-10	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	05/01/2013	

Part 2 of 5

AMMONIA INHALENT

ammonia inhalent inhalant

Product Information

Item Code (Source)	NDC:0498-3334
Route of Administration	RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII:5138Q19F1X)	AMMONIA	0.045 g in 0.3 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-3334-00	0.3 mL in 1 AMPULE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 3 of 5

BURN JEL

gel for burns gel

Product Information

Item Code (Source)	NDC:0498-0203
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g
---	-----------------------------------	-----------------

Inactive Ingredients	
Ingredient Name	Strength
TEA TREE OIL (UNII: VIF565UC2G)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER HOMO POLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
CARBOMER HOMO POLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	09/19/2018		

Part 4 of 5

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information	
Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-36	0.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	09/19/2018	

Part 5 of 5**ANTISEPTIC TOWELETTE**

benzalkonium chloride liquid

Product Information

Item Code (Source)	NDC:0498-0501
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		
---	------------------	---	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC mono graph not final	part333E	12/22/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/13/2018	

Labeler - Honeywell Safety Products USA, Inc. (079287321)

Registrant - Honeywell Safety Products USA, Inc. (079287321)

Establishment

Name	Address	ID/FEI	Business Operations
James Alexander		040756421	manufacture(0498-3334)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc		079287321	pack(0498-4234)

Establishment

Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0203, 0498-0750, 59898-403)

Establishment

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0501)