

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE BENZOYL PEROXIDE
EFFACLAR BPO- benzoyl peroxide cream
L'Oreal USA Products Inc**

Drug Facts

Active ingredient

Benzoyl peroxide 5.5%

Purpose

Acne treatment

Uses

- for the treatment of acne
- clears acne blemishes
- penetrates pores to control acne blemishes
- helps prevent new acne blemishes from forming

Warnings

For external use only

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips, and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if

irritation becomes severe

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other information

- store at room temperature 68°-77°F

Inactive ingredients

water, glycerin, pentylene glycol, carbomer, silica, tocopheryl acetate, sodium citrate, sodium hydroxide, sodium metabisulfite, diethylhexyl sodium sulfosuccinate, phenoxyethanol, epilobium angustifolium flower/leaf/stem extract, propanediol, acrylates/C10-30 alkyl acrylate crosspolymer, disodium EDTA, potassium hydroxide

Questions or comments?

1-888-LRP LABO 1-888-577-5226

Monday -Friday (9 a.m. - 5p.m. EST)

Drug Facts: Active ingredient: Benzoyl peroxide 5.5% **Purpose:** Acne treatment

Use: For the treatment of acne

Warnings: For external use only. Do not use if you have very sensitive skin; are sensitive to benzoyl peroxide. **When using this product,** skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. Avoid unnecessary sun exposure and use a sunscreen. Avoid contact with the eyes, lips and mouth. Avoid contact with hair and dyed fabrics, which may be bleached by this product. Skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration. **Stop use and ask a doctor if** irritation becomes severe. **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Clean skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor. **Other information:** store at room temperature 68°-77°F **Questions or comments?:** 1-888-LRP LABO 1-888-577-5226 Monday - Friday (9 a.m. - 5 p.m. EST) 3612624794479

0.7 FL.OZ./20ml
Distribution reserved to La Roche-Posay
agreed distributors. L'Oréal USA S/D, Inc.,
Dist., New York, NY 10001. Made in USA
of US and/or Imported Ingredients.

La Roche-Posay Laboratoire Dermatologique
CAI 86270 La Roche-Posay, France
TSA 75000 93584 ST OUEN CEDEX FR
www.laroche-posay.us



LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE



BENZOYL
PEROXIDE



EFFACLAR
BPO

MULTI-TARGET
ACNE TREATMENT
5.5% BENZOYL
PEROXIDE ACNE
MEDICATION






LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE



**EFFACLAR
BPO**
MULTI-TARGET
ACNE TREATMENT
**5.5% BENZOYL
PEROXIDE ACNE
MEDICATION**



0.1 FL.OZ.-3ml



Drug Facts: Active ingredient: Benzoyl peroxide 5.5% **Purpose:** Acne treatment
Use: For the treatment of acne **Warnings:**
For external use only. Do not use if you have very sensitive skin; are sensitive to benzoyl peroxide. **When using this product,** skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. Avoid unnecessary sun exposure and use a sunscreen. Avoid contact with the eyes, lips and mouth. Avoid contact with hair and dyed fabrics, which may be bleached by this product. Skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration. **Stop use and ask a doctor if** irritation becomes severe. **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Clean skin thoroughly before applying this product. Cover the entire affected area with a thin layer one to three times daily. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.
Other information: store at room temperature 68°-77°F **Questions or comments?:**
1-888-LRP LABO 1-888-577-5226
Monday - Friday (9 a.m. - 5 p.m. EST) 4794349

L'Oréal USA S/D, Inc., Dist., New York, NY 10001

LA ROCHE POSAY
LABORATOIRE DERMATOLOGIQUE

LA ROCHE POSAY
LABORATOIRE DERMATOLOGIQUE

LA ROCHE POSAY
LABORATOIRE DERMATOLOGIQUE

LA ROCHE POSAY
LABORATOIRE DERMATOLOGIQUE



EFFACLAR BPO
MULTI-TARGET
ACNE TREATMENT
5.5% BENZOYL PEROXIDE
ACNE MEDICATION



EFFACLAR BPO
MULTI-TARGET
ACNE TREATMENT
5.5% BENZOYL PEROXIDE
ACNE MEDICATION



EFFACLAR BPO
MULTI-TARGET
ACNE TREATMENT
5.5% BENZOYL PEROXIDE
ACNE MEDICATION

SAMPLE-NOT FOR SALE
15 x 0.10 FL.OZ. x 3 ml

**BENZOYL PEROXIDE
ACNE TREATMENT**

**BENZOYL PEROXIDE
ACNE TREATMENT**

**BENZOYL PEROXIDE
ACNE TREATMENT**



3 606000 652200

EXP

Drug Facts

Active ingredient
Benzoyl peroxide 5.5%
Purpose
Acne treatment

Uses
• For the treatment of acne
• Shrink acne blemishes
• Penetrates pores to control acne blemishes
• Helps prevent new acne blemishes from forming

Warnings
For external use only
Do not use if you
• Have very sensitive skin
• Are sensitive to benzoyl peroxide

When using this product
• Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
• Avoid unnecessary sun exposure and use a sunscreen.
• Avoid contact with the eyes, lips, and mouth
• Avoid contact with hair and eyed fabrics, which may be bleached by the product.
• Skin irritation may occur, characterized by redness, burning, stinging, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.
Stop use and ask a doctor if
Irritation becomes severe

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions
• Clean the skin thoroughly before applying the product.
• Cover the entire affected area with a thin layer one to three times daily.
• Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
• If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
• If using outside, avoid sunburn after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other information
Store at room temperature 68°F - 77°F

Inactive ingredients
water, glycerin, polyurethane glycol, carborane silica, tocopherol acetate, sodium citrate, sodium hydroxide, sodium metasilicate, diethylhexyl sodium sulfosuccinate, phenylethyl alcohol, argemone flower root stem extract, tripanolol, acrylates C10-30 alkyl acrylate copolymer, disodium EDTA, potassium hydroxide

Questions or comments?
1-888-874-LABO 1-888-677-6228
Monday - Friday 9 a.m. - 5 p.m. EST

882304 Code F.L.V.70064678/5

Made in USA of US and/or Imported Ingredients.
Distribution reserved to La Roche-Posay/ agreed distributors
L'Oréal USA S'N Inc. Dist., 10 Hudson Yards, New York, NY 10001



3612624794493

Drug Facts: Active ingredient: Benzoyl peroxide 5.5% **Purpose:** Acne treatment
Use: For the treatment of acne **Warnings:**
For external use only. Do not use if you
have very sensitive skin; are sensitive to
benzoyl peroxide. **When using this**
product, skin irritation and dryness is
more likely to occur if you use another
topical acne medication at the same time.
If irritation occurs, only use one topical
acne medication at a time. Avoid
unnecessary sun exposure and use a
sunscreen. Avoid contact with the eyes,
lips and mouth. Avoid contact with hair
and dyed fabrics, which may be bleached
by this product. Skin irritation may occur,
characterized by redness, burning, itching,
peeling, or possibly swelling. Irritation may
be reduced by using the product less
frequently or in a lower concentration.

Stop use and ask a doctor if irritation
becomes severe. **Keep out of the reach**
of children. If swallowed, get medical
help or contact a Poison Control Center
right away. **Directions:** Clean skin
thoroughly before applying this product.
Cover the entire affected area with a thin
layer one to three times daily. Because
excessive drying of the skin may occur,
start with one application daily, then
gradually increase to two or three times
daily if needed or as directed by a doctor.
If bothersome dryness or peeling occurs,
reduce application to once a day or every
other day. If going outside, apply
sunscreen after using this product. If
irritation or sensitivity develops, stop use
of both products and ask a doctor.

Other information: store at room
temperature 68°-77°F

Questions or comments?:

1-888-LRP-LABO

1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

3612624796251



1.35FL.OZ./40ml

Distribution reserved to La Roche-Posay
agreed distributors. L'Oréal USA S/D, Inc.,
Dist., New York, NY 10001. Made in USA
of US and/or Imported Ingredients.

La Roche-Posay Laboratoire Dermatologique
CAI 86270 La Roche-Posay, France
TSA 75000 93584 ST OUEN CEDEX FR
www.laroche-posay.us

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE



EFFACLAR
BPO

MULTI-TARGET
ACNE TREATMENT

5.5% BENZOYL
PEROXIDE ACNE
MEDICATION



ACTUAL
SIZE

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

B
**BENZOYL
PEROXIDE**

+

EFFACLAR BPO

MULTI-TARGET
ACNE TREATMENT
**5.5% BENZOYL PEROXIDE
ACNE MEDICATION**

Reduces Severity of Four Types
of Acne

Blackheads & Whiteheads
Acne Blemishes & Acne Pimples

DERMATOLOGIST TESTED
FOR SAFETY ON
ACNE-PRONE SKIN

1.35 FL OZ - 40 ml

FOR. Acne-prone skin
with four types of acne:
blackheads, whiteheads,
acne blemishes and acne
pimples.

RESULTS. Whiteheads,
blackheads and acne
blemishes are effectively
treated. Skin looks
clearer and smoother.

Non-drying, free of
pore-clogging oils
formula is absorbed
easily. Helps prevent
future acne breakouts.

Multi-targeted acne
treatment that reduces:

**1. Acne blemishes and
acne pimples**

The formula reduces the
number and severity of
acne blemishes and acne
pimples.

**2. Blackheads and
whiteheads**

The formula penetrates
pores to clear blackheads
and whiteheads.

INGREDIENTS.

This formula contains:

**5.5% micronized
benzoyl peroxide** to
clear up acne blemishes.
Glycerin, a moisturizing
and soothing skincare
ingredient.
Willowherb, a natural
antioxidant.

SUITABLE FOR SENSITIVE
AND ACNE-PRONE SKIN
NON-DRYING
FREE OF PORE-CLOGGING
OILS
FRAGRANCE-FREE
PARABEN-FREE
DERMATOLOGIST TESTED
FOR SAFETY

3612624796169
Made in USA of US and/or
Imported Ingredients
Distribution reserved to La Roche-Posay
agreed distributors.
L'Oréal USA S/D, Inc., Dist.,
New York, NY 10001.
La Roche-Posay
Laboratoire Dermatologique
CAJ 86270 La Roche-Posay, France
TSA7500093584STOUIENCDEXFR



Drug Facts

Active ingredient **Purpose**
Benzoyl peroxide 5.5% Acne treatment

Uses

- for the treatment of acne
- clears acne blemishes
- penetrates pores to control acne blemishes
- helps prevent new acne blemishes from forming

Warnings

For external use only

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips, and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if
irritation becomes severe

Keep out of reach of children.

If swallowed, get medical help or contact a
Poison Control Center right away.

Directions

- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other information

- store at room temperature 68°-77°F

Inactive ingredients

water, glycerin, pentylene glycol, carbomer, silica, tocopheryl acetate, sodium citrate, sodium hydroxide, sodium metabisulfite, diethylhexyl sodium sulfosuccinate, phenoxyethanol, epilobium angustifolium flower/leaf/stem extract, propanediol, acrylates/C10-30 alkyl acrylate crosspolymer, disodium EDTA, potassium hydroxide

Questions or comments?

1-888-LRP-LABO 1-888-577-5226
Monday-Friday (9 a.m. - 5 p.m. EST)

693300 4

Code F.I.L.V70064678/5



LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE BENZOYL PEROXIDE EFFACLAR BPO

benzoyl peroxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82046-884
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM)	BENZOYL PEROXIDE	55 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
CARBOMER (UNII: 0A5MM307FC)	
SILICA (UNII: ETJ7Z6XBU4)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
DIETHYLHEXYL SODIUM SULFOSUCCINATE (UNII: F05Q2T2JA0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
EPILOBIUM ANGUSTIFOLIUM FLOWERING TOP (UNII: 08H094218D)	
PROPANEDIOL (UNII: 5965N8W85T)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82046-884-01	1 in 1 CARTON	05/22/2026	
1		20 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:82046-884-02	15 in 1 CARTON	05/22/2026	
2		3 mL in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:82046-884-03	1 in 1 CARTON	05/22/2026	
3		40 mL in 1 TUBE; Type 0: Not a Combination		

Product			
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	05/22/2026	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment			
Name	Address	ID/FEI	Business Operations
Beauty Manufacturing Solutions Corp.		783200723	manufacture(82046-884)

Revised: 5/2026

L'Oreal USA Products Inc