

**NITROGEN - nitrogen gas**  
**American Welding & Gas**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Liquid Nitrogen Label**

NITROGEN,  
REFRIGERATED LIQUID  
NF

UN1977

7727-37-9

REFRIGERATED LIQUID  
ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.  
DO NOT CHANGE OR FORCE FIT CONNECTIONS.

Rx Only

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE.

CAN CAUSE RAPID SUFFOCATION.

CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin or clothing.

For liquid withdrawal, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement.

Cylinder temperature should not exceed 52°C (125°F).

Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID:

IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

DO NOT REMOVE THIS PRODUCT LABEL.

**REFRIGERATED LIQUID**

**NITROGEN,  
REFRIGERATED  
LIQUID  
NF**

**UN1977**



**ALWAYS KEEP CONTAINER IN UPRIGHT POSITION**

**R<sub>g</sub> only**

**WARNING:** This product is extremely toxic by inhalation or contact. For use only by or under the direct supervision of a licensed or authorized professional. For use only with the instructions, safety, storage, handling, and disposal regulations and other notices, and only the specific instructions and other notices and the procedures to be used.

**WARNING:** EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE FROST BITE AND SEVERE BURNING.

Store and use with adequate ventilation.  
Do not get liquid in eyes, on skin or clothing.  
For liquid: Substances may freeze and not melt.  
For all uses: This material can be used for purposes not intended.  
Extinguish: Immediately if spilled and covered (CO<sub>2</sub> or DRY).  
Close valves after each use and when empty.  
Keep a safe distance from product during all use.  
Use in accordance with the Material Safety Data Sheet (MSDS).

**FIRST AID:** **IF INHALED:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.  
**IF SKIN OR CLOTHING IS CONTACTED:** Remove contaminated clothing and shoes. Wash with soap and water. If liquid gets in eyes, flush with water for at least 15 minutes. Call a physician.

**IF CASE OF PROXYTITE, SOLAR AND NOT BEEN USED**

GAS: 1927-AT-8  
**DO NOT REMOVE THIS PRODUCT LABEL.**

---

**inveld corp**  
SOLAR WELDING EQUIPMENT  
P.O. BOX 1000  
MILWAUKEE, WI 53211  
(414) 248-0611

302

nitrogen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:49778-004
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Nitrogen</b> (UNII: N762921K75) (Nitrogen - UNII:N762921K75)	Nitrogen	99 L in 100 L

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:49778-004-01	160 L in 1 DEWAR		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved medical gas		05/01/2009	

**Labeler** - American Welding & Gas (035216530)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
American Welding & Gas		832328061	manufacture

Revised: 4/2010

American Welding & Gas