

**COVERGIRL TRUBLEND BASE BUSINESS EVERYDAY DEFENSE PRIMER SPF 20-
ensulizole liquid
NOXELL CORPORATION**

Covergirl Everyday Defense Skin Primer SPF 20

Active ingredient

Ensulizole 3%

Purpose

Sunscreen

Uses

helps prevent sunburn

Warnings

Skin Cancer/Skin Aging Alert; Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

apply liberally 15 minutes before sun exposure

reapply at least every 2 hours

use a water resistant sunscreen if swimming or sweating
children under 6 months of age: Ask a doctor

Other information

protect this product from excessive heat and direct sun

Aqua/Water/Eau, Cyclopentasiloxane, Talc, Propylene Glycol, Dimethicone, Aluminum Starch Octenylsuccinate, PEG/PPG-18/18 Dimethicone, Sodium Chloride, PVP, Phenoxyethanol, Sodium Hydroxide, Ethylene/Methacrylate Copolymer, Synthetic Beeswax, Trihydroxystearin, Methicone, 1,2-Hexanediol, Caprylyl Glycol, Silica, Sodium Benzoate, Synthetic Wax, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Isopropyl Titanium Triisostearate, Ethylene Brassylate, Polyethylene.

Questions?

1-800-426-8374

COVERGIRL

TRUBLEND

BASE BUSINESS

EVERYDAY

DEFENSE

SKIN PRIMER +

ENSULIZOLE SUNSCREEN

SPF 20

30 mL (1 FL OZ)

Drug Facts

Active Ingredient Purpose
 Ensulizole 3% Sunscreen

Uses
 • helps prevent sunburn

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use water resistant sunscreen if swimming or sweating
- children under 6 months: ask a doctor

Other information

- Protect this product from excessive heat and direct sun ▶

Drug Facts (cont'd)

Inactive ingredients:
 Aqua/water/eau, cyclopentasiloxane, talc, propylene glycol, dimethicone, aluminum starch octenylsuccinate, peg/ppg-18/18 dimethicone, sodium chloride, pvp, phenoxyethanol, sodium hydroxide, acrylonitrile/methyl methacrylate/vinylidene chloride copolymer, synthetic beeswax, trihydroxystearin, methicone, 1,2-hexanediol, caprylyl glycol, silica, sodium benzoate, synthetic wax,

polyglyceryl-4 isostearate, cetyl peg/ppg-10/1 dimethicone, hexyl laurate, isopropyl titanium trisostearate, ethylene brassylate, polyethylene.

Questions? 1-800-425-6374

1-800-4COVER4
 COVERGIRL.COM
 COTY US, LLC
 NEW YORK, NY 10018

COVERGIRL

TRUBLEND
 BASE
 BUSINESS
 EVERYDAY
 DEFENSE
 SKIN PRIMER
 SUNSCREEN
 SPF 20

SHAKE WELL

- PRIME, PROTECT AND PERFECT IN ONE STEP.
- SMOOTHS SKIN TO CREATE THE PERFECT CANVAS.
- OIL FREE, UNSCENTED.
- DERMATOLOGIST TESTED.
- SUITABLE FOR ALL SKIN TYPES.

9920009930
 MADE IN US WITH FOREIGN PARTS
 COTY US, LLC
 NEW YORK, NY 10018

LIST FOR DRUG FACTS



COVERGIRL TRUBLEND BASE BUSINESS EVERYDAY DEFENSE PRIMER SPF 20

ensulizole liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:22700-157
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	3 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
ETHYLENE BRASSYLATE (UNII: 9A87HC7ROD)	
TALC (UNII: 7SEV7J4R1U)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)	

HEXYL LAURATE (UNII: 4CG9F9W01Q)

DIMETHICONE (UNII: 92RU3N3Y1O)

TRIHYDROXYSTEARIN (UNII: 06YD7896S3)

1,2-HEXANEDIOL (UNII: TR046Y3K1G)

CAPRYLYL GLYCOL (UNII: 00YIU5438U)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22700-157-01	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/28/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/28/2019	

Labeler - NOXELL CORPORATION (003082997)

Establishment

Name	Address	ID/FEI	Business Operations
NOXELL CORPORATION		003082997	manufacture(22700-157)

Revised: 11/2024

NOXELL CORPORATION