#### HELIOX- heliox gas Metro Welding Supply Corporation

-----

#### **Heliox 20/80**

THE PERFECT MIXTURE OF LOCAL SERVICE AND CERTIFIED QUALITY

Cryogenic Gases

PurityPlus SPECIALTY GASES

Compressed gas, n.o.s. (Helium, Oxygen)

UN1956

Medical Gas Mixture

80 % Helium, USP CAS: 7440-59-7

20 % Oxygen, USP CAS: 7782-44-7

Rx only:

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ACCIDENTLY INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL

For Medical Use Only.

Ver. 3.90

Volume: 205CF

Cryogenic Gases

12620 Southfield Fwy.

Detroit, MI, 48223

313-834-1660





Compressed gas, n.o.s. (Helium, Oxygen)

#### UN1956

 Medical Gas Mixture

 80 % Helium, USP
 CAS:
 7440-59-7

 20 % Oxygen, USP
 CAS:
 7782-44-7

WARNING: Administration of this gas minister may be humanised or contraindicated. For use only by or under the supervision of a homsed practitioner while sequenced in the use and administration of gas mixtures and is familiar with the indications, effects, designs, methods, and frequency and duration of administration, and with the homsels, contraindications and side effects and the precurious to be taken.

WARNING CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED

Do not handle until all solety precunitions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back for preventive device in the point. Use only with expressed of computition materials of constitution and match for clinical pressure. Close the prevention of the point of the prevention of th

FIRST AID: IF ACCIDENTLY INHALED: Remove person to fresh sir and keep comfortable for breathing. Get medical advice/attention

## **HELIOX**

heliox gas

Product Type HUMAN PRESCRIPTION DRUG Item Code (Source) NDC:62273-007

**Route of Administration** RESPIRATORY (INHALATION)

# Active Ingredient/Active Moiety Ingredient Name

Ingredient Name Basis of Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)
OXYGEN (UNII: S88TT14065) OXYGEN 200 mL in 1 L

### **Inactive Ingredients**

Ingredient Name Strength

**HELIUM** (UNII: 206GF3GB41) 800 mL in 1 L

l	Packaging		
l	# Hom Codo	Dackage Description	Marketing Start

	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:62273- 007-01	8495.05 L in 1 CYLINDER; Type 0: Not a Combination Product	03/28/2019	
	2	NDC:62273- 007-02	5663.37 L in 1 CYLINDER; Type 0: Not a Combination Product	03/28/2019	
l	3	NDC:62273-	3539.61 L in 1 CYLINDER; Type 0: Not a	03/28/2019	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA205849	03/28/2019		

# **Labeler -** Metro Welding Supply Corporation (005328869)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Metro Welding Supply Corporation		005328869	manufacture(62273-007)	

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Metro Welding Supply Corporation		079716147	manufacture(62273-007)	

Revised: 10/2025 Metro Welding Supply Corporation