

SENNOSIDES 8.6MG- sennosides tablet
Pharmaceutica North America, Inc.

Active Ingredient

Sennosides 8.6 mg (in each tablet)

Purpose

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 6-12 hours

Warnings

Do not use laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information


store in a dry place at 15° - 30°C (59° - 86°F).

Inactive Ingredients

croscarmellose sodium, dicalcium phosphate, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, polyethylene glycol, talc.

Questions or comments? (888)788-6472

Product label


NDC: 45861-0079-10

Sennosides


8.6 mg Tablet

Laxative

1000 Tablets

Drug Facts	
Active Ingredient (in each tablet)	Purpose
Sennosides 8.6 mg	Laxative
Uses	
relieves occasional constipation (irregularity) generally produces a bowel movement in 6-12 hours	
Warnings	
Do not use laxative products for longer than 1 week unless directed by a doctor	
Ask a doctor before use if you have stomach pain, nausea, vomiting, or noticed a sudden change in bowel habits that continues over a period of 2 weeks	
Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.	
If pregnant or breast feeding, ask a health professional before use.	
Keep out of reach of children.	
In case of overdose, get medical help or contact a Poison Control Center 1-800-222-1222 right away.	

Drug Facts (continued)		
Directions take preferably at bedtime or as directed by a doctor		
age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor
Other Information		
each tablet contains: calcium 20 mg		
store in a dry place at 15° – 30°C (59° – 86°F)		
Inactive Ingredients		
croscarmellose sodium, dicalcium phosphate, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, polyethylene glycol, talc.		
Questions or Comments? 1-888-788-6472		



Manufactured For:
Pharmaceutical North America, Inc.
Glendale, CA 91205

SENNOSIDES 8.6MG

sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:45861-079
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
TALC (UNII: 7SEV7J4R1U)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	

POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	

Product Characteristics

Color	white (Off White)	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45861-079-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	02/01/2025	

Labeler - Pharmaceutica North America, Inc. (962739699)

Revised: 3/2025

Pharmaceutica North America, Inc.