

SUDAFED PE PRESSURE PLUS PAIN- acetaminophen and phenylephrine hydrochloride tablet, film coated
Kenvue Brands LLC

SUDAFED PE[®] Pressure+Pain

Drug Facts

<i>Active ingredients (in each caplet)</i>	<i>Purpose</i>
Acetaminophen 325 mg	Pain reliever/fever reducer
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

- temporarily relieves these symptoms associated with hay fever or other respiratory allergies, and the common cold:
 - sinus congestion and pressure
 - headache
 - minor aches and pains
 - nasal congestion
- promotes sinus drainage
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. The maximum daily dose of this product is 10 caplets (3,250 mg acetaminophen) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or

for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product do not exceed recommended dose

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">▪ take 2 caplets every 4 hours▪ do not take more than 10 caplets in 24 hours
children under 12 years	ask a doctor

Other information

- store between 20-25°C (68-77°F)
- **do not use if carton is opened or if blister unit is broken**

Inactive ingredients

carnauba wax, FD&C yellow no. 6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, modified starch, polyethylene glycol, polysorbate 80, powdered cellulose, pregelatinized starch, sodium starch glycolate, titanium dioxide

Questions or comments?

call **1-888-217-2117** (toll-free) or **215-273-8755** (collect)

PRINCIPAL DISPLAY PANEL

See New Warning

SINUS

NDC 50580-547-25

SUDAFED PE®

PRESSURE +PAIN

For

Adults

Acetaminophen, Phenylephrine HCl

Pain Reliever/Fever Reducer, Nasal Decongestant

SINUS PRESSURE

+ CONGESTION

SINUS HEADACHE

MAXIMUM

STRENGTH

24 CAPLETS

NON-DROWSY

‡ Actual Pill Size



Distributed by: McNeil Consumer Healthcare Division of McNeil-PPC, Inc. Fort Washington, PA 19034 USA ©McNeil-PPC, Inc. 2016

Open from other side

SUDAFED[®]

Does Not Contain Pseudoephedrine

LOT: EXP.:

30034182/ 10237201

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. When using this product do not exceed recommended dose.

Stop use and ask a doctor if: ■ nervousness, dizziness, or sleepiness occur ■ pain or nasal congestion gets worse or lasts more than 7 days ■ heart rate or breathing gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ these could be signs of a serious condition.

If pregnant or trying to get pregnant, ask a health professional before use. Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact Poison Control Center right away. (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ do not use more than directed (see overdose warning) ■ take 2 caplets every 4 hours and over ■ do not take more than 10 caplets in 24 hours ■ ask a doctor if children under 12 years

Other information ■ store between 20-25°C (68-77°F) ■ do not use if carton is opened or if blister unit is broken

Inactive ingredients carmelum xanthan gum, hydroxyethylcellulose, hydroxypropylmethylcellulose, polyethylene glycol, polyacrylate BQ, powder cellulose, pregelatinized starch, sodium starch glycolate, titanium dioxide

Questions or comments? call 1-888-217-2117 (toll-free) or 215-273-8755 (local)

Drug Facts

Active ingredients (in each caplet) Acetaminophen HCl 325 mg Pain reliever/fever reducer Phenylephrine HCl 5 mg Nasal decongestant

Uses temporarily relieve these symptoms associated with hay fever or other respiratory allergies, and the common cold: ■ sinus congestion and pressure ■ sinus headache ■ nasal congestion

Warnings Liver warning: The maximum daily dose of this product is 4,000 mg of acetaminophen in 24 hours. Severe liver damage may occur if you take 3 or more bottles of this every day while using this product. Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include ■ skin redness ■ hives ■ rash ■ skin reaction occurs; stop use and seek medical help right away.

Do not use ■ if you are taking other drug containing acetaminophen (prescription or nonprescription, if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist) ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs to treat depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains MAOI, ask a doctor or pharmacist before taking this product. ■ if you have ever had an allergic reaction to the product or any of its ingredients

Ask a doctor before use if you have ■ heart disease ■ head disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland

Important: Read all product information before using. Keep this box for important information.

The makers of the SUDAFED[®] family of products have been dedicated to reducing sinus pressure for over 50 years. Learn more about our full range of effective sinus products at Sudafed.com

SUDAFED.COM

See New Warning

SINUS

NDC 50580-547-25

SUDAFED[®] PE

PRESSURE+PAIN For Adults

Acetaminophen, Phenylephrine HCl
Pain Reliever/Fever Reducer, Nasal Decongestant

SINUS PRESSURE + CONGESTION



TM

SINUS HEADACHE

MAXIMUM STRENGTH

24 CAPLETS

† Actual Pill Size

NON-DROWSY

SUDAFED PE PRESSURE PLUS PAIN

acetaminophen and phenylephrine hydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50580-547
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	orange (Peach)	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	SU;PE;WL;89
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-547-25	2 in 1 CARTON	07/01/2012	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:50580-547-73	2 in 1 CARTON	12/21/2018	04/30/2021
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/01/2012	

Labeler - Kenvue Brands LLC (118772437)

Revised: 11/2024

Kenvue Brands LLC