

MATCH PERFECTION FOUNDATION SPF 20 - SHADE 100 IVORY - octinoxate and titanium dioxide liquid
MATCH PERFECTION FOUNDATION SPF 20 - SHADE 300 SAND - octinoxate and titanium dioxide liquid
MATCH PERFECTION FOUNDATION SPF 20 - SHADE 301 WARM HONEY - octinoxate and titanium dioxide liquid
MATCH PERFECTION FOUNDATION SPF 20 - SHADE 302 GOLDEN HONEY - octinoxate and titanium dioxide liquid
MATCH PERFECTION FOUNDATION SPF 20 - SHADE 303 TRUE NUDE - octinoxate and titanium dioxide liquid
MATCH PERFECTION FOUNDATION SPF 20 - SHADE 400 NATURAL BEIGE - octinoxate and titanium dioxide liquid
MATCH PERFECTION FOUNDATION SPF 20 - SHADE 101 CLASSIC IVORY - octinoxate and titanium dioxide liquid
MATCH PERFECTION FOUNDATION SPF 20 - SHADE 102 LIGHT NUDE - octinoxate and titanium dioxide liquid
MATCH PERFECTION FOUNDATION SPF 20 - SHADE 103 TRUE IVORY - octinoxate and titanium dioxide liquid
MATCH PERFECTION FOUNDATION SPF 20 - SHADE 200 BEIGE - octinoxate and titanium dioxide liquid
MATCH PERFECTION FOUNDATION SPF 20 - SHADE 402 BRONZE - octinoxate and titanium dioxide liquid
MATCH PERFECTION FOUNDATION SPF 20 - SHADE 201 CLASSIC BEIGE - octinoxate and titanium dioxide liquid
MATCH PERFECTION FOUNDATION SPF 20 - SHADE 202 NUDE - octinoxate and titanium dioxide liquid
MATCH PERFECTION FOUNDATION SPF 20 - SHADE 203 TRUE BEIGE - octinoxate and titanium dioxide liquid

Rimmel Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rimmel MATCH PERFECTION Foundation SPF 20

Drug Facts

Active ingredients

Octinoxate 4%

Titanium Dioxide 7.43%

Purpose

Sunscreen

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and other sun protection measures including: •limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long- sleeved shirts, pants, hats, and sunglasses • Children under 6 months of age: ask a doctor

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

aqua/water/eau, cyclopentasiloxane, dicaprylyl ether, talc, cetyl peg/ppg-10/1 dimethicone, glycerin, propylene glycol, peg-10 dimethicone, quaternium-90 sepiolite, dimethicone/vinyl dimethicone crosspolymer, acrylates crosspolymer, sodium chloride, lecithin, mica, trihydroxystearin, aluminum starch octenylsuccinate, quaternium-90 montmorillonite, ammonium acrylates copolymer, chlorphenesin, phenoxyethanol, tribehenin, parfum/fragrance, disodium stearyl glutamate, alcohol denat., disodium edta, disodium deceth-6 sulfosuccinate, aluminum hydroxide, laureth-4, hexyl cinnamal, laureth-30, limonene, tocopheryl acetate, butylphenyl methylpropional, benzyl salicylate, linalool, geraniol, bht, sodium dehydroacetate, citronellol, alpha-isomethyl ionone, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, [may contain/peut contenir/+/-: iron oxides (ci 77491, ci 77492, ci 77499)].

Questions or comments?

Call 1- 800- 715-4023 9:00 am to 5:00 pm ET Monday - Friday

Principal Display Panel - Bottle Label

RIMMEL

LONDON

MATCH

PERFECTION

24HR

MOISTURE

**PORE
BLURRING
EFFECT**

**BROAD
SPECTRUM
SPF 20**

SUNSCREEN FOUNDATION

INVISIBLE COVERAGE

VISIBLY PERFECTED SKIN

100 (120) IVORY

1 fl oz 30 ml

RIMMEL
LONDON

MATCH PERFECTION

24HR
MOISTURE
Hydratation

PORE BLURRING
EFFECT
Effet Pores Floutés

SPF 20

INVISIBLE COVERAGE
VISIBLY PERFECTED SKIN
Couvrance Invisible
Teint Visiblement Parfait

100 IVORY

1 fl oz 30ml e

Invisible, mistake-proof foundation for visibly perfected & healthier-looking skin. Weightless, smooth texture blends with skin's real tone instead of masking it. 24HR moisture complex leaves skin feeling hydrated. Soft-focus powders help reduce imperfections, pores & dark circles. Find your perfect matching concealer within our **light** range.

Fond de teint invisible et zéro-défaut pour un teint visiblement parfait. La texture douce et légère se fond parfaitement au teint naturel de la peau plutôt que de le masquer. Le complexe hydratation 24HR et la vitamine E laissent à la peau une sensation de fraîcheur. Les poudres réfléchissantes de lumières aident à masquer les imperfections, les pores et les cernes. Trouvez l'anti-cernes adapté à la carnation de votre peau dans notre gamme **claire**.

Fondotinta liquido effetto seconda pelle. Viso perfetto e radioso a prova di errori. La texture leggera e vellutata si fonde con la pelle senza effetto maschera. Il complesso idratante 24H dona alla pelle una sensazione di idratazione.

Le imperfezioni e i segni di stanchezza sono minimizzati grazie alle polveri Soft Focus. Trova il correttore che si abbina perfettamente all'interno della famiglia colore **pelli chiare**.

BAR CODE AREA
25 x 10MM




US dist. Rimmel
Inc., NY, NY 10118.
800-715-4023

RIMMEL LONDON SW19 4DR

MADE IN ENGLAND / FABRIQUÉ
EN ANGLETERRE Ref No. 8804

DAY CODE
8 x 5mm





Principal Display Panel - Bottle Label

RIMMEL

LONDON

MATCH

PERFECTION

24HR

MOISTURE

PORE

BLURRING

EFFECT

BROAD

SPECTRUM

SPF 20

SUNSCREEN FOUNDATION

INVISIBLE COVERAGE

VISIBLY PERFECTED SKIN

101 CLASSIC IVORY

1 fl oz 30 ml



Invisible, mistake-proof foundation for visibly perfected & healthier-looking skin with BROAD SPECTRUM SPF 20.

Weightless, smooth texture blends with skin's real tone instead of masking it.

24HR moisture complex leaves skin feeling hydrated. Soft-focus powders help reduce imperfections, pores & dark circles.

DIST. RIMMEL INC.
NEW YORK, N.Y. 10118
MADE IN MONACO

BAR CODE AREA
25 x 10mm

Active ingredients	Purpose
Octinoxate 4%	Sunscreen
Titanium Dioxide 7.43%	Sunscreen

Peel back for more information

Drug Facts (continued)

Uses • helps prevent sunburn

- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help

Drug Facts (continued)

or contact a Poison Control Center right away.

Directions For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long- sleeved shirts,

Drug Facts (continued)

pants, hats, and sunglasses

- Children under 6 months of age: ask a doctor

Other information Protect the product in this container from excessive heat and direct sun.

Inactive ingredients
aqua/water/eau,
cyclopentasiloxane, dicaprylyl ether, talc, cetyl ppg-10/1 dimethicone, glycerin, propylene glycol, peg-10 dimethicone, quaternium-90 sepiolite, dimethicone/vinyl dimethicone crosspolymer, acrylates crosspolymer, sodium chloride, lecithin, mica, trihydroxystearin, aluminum starch

Drug Facts (continued)

octenylsuccinate, quaternium-90 montmorillonite, ammonium acrylates copolymer, chlorphenesin, phenoxyethanol, tribehenin, parfum/fragrance, disodium stearoyl glutamate, alcohol denat., disodium edta, disodium deceth-6 sulfosuccinate, aluminum hydroxide, laureth-4, laureth-30, tocopheryl acetate, bht, sodium tetra-di-t-butyl hydroxyhydrocinnamate, [may contain/peut contenir/+-: iron oxides (ci 77491, ci 77492, ci 77499)].

Questions or comments?
Call 1-800-715-4023 9:00 am to 5:00 pm ET Monday – Friday

Principal Display Panel - Bottle Label

RIMMEL

LONDON

MATCH

PERFECTION

24HR

MOISTURE

PORE

BLURRING

EFFECT

BROAD

SPECTRUM

SPF 20

SUNSCREEN FOUNDATION
 INVISIBLE COVERAGE
 VISIBLY PERFECTED SKIN
 102 LIGHT NUDE
 1 fl oz 30 ml



<p>Invisible, mistake-proof foundation for visibly perfected & healthier-looking skin with BROAD SPECTRUM SPF 20.</p> <p>Weightless, smooth texture blends with skin's real tone instead of masking it.</p> <p>24HR moisture complex leaves skin feeling hydrated. Soft-focus powders help reduce imperfections, pores & dark circles.</p> <p>DIST, RIMMEL INC. NEW YORK, N.Y. 10118 MADE IN MONACO</p> <p>BAR CODE AREA 25 x 10MM</p> <p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Octinoxate 4%</td> <td>Sunscreen</td> </tr> <tr> <td>Titanium Dioxide 7.43%</td> <td>Sunscreen</td> </tr> </tbody> </table> <p>Peel back for more information</p>	Active ingredients	Purpose	Octinoxate 4%	Sunscreen	Titanium Dioxide 7.43%	Sunscreen	<p>Drug Facts (continued)</p> <p>Uses • helps prevent sunburn</p> <ul style="list-style-type: none"> • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. <p>Directions For sunscreen use:</p> <ul style="list-style-type: none"> • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating <p>• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and other sun protection measures including:</p> <ul style="list-style-type: none"> • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, <p>or contact a Poison Control Center right away.</p> <p>Warnings</p> <p>For external use only.</p> <p>Do not use on damaged or broken skin.</p> <p>When using this product keep out of eyes. Rinse with water to remove.</p> <p>Stop use and ask a doctor if rash occurs.</p> <p>Keep out of reach of children. If swallowed, get medical help</p>	<p>Drug Facts (continued)</p> <p>Directions For sunscreen use:</p> <ul style="list-style-type: none"> • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating <p>• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and other sun protection measures including:</p> <ul style="list-style-type: none"> • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, <p>or contact a Poison Control Center right away.</p> <p>Warnings</p> <p>For external use only.</p> <p>Do not use on damaged or broken skin.</p> <p>When using this product keep out of eyes. Rinse with water to remove.</p> <p>Stop use and ask a doctor if rash occurs.</p> <p>Keep out of reach of children. If swallowed, get medical help</p>	<p>Drug Facts (continued)</p> <p>pants, hats, and sunglasses</p> <ul style="list-style-type: none"> • Children under 6 months of age: ask a doctor <p>Other information Protect the product in this container from excessive heat and direct sun.</p> <p>Inactive ingredients</p> <p>aqua/water/eau, cyclopentasiloxane, dicaprylyl ether, talc, cetyl peg/ppg-10/1 dimethicone, glycerin, propylene glycol, peg-10 dimethicone, quaternium-90 sepiolite, dimethicone/vinyl dimethicone crosspolymer, acrylates crosspolymer, sodium chloride, lecithin, mica, trihydroxystearin, aluminum starch</p>	<p>Drug Facts (continued)</p> <p>octenylsuccinate, quaternium-90 montmorillonite, ammonium acrylates copolymer, chlorphenesin, phenoxyethanol, tribehenin, parfum/fragrance, disodium stearoyl glutamate, alcohol denat., disodium edta, disodium deceth-6 sulfosuccinate, aluminum hydroxide, laureth-4, laureth-30, tocopheryl acetate, bht, sodium tetra-di-t-butyl hydroxyhydrocinnamate, [may contain/peut contenir/+-: iron oxides (ci 77491, ci 77492, ci 77499)].</p> <p>Questions or comments?</p> <p>Call 1-800-715-4023 9:00 am to 5:00 pm ET Monday – Friday</p>
Active ingredients	Purpose									
Octinoxate 4%	Sunscreen									
Titanium Dioxide 7.43%	Sunscreen									

Principal Display Panel - Bottle Label

RIMMEL
 LONDON
 MATCH
 PERFECTION
 24HR
 MOISTURE

**PORE
BLURRING
EFFECT**
**BROAD
SPECTRUM
SPF 20**

SUNSCREEN FOUNDATION
INVISIBLE COVERAGE
VISIBLY PERFECTED SKIN
103 (130) TRUE IVORY
1 fl oz 30 ml



Invisible, mistake-proof foundation for visibly perfected & healthier-looking skin with BROAD SPECTRUM SPF 20. Weightless, smooth texture blends with skin's real tone instead of masking it. 24HR moisture complex leaves skin feeling hydrated. Soft-focus powders help reduce imperfections, pores & dark circles.

DIST. RIMMEL INC.
NEW YORK, N.Y. 10118
MADE IN MONACO

BAR CODE AREA
25 x 10mm

Drug Facts

Active ingredients	Purpose
Octinoxate 4%	Sunscreen
Titanium Dioxide 7.43%	Sunscreen

Peel back for more information

Drug Facts (continued)

Uses • helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help

Drug Facts (continued)

or contact a Poison Control Center right away.

Directions For sunscreen use:
• apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts,

Drug Facts (continued)

pants, hats, and sunglasses
• Children under 6 months of age: ask a doctor

Other information Protect the product in this container from excessive heat and direct sun.

Inactive ingredients
aqua/water/eau, cyclopentasiloxane, dicaprylyl ether, talc, cetyl ppg-10/1 dimethicone, glycerin, propylene glycol, peg-10 dimethicone, quaternium-90 sepiolite, dimethicone/vinyl dimethicone crosspolymer, acrylates crosspolymer, sodium chloride, lecithin, mica, trihydroxystearin, aluminum starch

Drug Facts (continued)

octenylsuccinate, quaternium-90 montmorillonite, ammonium acrylates copolymer, chlorphenesin, phenoxyethanol, triphenylmethane, parabens, disodium stearoyl glutamate, alcohol denat., disodium edta, disodium deceth-6 sulfosuccinate, aluminum hydroxide, laureth-4, laureth-30, tocopheryl acetate, bht, sodium dehydroacetate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, [may contain/peut contenir/+-: iron oxides (ci 77491, ci 77492, ci 77499)].

Questions or comments?
Call 1-800-715-4023 9:00 am to 5:00 pm ET Monday – Friday

Principal Display Panel - Bottle Label
RIMMEL

LONDON

MATCH
PERFECTION

24HR
MOISTURE

PORE
BLURRING
EFFECT

BROAD
SPECTRUM
SPF 20



SUNSCREEN FOUNDATION

INVISIBLE COVERAGE

VISIBLY PERFECTED SKIN

200 (240) SOFT BEIGE

1 fl oz 30 ml



Principal Display Panel - Bottle Label

RIMMEL

LONDON

MATCH

PERFECTION

24 HR

MOISTURE

PORE

BLURRING

EFFECT

SUNSCREEN FOUNDATION

INVISIBLE COVERAGE

VISIBLY PERFECTED SKIN

BROAD SPECTRUM

SPF 20

200 (240) SOFT BEIGE

0.05 fl oz / 1.5 ml

RIMMEL
LONDON

MATCH PERFECTION

24HR MOISTURE
PORE BLURRING EFFECT

SUNSCREEN FOUNDATION
INVISIBLE COVERAGE
VISIBLY PERFECTED SKIN

**BROAD SPECTRUM
SPF 20**

200 (240) SOFT BEIGE

0.05 fl oz / 1.5 ml

Invisible, mistake-proof foundation for visibly perfected & healthier-looking skin with BROAD SPECTRUM SPF 20.

Weightless, smooth texture blends with skin's real tone instead of masking it. 24HR moisture complex leaves skin feeling hydrated. Soft-focus powders help reduce imperfections, pores & dark circles.

BAR CODE AREA
25 x 10mm

DIST., RIMMEL INC.
NEW YORK, N.Y. 10118
MADE IN MONACO

Drug Facts

Active ingredients	Purpose
Octinoxate 4%	Sunscreen
Titanium Dioxide 7.43%	Sunscreen

Peel back for more information

Drug Facts (continued)

Uses • helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help

Drug Facts (continued)

or contact a Poison Control Center right away.

Directions For sunscreen use:
• apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts,

Drug Facts (continued)

pants, hats, and sunglasses
• Children under 6 months of age: ask a doctor

Other information Protect the product in this container from excessive heat and direct sun.

Inactive ingredients
aqua/water/eau,
cyclopentasiloxane, dicaprylyl ether, talc, cetyl ppg-10/1 dimethicone, glycerin, propylene glycol, peg-10 dimethicone, quaternium-90 sepiolite, dimethicone/vinyl dimethicone crosspolymer, acrylates crosspolymer, sodium chloride, lecithin, mica, trihydroxystearin, aluminum starch

Drug Facts (continued)

octenylsuccinate, quaternium-90 montmorillonite, ammonium acrylates copolymer, chlorphenesin, phenoxyethanol, tribehnamin, parfum/fragrance, disodium stearoyl glutamate, alcohol denat., disodium edta, disodium deceth-6 sulfosuccinate, aluminum hydroxide, laureth-4, laureth-30, tocopheryl acetate, bht, sodium dehydroacetate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, [may contain/peut contenir/+-: iron oxides (ci 77491, ci 77492, ci 77499)].

Questions or comments?
Call 1-800-715-4023 9:00 am to 5:00 pm ET Monday – Friday

Principal Display Panel - Bottle Label

RIMMEL

LONDON

MATCH

PERFECTION

24HR

MOISTURE

PORE
BLURRING
EFFECT

BROAD
SPECTRUM
SPF 20

SUNSCREEN FOUNDATION

INVISIBLE COVERAGE

VISIBLY PERFECTED SKIN

402 BRONZE

1 fl oz 30 ml



<p>Invisible, mistake-proof foundation for visibly perfected & healthier-looking skin with BROAD SPECTRUM SPF 20.</p> <p>Weightless, smooth texture blends with skin's real tone instead of masking it.</p> <p>24HR moisture complex leaves skin feeling hydrated. Soft-focus powders help reduce imperfections, pores & dark circles.</p> <p>DIST., RIMMEL INC. NEW YORK, N.Y. 10118 MADE IN MONACO</p> <p>Drug Facts</p> <table border="1"><thead><tr><th>Active ingredients</th><th>Purpose</th></tr></thead><tbody><tr><td>Octinoxate 4%</td><td>Sunscreen</td></tr><tr><td>Titanium Dioxide 7.43%</td><td>Sunscreen</td></tr></tbody></table> <p>Peel back for more information</p>	Active ingredients	Purpose	Octinoxate 4%	Sunscreen	Titanium Dioxide 7.43%	Sunscreen	<p>Drug Facts (continued)</p> <p>Uses • helps prevent sunburn</p> <p>• if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.</p> <p>Warnings</p> <p>For external use only.</p> <p>Do not use on damaged or broken skin.</p> <p>When using this product keep out of eyes. Rinse with water to remove.</p> <p>Stop use and ask a doctor if rash occurs.</p> <p>Keep out of reach of children. If swallowed, get medical help</p>	<p>Drug Facts (continued)</p> <p>or contact a Poison Control Center right away.</p> <p>Directions For sunscreen use:</p> <ul style="list-style-type: none">• apply liberally 15 minutes before sun exposure• reapply at least every 2 hours• use a water resistant sunscreen if swimming or sweating <p>• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and other sun protection measures including:</p> <ul style="list-style-type: none">• limit time in the sun, especially from 10 a.m. – 2 p.m.• wear long-sleeved shirts,	<p>Drug Facts (continued)</p> <p>pants, hats, and sunglasses</p> <ul style="list-style-type: none">• Children under 6 months of age: ask a doctor <p>Other information Protect the product in this container from excessive heat and direct sun.</p> <p>Inactive ingredients</p> <p>aqua/water/eau, cyclopentasiloxane, dicaprylyl ether, talc, cetyl ppg/ppg-10/1 dimethicone, glycerin, propylene glycol, peg-10 dimethicone, quaternium-90 sepiolite, dimethicone/vinyl dimethicone crosspolymer, acrylates crosspolymer, sodium chloride, lecithin, mica, trihydroxystearin, aluminum starch</p>	<p>Drug Facts (continued)</p> <p>octenylsuccinate, quaternium-90 montmorillonite, ammonium acrylates copolymer, chlorphenesin, phenoxyethanol, triphenylmethane, parabens, disodium stearoyl glutamate, alcohol denat., disodium edta, disodium deceth-6 sulfosuccinate, aluminum hydroxide, laureth-4, laureth-30, tocopheryl acetate, bht, sodium dehydroacetate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, [may contain/peut contenir/+-: iron oxides (ci 77491, ci 77492, ci 77499)].</p> <p>Questions or comments?</p> <p>Call 1-800-715-4023 9:00 am to 5:00 pm ET Monday – Friday</p>
Active ingredients	Purpose									
Octinoxate 4%	Sunscreen									
Titanium Dioxide 7.43%	Sunscreen									

Principal Display Panel - Bottle Label

RIMMEL

LONDON

**MATCH
PERFECTION**

**24HR
MOISTURE**

**PORE
BLURRING
EFFECT**

**BROAD
SPECTRUM
SPF 20**

SUNSCREEN FOUNDATION

INVISIBLE COVERAGE

VISIBLY PERFECTED SKIN

201(250) CLASSIC BEIGE

1 fl oz 30 ml



Invisible, mistake-proof foundation for visibly perfected & healthier-looking skin with BROAD SPECTRUM SPF 20.

Weightless, smooth texture blends with skin's real tone instead of masking it.

24HR moisture complex leaves skin feeling hydrated. Soft-focus powders help reduce imperfections, pores & dark circles.

DIST., RIMMEL INC.
NEW YORK, N.Y. 10118
MADE IN MONACO

BAR CODE AREA
25 x 10MM

Drug Facts

Active ingredients	Purpose
Octinoxate 4%	Sunscreen
Titanium Dioxide 7.43%	Sunscreen

Peel back for more information

Drug Facts (continued)

Uses • helps prevent sunburn

• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help

Drug Facts (continued)

or contact a Poison Control Center right away.

Directions For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts,

Drug Facts (continued)

pants, hats, and sunglasses

- Children under 6 months of age: ask a doctor

Other information Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

aqua/water/eau, cyclopentasiloxane, dicaprylyl ether, talc, cetyl ppg-10/1 dimethicone, glycerin, propylene glycol, peg-10 dimethicone, quaternium-90 sepiolite, dimethicone/vinyl dimethicone crosspolymer, acrylates crosspolymer, sodium chloride, lecithin, mica, trihydroxystearin, aluminum starch

Drug Facts (continued)

octenylsuccinate, quaternium-90 montmorillonite, ammonium acrylates copolymer, chlorphenesin, phenoxyethanol, tribehenin, parfum/fragrance, disodium stearoyl glutamate, alcohol denat., disodium edta, disodium deceth-6 sulfosuccinate, aluminum hydroxide, laureth-4, laureth-30, tocopheryl acetate, bht, sodium dehydroacetate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, [may contain/peut contenir/+-: iron oxides (ci 77491, ci 77492, ci 77499)].

Questions or comments?

Call 1-800-715-4023 9:00 am to 5:00 pm ET Monday – Friday

Principal Display Panel - Bottle Label

RIMMEL

LONDON

MATCH

PERFECTION

24HR

MOISTURE

PORE

BLURRING

EFFECT

BROAD

SPECTRUM

SPF 20


SUNSCREEN FOUNDATION

INVISIBLE COVERAGE

VISIBLY PERFECTED SKIN

203 TRUE BEIGE

1 fl oz 30 ml



Principal Display Panel - Bottle Label

RIMMEL

LONDON

MATCH

PERFECTION

24HR

MOISTURE

PORE

BLURRING

EFFECT

BROAD SPECTRUM SPF 20

SUNSCREEN FOUNDATION

INVISIBLE COVERAGE

VISIBLY PERFECTED SKIN

300(330) SAND

1 fl oz 30 ml



<p>Invisible, mistake-proof foundation for visibly perfected & healthier-looking skin with BROAD SPECTRUM SPF 20.</p> <p>Weightless, smooth texture blends with skin's real tone instead of masking it.</p> <p>24HR moisture complex leaves skin feeling hydrated. Soft-focus powders help reduce imperfections, pores & dark circles.</p> <p>DIST., RIMMEL INC. NEW YORK, N.Y. 10118 MADE IN MONACO</p> <p>BAR CODE AREA 25 x 10MM</p> <p>Drug Facts</p> <table border="1"><thead><tr><th>Active ingredients</th><th>Purpose</th></tr></thead><tbody><tr><td>Octinoxate 4%</td><td>Sunscreen</td></tr><tr><td>Titanium Dioxide 7.43%</td><td>Sunscreen</td></tr></tbody></table> <p>Peel back for more information</p>	Active ingredients	Purpose	Octinoxate 4%	Sunscreen	Titanium Dioxide 7.43%	Sunscreen	<p>Drug Facts (continued)</p> <p>Uses • helps prevent sunburn</p> <ul style="list-style-type: none">• if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. <p>Warnings</p> <p>For external use only.</p> <p>Do not use on damaged or broken skin.</p> <p>When using this product keep out of eyes. Rinse with water to remove.</p> <p>Stop use and ask a doctor if rash occurs.</p> <p>Keep out of reach of children. If swallowed, get medical help</p>	<p>Drug Facts (continued)</p> <p>or contact a Poison Control Center right away.</p> <p>Directions For sunscreen use:</p> <ul style="list-style-type: none">• apply liberally 15 minutes before sun exposure• reapply at least every 2 hours• use a water resistant sunscreen if swimming or sweating <p>Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and other sun protection measures including:</p> <ul style="list-style-type: none">• limit time in the sun, especially from 10 a.m. – 2 p.m.• wear long-sleeved shirts,	<p>Drug Facts (continued)</p> <p>pants, hats, and sunglasses</p> <ul style="list-style-type: none">• Children under 6 months of age: ask a doctor <p>Other information Protect the product in this container from excessive heat and direct sun.</p> <p>Inactive ingredients</p> <p>aqua/water/eau, cyclopentasiloxane, dicaprylyl ether, talc, cetyl ppg-10/1 dimethicone, glycerin, propylene glycol, peg-10 dimethicone, quaternium-90 sepiolite, dimethicone/vinyl dimethicone crosspolymer, acrylates crosspolymer, sodium chloride, lecithin, mica, trihydroxystearin, aluminum starch</p>	<p>Drug Facts (continued)</p> <p>octenylsuccinate, quaternium-90 montmorillonite, ammonium acrylates copolymer, chlorphenesin, phenoxyethanol, tribehanin, parfum/fragrance, disodium stearyl glutamate, alcohol denat., disodium edta, disodium deceth-6 sulfosuccinate, aluminum hydroxide, laureth-4, laureth-30, tocopheryl acetate, bht, sodium dehydroacetate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, [may contain/peut contenir/+-: iron oxides (ci 77491, ci 77492, ci 77499)].</p> <p>Questions or comments?</p> <p>Call 1-800-715-4023 9:00 am to 5:00 pm ET Monday – Friday</p>
Active ingredients	Purpose									
Octinoxate 4%	Sunscreen									
Titanium Dioxide 7.43%	Sunscreen									

Principal Display Panel - Bottle Label

RIMMEL
LONDON

**MATCH
PERFECTION**

**24HR
MOISTURE**

**PORE
BLURRING
EFFECT**

**BROAD
SPECTRUM
SPF 20**

SUNSCREEN FOUNDATION

INVISIBLE COVERAGE

VISIBLY PERFECTED SKIN

301 WARM HONEY

1 fl oz 30 ml



Invisible, mistake-proof foundation for visibly perfected & healthier-looking skin with BROAD SPECTRUM SPF 20.

Weightless, smooth texture blends with skin's real tone instead of masking it. 24HR moisture complex leaves skin feeling hydrated. Soft-focus powders help reduce imperfections, pores & dark circles.

DIST., RIMMEL INC.
NEW YORK, N.Y. 10118
MADE IN MONACO

BAR CODE AREA
25 x 10mm

Drug Facts

Active ingredients	Purpose
Octinoxate 4%	Sunscreen
Titanium Dioxide 7.43%	Sunscreen

Peel back for more information

Drug Facts (continued)

Uses • helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help

Drug Facts (continued)

or contact a Poison Control Center right away.

Directions For sunscreen use:
• apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long- sleeved shirts,

Drug Facts (continued)

pants, hats, and sunglasses
• Children under 6 months of age: ask a doctor

Other information Protect the product in this container from excessive heat and direct sun.

Inactive ingredients
agua/water/eau,
cyclopentasiloxane, dicaprylyl ether, talc, cetyl ppg-10/1 dimethicone, glycerin, propylene glycol, peg-10 dimethicone, quaternium-90 sepiolite, dimethicone/vinyl dimethicone crosspolymer, acrylates crosspolymer, sodium chloride, lecithin, mica, trihydroxystearin, aluminum starch

Drug Facts (continued)

octenylsuccinate, quaternium-90 montmorillonite, ammonium acrylates copolymer, chlorphenesin, phenoxethanol, triphenylmethane, parabens, disodium stearyl glutamate, alcohol denat., disodium edta, disodium deceth-6 sulfosuccinate, aluminum hydroxide, laureth-4, laureth-30, tocopheryl acetate, bht, sodium dehydroacetate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, [may contain/peut contenir/+-: iron oxides (ci 77491, ci 77492, ci 77499)].

Questions or comments?
Call 1-800-715-4023 9:00 am to 5:00 pm ET Monday – Friday

Principal Display Panel - Bottle Label

RIMMEL

LONDON

MATCH

PERFECTION

24HR

MOISTURE

PORE

BLURRING

EFFECT

BROAD

SPECTRUM

SPF 20

SUNSCREEN FOUNDATION

INVISIBLE COVERAGE
 VISIBLY PERFECTED SKIN
 302 GOLDEN HONEY
 1 fl oz 30 ml



Invisible, mistake-proof foundation for visibly perfected & healthier-looking skin with BROAD SPECTRUM SPF 20.

Weightless, smooth texture blends with skin's real tone instead of masking it.

24HR moisture complex leaves skin feeling hydrated. Soft-focus powders help reduce imperfections, pores & dark circles.

DIST, RIMMEL INC.
 NEW YORK, N.Y. 10118
 MADE IN MONACO

BAR CODE AREA
 25 x 10mm

Active ingredients	Purpose
Octinoxate 4%	Sunscreen
Titanium Dioxide 7.43%	Sunscreen

Peel back for more information

Drug Facts (continued)

Uses • helps prevent sunburn

• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help

Drug Facts (continued)

or contact a Poison Control Center right away.

Directions For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long- sleeved shirts,

Drug Facts (continued)

pants, hats, and sunglasses

- Children under 6 months of age: ask a doctor

Other information Protect the product in this container from excessive heat and direct sun.

Inactive ingredients
 aqua/water/eau,
 cyclopentasiloxane, dicaprylyl ether, talc, cetyl ppg-10/1 dimethicone, glycerin, propylene glycol, peg-10 dimethicone, quaternium-90 sepiolite, dimethicone/vinyl dimethicone crosspolymer, acrylates crosspolymer, sodium chloride, lecithin, mica, trihydroxystearin, aluminum starch

Drug Facts (continued)

octenylsuccinate, quaternium-90 montmorillonite, ammonium acrylates copolymer, chlorphenesin, phenoxethanol, triphenylmethane, parabens, disodium stearoyl glutamate, alcohol denat., disodium edta, disodium deceth-6 sulfosuccinate, aluminum hydroxide, laureth-4, laureth-30, tocopheryl acetate, bht, sodium dehydroacetate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, [may contain/peut contenir/+- iron oxides (ci 77491, ci 77492, ci 77499)].

Questions or comments?
 Call 1-800-715-4023 9:00 am to 5:00 pm ET Monday – Friday

Principal Display Panel - Bottle Label

RIMMEL
LONDON
MATCH
PERFECTION
24HR
MOISTURE
PORE
BLURRING

EFFECT

BROAD SPECTRUM SPF 20

SUNSCREEN FOUNDATION

INVISIBLE COVERAGE

VISIBLY PERFECTED SKIN

303 TRUE NUDE

1 fl oz 30 ml



<p>Invisible, mistake-proof foundation for visibly perfected & healthier-looking skin with BROAD SPECTRUM SPF 20.</p> <p>Weightless, smooth texture blends with skin's real tone instead of masking it. 24HR moisture complex leaves skin feeling hydrated. Soft-focus powders help reduce imperfections, pores & dark circles.</p> <p>DIST., RIMMEL INC. NEW YORK, N.Y. 10118 MADE IN MONACO</p> <p>Drug Facts</p> <table border="1"><thead><tr><th>Active ingredients</th><th>Purpose</th></tr></thead><tbody><tr><td>Octinoxate 4%</td><td>Sunscreen</td></tr><tr><td>Titanium Dioxide 7.43%</td><td>Sunscreen</td></tr></tbody></table> <p>Peel back for more information</p>	Active ingredients	Purpose	Octinoxate 4%	Sunscreen	Titanium Dioxide 7.43%	Sunscreen	<p>Drug Facts (continued)</p> <p>Uses • helps prevent sunburn</p> <ul style="list-style-type: none">• if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. <p>Warnings</p> <p>For external use only.</p> <p>Do not use on damaged or broken skin.</p> <p>When using this product keep out of eyes. Rinse with water to remove.</p> <p>Stop use and ask a doctor if rash occurs.</p> <p>Keep out of reach of children. If swallowed, get medical help</p>	<p>Drug Facts (continued)</p> <p>or contact a Poison Control Center right away.</p> <p>Directions For sunscreen use:</p> <ul style="list-style-type: none">• apply liberally 15 minutes before sun exposure• reapply at least every 2 hours• use a water resistant sunscreen if swimming or sweating <p>Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and other sun protection measures including:</p> <ul style="list-style-type: none">• limit time in the sun, especially from 10 a.m. – 2 p.m.• wear long-sleeved shirts,	<p>Drug Facts (continued)</p> <p>pants, hats, and sunglasses</p> <ul style="list-style-type: none">• Children under 6 months of age: ask a doctor <p>Other information Protect the product in this container from excessive heat and direct sun.</p> <p>Inactive ingredients</p> <p>aqua/water/eau, cyclopentasiloxane, dicaprylyl ether, talc, cetyl ppg-10/1 dimethicone, glycerin, propylene glycol, peg-10 dimethicone, quaternium-90 sepiolite, dimethicone/vinyl dimethicone crosspolymer, acrylates crosspolymer, sodium chloride, lecithin, mica, trihydroxystearin, aluminum starch</p>	<p>Drug Facts (continued)</p> <p>octenylsuccinate, quaternium-90 montmorillonite, ammonium acrylates copolymer, chlorphenesin, phenoxyethanol, tribehemin, parfum/fragrance, disodium stearoyl glutamate, alcohol denat., disodium edta, disodium deceth-6 sulfosuccinate, aluminum hydroxide, laureth-4, laureth-30, tocopheryl acetate, bht, sodium dehydroacetate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, [may contain/peut contenir/+-: iron oxides (ci 77491, ci 77492, ci 77499)].</p> <p>Questions or comments?</p> <p>Call 1-800-715-4023 9:00 am to 5:00 pm ET Monday – Friday</p>
Active ingredients	Purpose									
Octinoxate 4%	Sunscreen									
Titanium Dioxide 7.43%	Sunscreen									

Principal Display Panel - Bottle Label

RIMMEL

LONDON

MATCH
PERFECTION

24HR
MOISTURE

PORE
BLURRING
EFFECT

BROAD
SPECTRUM
SPF 20

SUNSCREEN FOUNDATION

INVISIBLE COVERAGE

VISIBLY PERFECTED SKIN

400 NATURAL BEIGE

1 fl oz 30 ml



Invisible, mistake-proof foundation for visibly perfected & healthier-looking skin with BROAD SPECTRUM SPF 20.

Weightless, smooth texture blends with skin's real tone instead of masking it.

24HR moisture complex leaves skin feeling hydrated. Soft-focus powders help reduce imperfections, pores & dark circles.

DIST., RIMMEL INC.
NEW YORK, N.Y. 10118
MADE IN MONACO

BAR CODE AREA
25 x 10mm

Drug Facts

Active ingredients	Purpose
Octinoxate 4%	Sunscreen
Titanium Dioxide 7.43%	Sunscreen

Peel back for more information

Drug Facts (continued)

Uses • helps prevent sunburn

- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help

Drug Facts (continued)

or contact a Poison Control Center right away.

Directions For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long- sleeved shirts,

Drug Facts (continued)

pants, hats, and sunglasses

- Children under 6 months of age: ask a doctor

Other information Protect the product in this container from excessive heat and direct sun.

Inactive ingredients
aqua/water/eau,
cyclopentasiloxane, dicaprylyl ether, talc, cetyl ppg-10/1 dimethicone, glycerin, propylene glycol, peg-10 dimethicone, quaternium-90 sepiolite, dimethicone/vinyl dimethicone crosspolymer, acrylates crosspolymer, sodium chloride, lecithin, mica, trihydroxystearin, aluminum starch

Drug Facts (continued)

octenylsuccinate, quaternium-90 montmorillonite, ammonium acrylates copolymer, chlorphenesin, phenoxethanol, tribehenin, parfum/fragrance, disodium stearoyl glutamate, alcohol denat., disodium edta, disodium deceth-6 sulfosuccinate, aluminum hydroxide, laureth-4, laureth-30, tocopheryl acetate, bht, sodium dehydroacetate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, [may contain/peut contenir/+-: iron oxides (ci 77491, ci 77492, ci 77499)].

Questions or comments?
Call 1-800-715-4023 9:00 am to 5:00 pm ET Monday – Friday

MATCH PERFECTION FOUNDATION SPF 20 - SHADE 100 IVORY

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1050
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.278 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.374 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
TALC (UNII: 7SEV7J4R1U)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
QUATERNIUM-91 (UNII: 00J8H295NB)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
MICA (UNII: V8A1AW0880)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: 19PJ0O6294)	
MONTMORILLONITE (UNII: A585MN1H2L)	
AMMONIA (UNII: 5138Q19F1X)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ALCOHOL (UNII: 3K9958V90M)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
DECETH-6 (UNII: P4OYN7A2O9)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
LAURETH-4 (UNII: 6HQ855798J)	
LAURETH-30 (UNII: W9D845551A)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII:	

255PIF62MS)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1050-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2016	

MATCH PERFECTION FOUNDATION SPF 20 - SHADE 300 SAND

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1058
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.278 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.374 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
MICA (UNII: V8A1AW0880)	
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
TALC (UNII: 7SEV7J4R1U)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
QUATERNIUM-91 (UNII: 00J8H295NB)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	

MONTMORILLONITE (UNII: A585MN1H2L)
AMMONIA (UNII: 5138Q19F1X)
CHLORPHENESIN (UNII: I670DAL4SZ)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ALCOHOL (UNII: 3K9958V90M)
EDETATE DISODIUM (UNII: 7FLD91C86K)
DECETH-6 (UNII: P4OYN7A2O9)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
LAURETH-4 (UNII: 6HQ855798J)
LAURETH-30 (UNII: W9D845551A)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1058-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2016	

MATCH PERFECTION FOUNDATION SPF 20 - SHADE 301 WARM HONEY

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1059
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.278 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.374 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
DECETH-6 (UNII: P4OYN7A2O9)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
LAURETH-4 (UNII: 6HQ855798J)	
LAURETH-30 (UNII: W9D845551A)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
TALC (UNII: 7SEV7J4R1U)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
QUATERNIUM-91 (UNII: 00J8H295NB)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
MICA (UNII: V8A1AW0880)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MONTMORILLONITE (UNII: A585MN1H2L)	
AMMONIA (UNII: 5138Q19F1X)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1059-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2016	

MATCH PERFECTION FOUNDATION SPF 20 - SHADE 302 GOLDEN HONEY

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1060
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.278 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.374 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
TALC (UNII: 7SEV7J4R1U)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
QUATERNIUM-91 (UNII: 00J8H295NB)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
MICA (UNII: V8A1AW0880)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MONTMORILLONITE (UNII: A585MN1H2L)	
AMMONIA (UNII: 5138Q19F1X)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ALCOHOL (UNII: 3K9958V90M)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
DECETH-6 (UNII: P4OYN7A2O9)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
LAURETH-4 (UNII: 6HQ855798J)	
LAURETH-30 (UNII: W9D845551A)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

FERROSO FERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1060-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2016	

MATCH PERFECTION FOUNDATION SPF 20 - SHADE 303 TRUE NUDE

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1061
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.278 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.374 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
TALC (UNII: 7SEV7J4R1U)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
QUATERNIUM-91 (UNII: 00J8H295NB)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
SODIUM CHLORIDE (UNII: 451W471Q8X)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
MICA (UNII: V8A1AW0880)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MONTMORILLONITE (UNII: A585MN1H2L)	
AMMONIA (UNII: 5138Q19F1X)	
CHLORPHENESIN (UNII: I670DAL4SZ)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ALCOHOL (UNII: 3K9958V90M)
EDETATE DISODIUM (UNII: 7FLD91C86K)
DECETH-6 (UNII: P4OYN7A2O9)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
LAURETH-4 (UNII: 6HQ855798J)
LAURETH-30 (UNII: W9D845551A)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1061-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2016	

MATCH PERFECTION FOUNDATION SPF 20 - SHADE 400 NATURAL BEIGE

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1062
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.278 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.374 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	

TALC (UNII: 7SEV7J4R1U)
DICAPRYLYL ETHER (UNII: 77JZM5516Z)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
QUATERNIUM-91 (UNII: 00J8H295NB)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)
MICA (UNII: V8A1AW0880)
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ006294)
MONTMORILLONITE (UNII: A585MN1H2L)
AMMONIA (UNII: 5138Q19F1X)
CHLORPHENESIN (UNII: I670DAL4SZ)
PHENOXYETHANOL (UNII: HE492ZZ3T)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ALCOHOL (UNII: 3K9958V90M)
EDETATE DISODIUM (UNII: 7FLD91C86K)
DECETH-6 (UNII: P4OYN7A2O9)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
LAURETH-4 (UNII: 6HQ855798J)
LAURETH-30 (UNII: W9D845551A)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1062-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2016	

MATCH PERFECTION FOUNDATION SPF 20 - SHADE 101 CLASSIC IVORY
 octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1051
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.278 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.374 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
TALC (UNII: 7SEV7J4R1U)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
QUATERNIUM-91 (UNII: 00J8H295NB)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
MICA (UNII: V8A1AW0880)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MONTMORILLONITE (UNII: A585MN1H2L)	
AMMONIA (UNII: 5138Q19F1X)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ALCOHOL (UNII: 3K9958V90M)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
DECETH-6 (UNII: P4OYN7A2O9)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
LAURETH-4 (UNII: 6HQ855798J)	
LAURETH-30 (UNII: W9D845551A)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1051-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2016	

MATCH PERFECTION FOUNDATION SPF 20 - SHADE 102 LIGHT NUDE

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1052
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.278 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.374 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
TALC (UNII: 7SEV7J4R1U)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
QUATERNIUM-91 (UNII: 00J8H295NB)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
MICA (UNII: V8A1AW0880)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
MONTMORILLONITE (UNII: A585MN1H2L)	
AMMONIA (UNII: 5138Q19F1X)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	

DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ALCOHOL (UNII: 3K9958V90M)
EDETATE DISODIUM (UNII: 7FLD91C86K)
DECETH-6 (UNII: P4OYN7A2O9)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
LAURETH-4 (UNII: 6HQ855798J)
LAURETH-30 (UNII: W9D845551A)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1052-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2016	

MATCH PERFECTION FOUNDATION SPF 20 - SHADE 103 TRUE IVORY

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1053
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.278 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.374 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THF5PC10R)	
TALC (UNII: 7SEV7J4R1U)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	

CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)
GLYCERIN (UNII: PDC6A3C0OX)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
QUATERNIUM-91 (UNII: 00J8H295NB)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)
MICA (UNII: V8A1AW0880)
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)
MONTMORILLONITE (UNII: A585MN1H2L)
AMMONIA (UNII: 5138Q19F1X)
CHLORPHENESIN (UNII: I670DAL4SZ)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ALCOHOL (UNII: 3K9958V90M)
EDETATE DISODIUM (UNII: 7FLD91C86K)
DECETH-6 (UNII: P4OYN7A2O9)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
LAURETH-4 (UNII: 6HQ855798J)
LAURETH-30 (UNII: W9D845551A)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1053-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2016	

MATCH PERFECTION FOUNDATION SPF 20 - SHADE 200 BEIGE

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1054
--------------	----------------	--------------------	----------------

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.278 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.374 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
TALC (UNII: 7SEV7J4R1U)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
QUATERNIUM-91 (UNII: 00J8H295NB)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
MICA (UNII: V8A1AW0880)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MONTMORILLONITE (UNII: A585MN1H2L)	
AMMONIA (UNII: 5138Q19F1X)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ALCOHOL (UNII: 3K9958V90M)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
DECETH-6 (UNII: P4OYN7A2O9)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
LAURETH-4 (UNII: 6HQ855798J)	
LAURETH-30 (UNII: W9D845551A)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1054-1	1.5 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	
2	NDC:76485-1054-2	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2016	

MATCH PERFECTION FOUNDATION SPF 20 - SHADE 402 BRONZE

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1063
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.278 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.374 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
TALC (UNII: 7SEV7J4R1U)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
QUATERNIUM-91 (UNII: 00J8H295NB)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
MICA (UNII: V8A1AW0880)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MONTMORILLONITE (UNII: A585MN1H2L)	
AMMONIA (UNII: 5138Q19F1X)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	

ALCOHOL (UNII: 3K9958V90M)
EDETATE DISODIUM (UNII: 7FLD91C86K)
DECETH-6 (UNII: P4OYN7A2O9)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
LAURETH-4 (UNII: 6HQ855798J)
LAURETH-30 (UNII: W9D845551A)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1063-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2016	

MATCH PERFECTION FOUNDATION SPF 20 - SHADE 201 CLASSIC BEIGE

octinoxate and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1055
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.278 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.374 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
TALC (UNII: 7SEV7J4R1U)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G30030ZXP)	

GLYCERIN (UNII: PDC6A3C0OX)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
QUATERNIUM-91 (UNII: 00J8H295NB)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)
MICA (UNII: V8A1AW0880)
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)
MONTMORILLONITE (UNII: A585MN1H2L)
AMMONIA (UNII: 5138Q19F1X)
CHLORPHENESIN (UNII: I670DAL4SZ)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
ALCOHOL (UNII: 3K9958V90M)
EDETATE DISODIUM (UNII: 7FLD91C86K)
DECETH-6 (UNII: P4OYN7A2O9)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
LAURETH-4 (UNII: 6HQ855798J)
LAURETH-30 (UNII: W9D845551A)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1055-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	01/01/2016		

MATCH PERFECTION FOUNDATION SPF 20 - SHADE 202 NUDE
 octinoxate and titanium dioxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1056
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.278 g in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.374 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
TALC (UNII: 7SEV7J4R1U)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
QUATERNIUM-91 (UNII: 00J8H295NB)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
MICA (UNII: V8A1AW0880)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MONTMORILLONITE (UNII: A585MN1H2L)	
AMMONIA (UNII: 5138Q19F1X)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
ALCOHOL (UNII: 3K9958V90M)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
DECETH-6 (UNII: P4OYN7A2O9)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
LAURETH-4 (UNII: 6HQ855798J)	
LAURETH-30 (UNII: W9D845551A)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:76485-1056-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	01/01/2016		

MATCH PERFECTION FOUNDATION SPF 20 - SHADE 203 TRUE BEIGE
 octinoxate and titanium dioxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76485-1057
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1.278 g in 30 mL
	TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.374 g in 30 mL

Inactive Ingredients		
	Ingredient Name	Strength
	WATER (UNII: 059QF0KO0R)	
	CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
	TALC (UNII: 7SEV7J4R1U)	
	DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
	CETYL PEG/PPG-10/1 DIMETHICONE (HLB 3) (UNII: G300307ZXP)	
	GLYCERIN (UNII: PDC6A3C0OX)	
	PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
	PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
	QUATERNIUM-91 (UNII: 00J8H295NB)	
	DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
	SODIUM CHLORIDE (UNII: 451W47IQ8X)	
	EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
	MICA (UNII: V8A1AW0880)	
	TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
	ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
	MONTMORILLONITE (UNII: A585MN1H2L)	
	AMMONIA (UNII: 5138Q19F1X)	
	CHLORPHENESIN (UNII: I670DAL4SZ)	
	PHENOXYETHANOL (UNII: HIE492ZZ3T)	
	TRIBEHENIN (UNII: 8OC9U7TQZ0)	
	DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
	ALCOHOL (UNII: 3K9958V90M)	
	EDETATE DISODIUM (UNII: 7FLD91C86K)	

DECETH-6 (UNII: P4OYN7A2O9)
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0)
LAURETH-4 (UNII: 6HQ855798J)
LAURETH-30 (UNII: W9D845551A)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76485-1057-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	01/01/2016		

Labeler - Rimmel Inc. (401011325)

Establishment				
Name	Address	ID/FEI	Business Operations	
Coty Lancaster S.A.M.		401011325	manufacture(76485-1050, 76485-1058, 76485-1059, 76485-1060, 76485-1061, 76485-1062, 76485-1051, 76485-1052, 76485-1053, 76485-1054, 76485-1063, 76485-1055, 76485-1056, 76485-1057), label(76485-1050, 76485-1058, 76485-1059, 76485-1060, 76485-1061, 76485-1062, 76485-1051, 76485-1052, 76485-1053, 76485-1054, 76485-1063, 76485-1055, 76485-1056, 76485-1057)	