COLOCYNTHIS- citrullus colocynthis fruit pulp pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Colocynthis 1M

Colocynthis 1M

(**contains 0.443 mg of the active ingredient per pellet)

Abdominal cramps improved by bending over*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue. *CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





Drug Facts

Active ingredient^{**}: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: Do not use if pellet dispenser seal is broken.

Drug Facts (continued) **Inactive ingredients:** lactose, sucrose



COLOCYNTHIS							
citrullus colocynthis fruit pulp pellet							
Product Information							
Product Type	HUMAN OTC DRUG		Item Code (Source)		NDC:0220-1514		
Route of Administration	ORAL						
Active Ingredient/Active	e Moiety						
Ingredient Name Basis of Stre					ength	Strength	
CITRULLUS COLOCYNTHIS FRUIT PULP (UNII: 23H32AOH17) (CITRULLUS COLOCYNTHIS FRUIT PULP - UNII:23H32AOH17) CITRULLUS COLOCYNTHIS FRUIT PULP - UNII:23H32AOH17)				RUIT	1 [hp_M] in 1 [hp_M]		
Inactive Ingredients							
Ingredient Name					Strength		
SUCROSE (UNII: C151H8M554)							
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)							
Product Characteristics	;						
Color	white	Score	2				
Shape	ROUND	Size			4r	nm	

Flavor			Imprint Cod	Imprint Code			
Contains							
D	ackaging						
Packaging Mediation Start Mediation Fr						Mayleating Field	
#	Item Code	Р	Package Description		Marketing Start Date	Marketing End Date	
1	NDC:0220-1514- 41	1 [hp_M] in 1 Product	np_M] in 1 TUBE; Type 0: Not a Combination duct		03/03/1983		
			••••				
Marketing Information							
	Marketing Category	Applic	lication Number or Monograph Citation		Marketing Start Date	Marketing End Date	
	approved meopathic				03/03/1983		
ho	meopathic				05,05,1505		

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment						
Name	Address	ID/FEI	Business Operations			
Boiron		282560473	manufacture(0220-1514)			

Revised: 11/2023

Boiron