

**CHILDRENS ALLERGY- diphenhydramine hydrochloride liquid
P & L Development, LLC**

Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if the child has

- glaucoma
- a breathing problem such as chronic bronchitis
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Keep out of the reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

Age (yrs)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

Other information

- **each 5 mL contains:** sodium 6 mg
- store between 20-25°C (68-77F). Do not refrigerate.
- Protect from light.

Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40 flavors, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient Children's Benadryl® Allergy*

Children's

allergy relief

Oral Solution

Diphenhydramine HCl 12.5 mg

antihistamine

relieves:

- sneezing
- running nose
- itchy, watery eyes
- itching of the nose or throat

for ages 6 to 11

alcohol free

cherry flavor

FL OZ (mL)

*This product is not manufactured or distributed by McNeil Consumer Healthcare,
distributor of Benadryl® Allergy

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR
UNDER CAP IS BROKEN OR MISSING.**

Manufactured by:

PL Developments

11865 S. Alameda St

Lynwood, CA 90262

Package Label

ready in case

Compare to the active ingredient in Children's Benadryl® Allergy* NDC 49580-0292-2

\$125


children's allergy relief
Oral Solution
Diphenhydramine HCl 12.5 mg
antihistamine

relieves:

- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

for ages 6-11 years
alcohol free

4 fl oz (118 mL)



cherry flavor

Drug Facts

Active ingredient (in each 5 mL)
Diphenhydramine HCl 12.5 mg.....Antihistamine

Purpose
Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- sneezing
- itchy, watery eyes
- runny nose
- itching of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on the skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet


Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

Manufactured by:
PL Developments
11865 S. Alameda St
Lynwood, CA 90262

PLD-B241D LB009645



3 49580 29240 6

Drug Facts (continued)

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Drug Facts (continued under label) PEEL HERE →

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

Other information

- each 5 mL contains: sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light

Inactive ingredients citric acid, D&C red #33, FD&C red #40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

READYinCASE Children's Allergy Relief Cherry Flavor

CHILDRENS ALLERGY

diphenhydramine hydrochloride liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49580-0292
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL	
Inactive Ingredients			
Ingredient Name	Strength		

ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SUCROSE (UNII: C151H8M554)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49580-0292-4	1 in 1 BOX	03/31/2015	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:49580-0292-2	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/31/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/31/2015	

Labeler - P & L Development, LLC (101896231)

Revised: 2/2024

P & L Development, LLC