SOLID-STICK WART REMOVER- salicylic acid stick ASO LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Solid Stick Wart Remover

Active Ingredient

Salicylic Acid 40%

Purpose

Wart Remover

Uses

- For the removal of common warts. The common wart is easily recognized by the rough 'cauliflowerllike' appearance of the surface.
- For the removal of plantar warts. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

Warnings

For external use only

Do not use

- on irritated skin or on any area that is infected or reddened
- on moles, birthmarks, warts with hair growing from them, genital warts, or on warts on the face or mucous membranes
- if you are diabetic
- if you have poor blood circulation

Stop use and ask a doctor if

discomfort persists

Keep out of reach of children

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions

- Wash affected area
- May soak in warm water for 5 minutes
- Dry area thoroughly
- Apply thin layer of the product to each wart
- Cover affected area with clean bandage
- Repeat procedure every 48 hours as needed (until war is removed) for up to 12 weeks

Other Information

Store at 60 [] 80 °F (15 [] 26 °C)

Inactive ingredients

beeswax, castor oil, chlorobutanol, microcrystalline wax, rosin, synthetic beeswax

Principal Display Panel

MAXIMUM STRENGTH

SALICYLIC ACID 40%

CARE SCIENCE

SOLID-STICK Wart Remover

FOR THE REMOVAL OF COMMON & PLANTAR WARTS

- Targets the wart
- No-mess application
- Easy to use & take on the go



| Questions or comments? 1-855-823-4545 |] |
|---|---|
| Inactive ingredients beeswax, castor oil, chlorobutanol, microcrystalline wax, rosin, synthetic beeswax | |
| Other information • Store at 60 - 80°F (15 - 26°C). | |
| Drug Facts (continued) | |
| Directions • Wash affected area • May soak in warm water for 5 minutes • Dry area thoroughly • Apply thin layer of the product to each wart • Cover affected area with clean bandage • Repeat procedure every 48 hours as oneeded (until wart is removed) for up to 12 weeks. | |
| Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Polson Control Center immediately. | 1 |
| Stop use and ask a doctor if discomfort persists | |
| Do not use - on initiated skin or on any areas that is intected or reddened on moles, birthmarks, warts with hair growing from them, genital warks, or on warks on the face or mucous membranes - if you are diabetic - if you have poor blood circulation mucous membranes. | |
| For external use only. For external use | |
| Uses • For the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. • For the removal of plantar warts. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interuption of the footprint pattern. | |
| Active ingredient Pavage Salicylic Acid 40% |] |
| Drug Facts | |
| | |

| SOLID-STICK | WART | REMOVER |
|-------------|------|---------|
|-------------|------|---------|

salicylic acid stick

| Product Information | | | | | |
|-----------------------------------|------------------------------|-----------------|---------------|--------|---------------|
| Product T ype | HUMAN OTC DRUG | Item Code (Sour | ce) | NDC:51 | 142-728 |
| Route of Administration | TOPICAL | | | | |
| | | | | | |
| | | | | | |
| Active Ingredient/Active Moi | ety | | | | |
| Ing | redient Name | | Basis of Stre | ength | Strength |
| SALICYLIC ACID (UNII: O414PZ4LPZ) | (SALICYLIC ACID - UNII:0414P | Z4LPZ) | SALICYLIC ACI | D | 40 g in 100 g |
| | | | | | |
| Inactive Ingredients | | | | | |
| macuve ingreuients | | | | | |
| | Ingredient Name | | | | Strength |
| SYNTHETIC WAX (1200 MW) (UNII: | Q3Z4BCH099) | | | | |
| CASTOR OIL (UNII: D5340 Y2I9G) | | | | | |
| MICROCRYSTALLINE WAX (UNII: X | OF597Q3KY) | | | | |
| YELLOW WAX (UNII: 2ZA36H0S2V) | | | | | |
| ROSIN (UNII: 88S87KL877) | | | | | |
| CHLOROBUTANOL (UNII: HM4YQM8 | WRC) | | | | |
| | | | | | |
| | | | | | |

| # Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---------------------------|--|----------------------|--------------------|
| I NDC:51142-728-05 | 1 in 1 BOX | 04/26/2019 | |
| 1 | 5 g in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 NDC:51142-728-10 | 2 in 1 BOX | 10/29/2019 | |
| 2 | 5 g in 1 TUBE; Type 0: Not a Combination Product | | |
| - | 5 g m 11052, 1, pc 0110tu Comonadon 110daet | | |
| Marketing Info | ormation | | |
| Marketing Info | ormation | Marketing Start Date | Marketing End Date |

Labeler - ASO LLC (152793493)

Revised: 10/2019

ASO LLC