

**GILTUSS D ALLERGY AND CONGESTION- chlorpheniramine maleate,
phenylephrine hcl tablet
Gil Pharmaceutical Corp**

Drug Facts

Active Ingredients (in each tablet)

Chlorpheniramine Maleate 3.5 mg
Phenylephrine HCl 10 mg

Purposes

Antihistamine
Nasal Decongestant

Uses

Temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- nasal congestion
- itching of the nose or throat
- sinus congestion and pressure

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- do not exceed recommended dose
- excitability may occur, especially in children
- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks

- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,ask a health professional before use.

Keep out of the reach of children.In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 12 years and over

- take 1 tablet every 4 hours
- do not take more than 6 tablets in 24 hours
- **children 6 to under 12 years of age:**take 1/2 tablet every 4 hours, not to exceed 3 tablets in a 24 hour period
- do not use this product for children under 6 years of age

Other information

- store at room temperature, USP
- do not use if blister seal is broken

Inactive ingredients

Magnesium Stearate, Microcrystalline Cellulose and Silica.

Questions? Call 787-848-9114

MANUFACTURED FOR GIL PHARMACEUTICAL CORP.

PONCE, PUERTO RICO 00717-1565

giltuss.com

MAXIMUM STRENGTH

NO PSEUDOEPHEDRINE

Giltuss®-D

ALLERGY & CONGESTION

20 TABLETS

SUGAR FREE. ALCOHOL FREE. DYE FREE. SODIUM FREE

RELIEVES

- SNEEZING
- RUNNY NOSE
- ITCHY, WATERY EYES
- ITCHY THROAT OR NOSE
- SINUS PRESSURE
- STUFFY NOSE



GILTUSS D ALLERGY AND CONGESTION			
chlorpheniramine maleate, phenylephrine hcl tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58552-333
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)		CHLORPHENIRAMINE MALEATE	3.5 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	GIL;322
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58552-333-20	10 in 1 BOX	11/17/2016	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:58552-333-25	25 in 1 CARTON	05/28/2019	01/01/2023
2		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/17/2016	

Labeler - Gil Pharmaceutical Corp (176826592)

Revised: 10/2025

Gil Pharmaceutical Corp