## FERRUM METALLICUM- iron pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

## Ferrum metallicum 9C

Ferrum metallicum 9C

(\*\*contains 0.443 mg of the active ingredient per pellet)

Irritability from fatigue\*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue. \*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073





## **Drug Facts**

**Active ingredient**<sup>\*\*</sup>: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose



FERRUM METALLIC	JM						
iron pellet							
Product Information							
Product Type	HUMAN OTC DRUG	Ite	em Code (Source)		NDC:0220-2047		
Route of Administration	ORAL						
Active Ingredient/Active	Maiaty						
	-				··		
Ingredien			<b>Basis of Strength</b>		Strength		
IRON (UNII: E1UOL152H7) (IRON -	UNII:E1UOL152H7)		RON	9 [h	np_C] in 9 [hp_C]		
Inactive Ingredients							
Ingredient Name					Strength		
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)							
SUCROSE (UNII: C151H8M554)							
Product Characteristics							
Color	white	Score					
Shape	ROUND	Size			4mm		
Flavor		Imprint	Code				

Co	ontains							
Packaging								
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:0220-2047- 41	9 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983					
Marketing Information								
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
	approved meopathic		03/03/1983					

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment							
Name	Address	ID/FEI	<b>Business Operations</b>				
Boiron		282560473	manufacture(0220-2047)				

Revised: 11/2023

Boiron