GILTUSS ALLERGY PLUS- chlophedianol hcl, chlorpheniramine maleate, phenylephrine hcl tablet Gil Pharmaceutical Corp

Drug Facts

Active Ingredients (in each tablet)

Chlophedianol HCl 24 mg

Chlorpheniramine Maleate 3.5 mg

Phenylephrine HCl 10 mg

Purposes

Cough Suppressant

Antihistamine

Nasal Decongestant

Uses

Temporarily relieves runny nose, sneezing, and itchy and watery eyes due to hay fever or other upper respiratory allergies. Temporarily relieves nasal congestion due to the common cold. Temporarily controls cough due to minor bronchial irritation occurring with the common cold.

Warnings

Do not useif you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have:

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- persistent or chronic cough such as occurs with smoking, asthma
- chronic bronchitis, or emphysema
- excessive phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product:

- do not exceed recommended dose
- excitability may occur, especially in children
- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if:

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days or occur with a fever
- cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash or persistent headache

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- Adults and Children 12 years and over: Take 1 tablet every 6-8 hours. Do not take more than 4 tablets in a 24-hour period.
- Children 6 to 12 years of age: Take 1/2 tablet every 6-8 hours. Do not take more than 2 tablets in a 24-hour period.
- Children under 6 years: Consult a physician.

Other information

- store at room temperature, USP
- do not use if pouch is open or torn

Inactive Ingredients

Croscarmellose Sodium, Magnesium Stearate, Microcrystalline Cellulose and Silica.

Questions? Call 787-848-9114

MAXIMUM STRENGTH

Giltuss® ALLERGY PLUS

COUGH & CONGESTION

20 TABLETS

SUGAR FREE. DYE FREE. PRESERVATIVE FREE.

Relieves

- Sneezing
- Runny Nose
- Itchy & watery eyes
- Double acting cough supressant
- Stuffy Nose
- Sinus Pressure



| GILTUSS ALLERGY P | 1110 | | | | | | | | |
|--|--------------------------------|--------------------|--------------------------------|---------------|----------|--|--|--|--|
| chlophedianol hcl, chlorpheniramine maleate, phenylephrine hcl tablet | | | | | | | | | |
| chiophedianornei, chiorpheni | ramine maleate, pheny | pepinne noru | ablet | | | | | | |
| Product Information | | | | | | | | | |
| Product mormation | | | | | | | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | | NDC:58552-334 | | | | | |
| Route of Administration | ORAL | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Active Ingredient/Active Moiety | | | | | | | | | |
| Ingredient Name | | | Basis of Strength | | Strength | | | | |
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | | | PHENYLEPHRINE HYDROCHLORIDE | | 10 mg | | | | |
| CHLORPHENIRAMINE MALEATE (UNII:3U6I01965U) | CHLORPHENIRAMINE MALEATE | | 3.5 mg | | | | | | |
| CHLOPHEDIANOL HYDROCHLOR - UNII:42C50P12AP) | CHLOPHEDIANOL HYDROCHLORIDE | | 24 mg | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Inactive Ingredients | | | | | | | | | |
| | Str | Strength | | | | | | | |
| SILICON DIOXIDE (UNII: ETJ7Z6XB | | | | | | | | | |
| MICROCRYSTALLINE CELLULOSI | | | | | | | | | |
| MAGNESIUM STEARATE (UNII: 70 | | | | | | | | | |

| CROSCARMELLOSE SODIUM (UNII: M280L1HH48) | | | | | | | | |
|--|----------------------|--|-------|-------------------------|-------------------------|-----------------------|--|--|
| | | | , | | | | | |
| | | | | | | | | |
| Product Characteristics | | | | | | | | |
| Color | | white | Score | | no score | | | |
| Shape | | ROUND | Size | | | 8mm | | |
| Flavor | Imprint Code | | | | GIL;323 | | | |
| Contains | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Packaging | | | | | | | | |
| # Item Code | | Package Description | | Marketing Start Date | | Marketing End Date | | |
| 1 NDC:58552-334- 20 | 10 in 1 B | n 1 BOX | | 04/01/2021 | | | | |
| 1 | 2 in 1 PO Product | in 1 POUCH; Type 0: Not a Combination roduct | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| Marketing Information | | | | | | | | |
| Marketing Category | Арр | lication Number Citation | | 1 | Marketing Start Date | Marketing End Date | | |
| OTC Monograph Drug | g M012 | 1012 04/0 | | | 04/01/2021 | | | |
| | | | | | | | | |

Labeler - Gil Pharmaceutical Corp (176826592)

Revised: 3/2025

Gil Pharmaceutical Corp