

**GILTUSS ALLERGY PLUS- chlophedianol hcl, chlorpheniramine maleate,  
phenylephrine hcl tablet  
Gil Pharmaceutical Corp**

-----

***Drug Facts***

***Active Ingredients (in each tablet)***

Chlophedianol HCl 24 mg

Chlorpheniramine Maleate 3.5 mg

Phenylephrine HCl 10 mg

***Purposes***

Cough Suppressant

Antihistamine

Nasal Decongestant

***Uses***

Temporarily relieves runny nose, sneezing, and itchy and watery eyes due to hay fever or other upper respiratory allergies. Temporarily relieves nasal congestion due to the common cold. Temporarily controls cough due to minor bronchial irritation occurring with the common cold.

***Warnings***

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have:**

- **heart disease**
- **high blood pressure**
- **thyroid disease**
- **diabetes**
- **trouble urinating due to an enlarged prostate gland**
- **a breathing problem such as emphysema or chronic bronchitis**
- **glaucoma**
- **persistent or chronic cough such as occurs with smoking, asthma**
- **chronic bronchitis, or emphysema**
- **excessive phlegm (mucus)**

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

**When using this product:**

- do not exceed recommended dose
- excitability may occur, especially in children
- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if:**

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not improve within 7 days or occur with a fever
- cough persists for more than 1 week, tends to recur, or is accompanied by a fever, rash or persistent headache

**If pregnant or breast-feeding**, ask a health professional before use

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- **Adults and Children 12 years and over:** Take 1 tablet every 6-8 hours. Do not take more than 4 tablets in a 24-hour period.
- **Children 6 to 12 years of age:** Take 1/2 tablet every 6-8 hours. Do not take more than 2 tablets in a 24-hour period.
- **Children under 6 years: Consult a physician.**

**Other information**

- store at room temperature, USP
- do not use if pouch is open or torn

**Inactive Ingredients**

Croscarmellose Sodium, Magnesium Stearate, Microcrystalline Cellulose and Silica.

**Questions? Call 787-848-9114**

MAXIMUM STRENGTH

**Giltuss® ALLERGY PLUS**


**COUGH & CONGESTION**

20 TABLETS

SUGAR FREE. DYE FREE. PRESERVATIVE FREE.

Relieves

- Sneezing
- Runny Nose
- Itchy & watery eyes
- Double acting cough suppressant
- Stuffy Nose
- Sinus Pressure



# GILTUSS ALLERGY PLUS

chlorthalidonol hcl, chlorpheniramine maleate, phenylephrine hcl tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58552-334
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	3.5 mg
<b>CHLOPHEDIANOL HYDROCHLORIDE</b> (UNII: 69QQ58998Y) (CHLOPHEDIANOL - UNII:42C50P12AP)	CHLOPHEDIANOL HYDROCHLORIDE	24 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	

**CROSCARMELLOSE SODIUM** (UNII: M28OL1HH48)

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	8mm
<b>Flavor</b>		<b>Imprint Code</b>	GIL;323
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58552-334-20	10 in 1 BOX	04/01/2021	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/01/2021	

**Labeler** - Gil Pharmaceutical Corp (176826592)

Revised: 10/2025

Gil Pharmaceutical Corp