

**GELSEMIUM SEMPERVIRENS- gelsemium sempervirens root pellet  
Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Gelsemium sempervirens 200CK**

Gelsemium sempervirens 200CK HPUS

Active ingredient\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Less than 10<sup>-12</sup> mg gelsemine alkaloids per pellet

Relieves apprehension with trembling, headaches \*

**Stop use and ask a doctor** if symptoms persist for more than 3 days or worsen.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

**BoironUSA.com Info@boiron.com**

**1-800-BOIRON-1** (1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

# Gelsemium sempervirens 200<sup>ck</sup>

Relieves apprehension with trembling, headaches\*



Made in France HOMEOPATHIC MEDICINE  
HPUS NDC 0220-2254-41

Less than 10<sup>-12</sup> mg gelsemine alkaloids per pellet  
Do not use if pellet dispenser seal is broken

LOT	EXP
3 06960	33331 9

Contains approx. 80 pellets. US  
Peel for Drugs Facts and instructions for use.

Gelsemium sempervirens 200 ck

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

## Drug Facts

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

## Drug Facts (continued)

**Inactive ingredients:** lactose, sucrose

### Questions or comments?

BoironUSA.com Info@Boiron.com  
1-800-BOIRON-1 (1-800-264-7661)  
\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.  
Distributed by Boiron Inc.  
Newtown Square, PA 19073



# Gelsemium sempervirens

Apprehension with trembling, headaches\*



HPUS NDC 0220-2254-41

# 200<sup>ck</sup>

Gelsemium semper

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Less than 10<sup>-12</sup> mg gelsemine alkaloids per pellet  
Do not use if pellet dispenser seal is broken



LOT:

EXP:

3

06960

33331 9

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

Virans 200 ck

L HOMEOPATHIC PRACTICE,  
NCE. NOT FDA EVALUATED.

## Drug Facts

**Active ingredient\*\*:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

## Drug Facts (continued)

**Inactive ingredients:** lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to  
dispense pellets?



1 Turn tube upside down.



2 Twist until 5 pellets are dispensed into cap.



3 Carefully remove cap and use it to pour pellets under the tongue.

# Gelsemium sempervirens

# 200<sup>ck</sup>

HPUS NDC 0220-2254-41

HOMEOPATHIC MEDICINE

**BOIRON**<sup>®</sup>

Made in France

Apprehension with trembling,  
headaches.\*



Lot:

Exp:

3

06960

33331

9

Contains approx. 80 pellets.

US

Gelsemium sempervirens 200 ck

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE  
NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED

## **Drug Facts**

**Active ingredient\*\***: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses**: See symptoms on front panel.

**Warnings**: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions**: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information**: ■ Do not use if pellet dispenser seal is broken.

## **Drug Facts** (continued)

**Inactive ingredients**: lactose, sucrose

### **Questions or comments?**

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to use pellets?

1



2



3



How to  
dispense pellets



Turn tube upside down.



Twist until 5 pellets are dispensed into cap.



Carefully remove cap and use it to pour pellets under the tongue.

## GELSEMIUM SEMPERVIRENS

gelsemium sempervirens root pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0220-2254
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GELSEMIUM SEMPERVIRENS ROOT</b> (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	200 [kp_C] in 200 [kp_C]

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>	ROUND	<b>Size</b>	4mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-2254-41	200 [kp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/03/1983	

**Labeler -** Boiron (282560473)

**Registrant -** Boiron, Inc. (014892269)

**Establishment**

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-2254)

Revised: 10/2025

Boiron