

**MEDIQE MEDI-MUCUS- dextromethorphan hbr, guaifenesin tablet**  
**Unifirst First Aid Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Medique® Medi-Mucus**

***Drug Facts***

***Active ingredients (in each tablet)***

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

***Purpose***

Cough suppressant

Expectorant

***Uses***

■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

**Temporarily relieves:**

■ cough due to minor throat irritations as may occur with the common cold or inhaled irritants

■ the intensity of coughing

■ the impulse to cough to help you get sleep

***Warnings***

**Do not use**

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If

you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. complete

**Ask a doctor before use if you have**

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

- cough that occurs with excessive phlegm (mucus)

**Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers

**When using this product**

- do not use more than directed

**Stop use and ask a doctor if**

- cough lasts for more than 7 days, comes back or occurs with fever, rash or persistent headache.

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

**Adults and children:**

**(12 years and older)**

Take 1 tablet every 4 hours with a full glass of water while symptoms persist. Do not exceed 6 doses in 24 hours.

**Children under 12 years**

Do not use.

***Other information***

- store at room temperature 68°-77°F (20°-25°C)

- keep in a dry place and do not expose to heat

- tamper evident sealed packets

- do not use any opened or torn packets

***Inactive ingredients***

croscarmellose sodium, maltodextrin, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

## Questions or comments?

Call 1-800-634-7680

## Medique Medi-Mucus Label

Collect MediBucks

See inside flap for more details

Medique®

Medi-Mucus

Controls Coughs

Thins & Loosens Mucus

Pull To Open

✓ Cough Suppressant • Dextromethorphan HBr 20mg

✓ Expectorant • Guaifenesin 400mg

50 Tablets

(50 x 1)

Tamper Evident Unit Dose Packets

The image displays the packaging for Medique Medi-Mucus. The top left shows the front of the box with the brand name 'Medique' in red script and 'Medi-Mucus' in large white letters on a blue oval. Below this, it says 'Controls Coughs Thins & Loosens Mucus'. The active ingredients are listed as Cough Suppressant • Dextromethorphan HBr 20mg and Expectorant • Guaifenesin 400mg. A 'MediBucks' sticker is shown, which is a green and blue rectangle with '35 MEDIBUCKS' and '35 POINTS' written on it. Below the box is a 'Drug Facts' panel with the following text:

**Drug Facts**

**Active ingredients (in each tablet)**

Active ingredients (in each tablet)	Purpose
Dextromethorphan HBr 20mg	Cough suppressant
Guaifenesin 400mg	Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

**Temporarily relieves:**

- cough due to minor throat irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help you get to sleep

**Warnings**

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping MAOI drug. If you do not know if your prescription drug contains an MAOI, consult a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by excessive phlegm (mucus)

**Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers

**When using this product**

- do not use more than directed

The bottom right shows the back of the box with 'Drug Facts (continued)'. It includes instructions on when to stop use, pregnancy warnings, directions for adults and children, and other information. A 'Pull To Open' instruction is shown with a diagram of the box being opened. A red starburst graphic says 'Collect MediBucks from certain large size Medique Brand products and redeem them for great gifts by visiting www.medicueproducts.com'. A red banner at the bottom right says '50 Tablets (50 x 1)'. The bottom of the image has three sections: 'Retain carton for complete product information' on the left, 'Tamper Evident Unit Dose Packets' in the center, and 'Retain carton for complete product information' on the right.

**Drug Facts (continued)**

**Stop use and ask a doctor if**

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

Adults and children (12 years of age and older)	Take 1 tablet every 4 hours with a full glass of water while symptoms persist. Do not exceed 6 doses in 24 hours.
Children under 12 years of age	Do not use.

**Other information**

- store between 68-77°F (20-25°C)
- keep in a dry place and do not expose to heat
- tamper-evident sealed packets
- do not use any opened or torn packets

**Inactive ingredients**

croscarmellose sodium, maltodextrin, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

**Questions or comments?**

Call 1-800-634-7680

Retain carton for complete product information

Tamper Evident Unit Dose Packets

Retain carton for complete product information

# MEDIQE MEDI-MUCUS

dextromethorphan hbr, guaifenesin tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-345
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	16mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;345
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-345-50	50 in 1 BOX	06/03/2019	07/01/2024
1		1 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-345-46	1 in 1 PACKET; Type 0: Not a Combination Product	06/03/2019	07/01/2024

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	06/03/2019	07/01/2024

---

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 2/2023

Unifirst First Aid Corporation