

**TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment**

**Bi-Mart**

-----

**Bi-Mart (as PLD) - Triple Antibiotic (37835-903)**

***Active Ingredients (in each gram)***

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg (equivalent to 3.5 mg Neomycin)

Polymyxin B Sulfate 5000 units

***Purpose***

First aid antibiotic

***Use(s)***

First aid to help prevent infection in minor cuts, scrapes and burns

***Warnings***

- For External Use Only

***Do not use***

- in the eyes or apply over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have** deep or puncture wounds, animal bites, or serious burns

***Stop use and ask a doctor if***

- the condition persists or gets worse
- a rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

***Other information***

- Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal.
- Store at room temperature between 15-30°C (59-86°F)
- Preserve in well-closed containers
- See crimp of tube or carton for Lot Number and Expiry Date

***Inactive ingredient***

White Petrolatum

***Questions or comments?***

Call **1-800-935-6737**

**Principal Display Panel**

**NDC 37835-903-01**

**Triple Antibiotic Ointment**

First aid antibiotic

*Compare to the Active Ingredients in Neosporin<sup>®</sup>\**

*\*This product is not manufactured or distributed by Johnson & Johnson Corporation Products Company, Inc, owner of the registered trademark Neosporin<sup>®</sup>.*

Net. Wt. 1 oz (28.4 g)

**Distributed by:**

Bi-Mart

Eugene, OR 97402

**BI-MART** NDC 37835-903-01

Compare to the active ingredients in Neosporin<sup>®</sup>\*

# Triple Antibiotic Ointment

**FIRST AID ANTIBIOTIC**

Net Wt. 1 oz (28.4 g)

**Helps Prevent Infection in Minor Cuts, Scrapes, and Burns**  
Bacitracin Zinc – Neomycin Sulfate – Polymyxin B Sulfate

<p><b>Drug Facts</b></p> <p><b>Active ingredients (in each gram)</b></p> <p>Bacitracin Zinc 400 units ..... First aid antibiotic</p> <p>Neomycin Sulfate 5 mg (equivalent to 3.5 mg Neomycin) ..... First aid antibiotic</p> <p>Polymyxin B Sulfate 5000 units ..... First aid antibiotic</p> <p><b>Use(s)</b> ■ First aid to help prevent infection in minor cuts, scrapes, and burns</p> <p><b>Warnings</b> ■ For External Use Only</p> <p>Do not use ■ in the eyes or apply over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor</p> <p>Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns</p> <p>Stop use and ask a doctor if ■ the condition persists or gets worse ■ a rash or other allergic reaction develops</p>	<p><b>Drug Facts (continued)</b></p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p><b>Directions</b> Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.</p> <p><b>Other information</b> ■ Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal ■ Store at room temperature between 15-30°C (59-86°F) ■ Preserve in well-closed containers ■ See crimp of tube or carton for Lot Number and Expiry Date</p> <p><b>Inactive ingredient</b> White Petrolatum</p> <p><b>Question or comments?</b> Call 1-800-935-6737</p>
---	---

Distributed by: BI-MART, Eugene, OR 97402  
NDC 37835-903-01  
L2804001-1-0  
\*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, Inc., owner of the registered trademark Neosporin<sup>®</sup>

## Triple Antibiotic Ointment

**FIRST AID ANTIBIOTIC**

**Helps Prevent Infection in Minor Cuts, Scrapes, and Burns**  
Bacitracin Zinc – Neomycin Sulfate – Polymyxin B Sulfate

<p><b>Drug Facts</b></p> <p><b>Active ingredients (in each gram)</b></p> <p>Bacitracin Zinc 400 units ..... First aid antibiotic</p> <p>Neomycin Sulfate 5 mg (equivalent to 3.5 mg Neomycin) ..... First aid antibiotic</p> <p>Polymyxin B Sulfate 5000 units ..... First aid antibiotic</p> <p><b>Use(s)</b> ■ First aid to help prevent infection in minor cuts, scrapes, and burns</p> <p><b>Warnings</b> ■ For External Use Only</p> <p>Do not use ■ in the eyes or apply over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor</p> <p>Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns</p> <p>Stop use and ask a doctor if ■ the condition persists or gets worse</p>	<p><b>Drug Facts (continued)</b></p> <p>■ a rash or other allergic reaction develops</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p><b>Directions</b> Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.</p> <p><b>Other information</b> ■ Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal ■ Store at room temperature between 15-30°C (59-86°F) ■ Preserve in well-closed containers ■ See crimp of tube or carton for Lot Number and Expiry Date</p> <p><b>Inactive ingredient</b> White Petrolatum</p> <p><b>Question or comments?</b> Call 1-800-935-6737</p>
--	---

## Triple Antibiotic Ointment

**FIRST AID ANTIBIOTIC**

BI-MART UNCONDITIONAL MONEY BACK GUARANTEE  
If you are not completely satisfied with your BI-MART QUALITY PRODUCT, regardless of the reason, return the unused portion and your entire purchase price will be cheerfully refunded.

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, Inc., owner of the registered trademark Neosporin<sup>®</sup>

MH/DRUGS/28-KD/503 Made in India  
Distributed by: BI-MART, Eugene, OR 97402



0 71357 1191720 4

O9903-001-11-0

## Triple Antibiotic Ointment

**FIRST AID ANTIBIOTIC**

NDC 37835-903-01

Compare to the active ingredients in Neosporin<sup>®</sup>\*

# Triple Antibiotic Ointment

**FIRST AID ANTIBIOTIC**

Net Wt. 1 oz (28.4 g)

Space for Unvarnished Area

**Helps Prevent Infection in Minor Cuts, Scrapes, and Burns**  
Bacitracin Zinc – Neomycin Sulfate – Polymyxin B Sulfate

<b>TRIPLE ANTIBIOTIC</b>			
bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37835-903
<b>Route of Administration</b>	TOPICAL		
<b>Active Ingredient/Active Moiety</b>			

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>WHITE PETROLATUM</b> (UNII: B6E5W8RQJ4)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835-903-01	1 in 1 CARTON	07/01/2024	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	07/01/2024	

**Labeler** - Bi-Mart (027630078)

Revised: 11/2024

Bi-Mart