

IGNATIA AMARA- strychnos ignatii seed pellet
Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Ignatia amara 30C

Active ingredient (in each pellet)**

Ignatia amara 30C HPUS (0.44 mg)

Less than 10⁻¹² mg strychnine alkaloids per pellet

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Ignatia amara 30C HPUS Relieves apprehension, hypersensitivity to stress

Uses*

temporarily relieves symptoms associated with occasional nervous tension such as:

- hypersensitivity
- apprehension
- irritability
- grief of sadness
- moodiness
- lump in throat
- nervous yawning

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

- Adults and children 12 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.
- Children under 12 years of age: Ask a doctor.

lactose, sucrose

BoironUSA.com Info@boiron.com

1-800-BOIRON-1 (1-800-264-7661)

Made in France

Distributed by Boiron, Inc.

Newtown Square, PA 19073

- do not use if glued carton end flaps are open or if pellet dispenser seal is broken

- contains 0.25 g of sugar per dose
- retain carton for full drug facts

EMOTIONAL STRESS RELIEF*

Hypersensitivity Grieving Irritability Moodiness*

No known drug interactions

1 Tube

3 Tubes

APPROX. 80 PELLETS EACH

TOTAL 240 PELLETS

Turn tube upside down

Twist until 5 pellets are dispensed

Remove cap and pour pellets under the tongue

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Ignatia amara

30c

Relieves apprehension, hypersensitivity to stress*

BOIRON®

Made in France HOMEOPATHIC MEDICINE

HPUS NDC 0220-2598-41

Less than 10⁻¹² mg strychnine alkaloids per pellet

Do not use if pellet dispenser seal is broken

	LOT	EXP
3	06960	38413
		7

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

Ignatia amara 30c

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.
Newtown Square, PA 19073

How to dispense pellets?



1 Turn tube upside down.

2 Twist until 5 pellets are dispensed into cap.

3 Carefully remove cap and use it to pour pellets under the tongue.

SAMPLE
NOT FOR SALE

NDC 0220-2598-41

EMOTIONAL STRESS RELIEF*

Hypersensitivity • Grieving
Irritability • Moodiness*

Ignatia

IGNATIA AMARA 30C

—MELTAWAY PELLETS

HOMEOPATHIC MEDICINE

- No Known Drug Interactions
- Non-Drowsy

Help
Your Body
the
Natural
Way



16 DOSES

BOIRON®

World Leader in
Homeopathic Medicines

1 TUBE
APPROX.
80 PELLETS



SCAN HERE
for COUPON and
more information



Meltaway Pellets
No Water Needed



No Artificial
Sweeteners,
Flavors, or Colors

Drug Facts

Active ingredient* (in each pellet)

Ignatia amara.....Relieves apprehension &
30C HPUS (0.44 mg) hypersensitivity to stress
(contains less than 10⁻¹² mg
strychnine alkaloids)

*The letters "HPUS" indicate that the component
in this product is officially monographed in the
Homeopathic Pharmacopoeia of the United States.*

Uses*

temporarily relieves symptoms associated with
occasional nervous tension such as:

- hypersensitivity
- irritability
- moodiness
- nervous yawning
- apprehension
- grief or sadness
- lump in throat

Warnings

Stop use and ask a doctor if symptoms persist
for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health
professional before use.

Drug Facts (continued)

Keep out of reach of children. In case of
overdose, get medical help or contact a Poison
Control Center right away.

Directions

- Adults and children 12 years of age and older: At
the onset of symptoms, dissolve 5 pellets under
the tongue 3 times a day until symptoms are
relieved or as directed by a doctor.
- Children under 12 years of age: Ask a doctor.

Other information

- do not use if pellet dispenser seal is broken
- contains 0.25 g of sugar per dose
- retain card for full drug facts

Inactive ingredients

lactose, sucrose

Questions or comments?

BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1 (1-800-264-7661)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE,
NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Made in France
Distributed by Boiron Inc.
Newtown Square, PA
19073

6940790 07.2023



Turn tube
upside down



Twist
until 5 pellets
are dispensed



Remove cap
and pour pellets
under the
tongue

NDC 0120-2594-41

EMOTIONAL STRESS RELIEF*

Hypersensitivity • Grieving
Irritability • Moodiness*

1234



16
DOSES PER TUBE
3 TUBES

540427
072023

1 TUBE FREE INSIDE



Ignatia

IGNATIA AMARA 30C
— MELTAWAY PELLETS

HOMEOPATHIC MEDICINE

- No Known Drug Interactions
- Non-Drowsy



BOIRON
World Leader in Homeopathic Medicines



1 FREE
2-3 TUBES
APPROX. 80 PELLETS EACH
TOTAL 240 PELLETS

LOT
EXP

Green 98-3494-0004



The Boiron Promise
Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073
Please recycle

FREE APP
Boiron Medicine Finder

CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.
*C, K, OK, and X are homeopathic actions; see BoironUSA.com/info for details.

Drug Facts
Active ingredient (in each pellet) Ignatia amara 30C (17.5 mg dry extract standard) Contains less than 1% of any inactive ingredients. *Active ingredient is the component in the product that is primarily responsible for the homeopathic pharmacologic or other clinical effect.
Purpose Homeopathic preparation for hypersensitivity to stress
Uses Used to temporarily relieve symptoms associated with occasional nervous tension such as: ■ Irritability ■ Nervousness ■ Anxiety ■ Fatigue ■ Headaches ■ Insomnia ■ Irritability ■ Nervousness ■ Anxiety ■ Fatigue ■ Headaches ■ Insomnia ■ Irritability ■ Nervousness ■ Anxiety ■ Fatigue ■ Headaches ■ Insomnia
Warnings Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, use a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions Adults and children 12 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue. 3 times a day until symptoms are relieved or as directed by a doctor. Children under 12 years of age: Ask a doctor.
Other information ■ Do not use if glass cap and top are open or if pellet dispenser seal is broken ■ Contains 225 mg of sugar per dose ■ Contains 10 mg of gelatin per dose ■ Contains 225 mg of sugar per dose ■ Contains 10 mg of gelatin per dose
Inactive ingredients lactose, sucrose
Questions or comments? BoironUSA.com 1-800-828-0837 1-800-828-0837

NO Artificial Sweeteners, Flavors, Colors, or Preservatives

Meltaway Pellets
No Water Needed

6540837

1580766

NDC 0220-2596-43

EMOTIONAL STRESS RELIEF*

Hypersensitivity • Grieving
Irritability • Moodiness*



EXPIRES
04/2020

1 TUBE **FREE** INSIDE

- Turn the cap counter-clockwise and pull pellets out.
- Twist the cap and pull pellets out.
- Remove the cap and pull pellets out.

Ignatia IGNATIA AMARA 30C — MELTAWAY PELLETS

HOMEOPATHIC MEDICINE

- No Known Drug Interactions
- Non-Drowsy



BOIRON
World Leader in Homeopathic Medicines

1 FREE
3 TUBES
APPROX. 80 PELLETS EACH
TOTAL 240 PELLETS

Lot Code

101



The Boiron Promise
Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/boironpromise for details.



Made in France
Distributed by Boiron Inc.
Horseshoe Square, PA 19073

CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
*CL, Ck, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Drug Facts
Purpose Active ingredients: Ignatia amara 30C (in each pellet) Boiron's Ignatia amara 30C (in each pellet) contains less than 1 mg of active ingredients.
Warnings Stop use and ask a doctor if symptoms persist for more than 5 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.
Directions Adults and children 12 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor. Children under 12 years of age: Ask a doctor.
Other Information Do not use if blend caplet and tube are open or if caplet dispenser seal is broken.
Active Ingredients List active ingredients in descending order of strength.
Questions or comments? BoironUSA.com 1-800-BOIRON 1-800-259-6843



Control Code



Control Code

NO
Artificial Colors,
Flavors, Sweeteners,
or Preservatives

Ignatia amara

*CLA
NOT

30^c

Apprehension, hypersensitivity to stress*



Ignatia amara 30 c

HPUS NDC 0220-2598-41

Less than 10⁻¹² mg strychnine alkaloids per pellet

Do not use if pellet dispenser seal is broken



LOT:

EXP:

3

06960

38413

73

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

IMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to
dispense pellets?



1 Turn tube upside down.



2 Twist until 5 pellets are dispensed into cap.



3 Carefully remove cap and use it to pour pellets under the tongue.

Ignatia amara

30^c

HPUS NDC 0220-2598-41

BOIRON[®]
HOMEOPATHIC MEDICINE Made in France

Ignatia ar

*CLAIMS BASED ON TRADITION
NOT ACCEPTED MEDICAL EVIDENCE

Apprehension, hypersensitivity to stress.*



Lot:

Exp:

3

06960

38413

7

Contains approx. 80 pellets.

US

Peel for Drugs Facts and instructions for use.

marara 30 c

ONAL HOMEOPATHIC PRACTICE,
EVIDENCE. NOT FDA EVALUATED.

Drug Facts

Active ingredient:** See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see
BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

How to
dispense pellets?



Turn tube upside
down.



Twist until 5 pellets
are dispensed
into cap.



Carefully remove cap
and use it to pour pellets
under the tongue.

IGNATIA AMARA

strychnos ignatii seed pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-2598
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	30 [hp_C] in 30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	
--------------	-------	--------------	--

Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-2598-41	30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	
2	NDC:0220-2598-43	3 in 1 BOX	09/01/2020	
2		30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/03/1983	

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-2598)

Revised: 10/2025

Boiron