#### 12HR ALLERGY AND CONGESTION RELIEF- fexofenadine hcl and pseudoephedrine hci tablet, extended release Cardinal Health

-----

#### Fexofenadine HCI 60 mg and Pseudoephedrine HCI 120 mg ER Tablets USP

#### Active ingredient(s)

Fexofenadine HCI USP, 60 mg

Pseudoephedrine HCI USP,120 mg

#### Purpose

Antihistamine

Nasal decongestant

#### Use(s)

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily relives nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

#### Warnings

#### Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have difficulty swallowing

#### Ask a doctor before use if you have

- heart disease
- thyroid disease
- glaucoma
- high blood pressure

- diabetes
- trouble urinating due to an enlarged prostate gland
- kidney disease. Your doctor should determine if you need a different dose.

## When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)
- the tablet coating may be seen in the stool (this is normal). Continue to take as directed (see Directions).

#### Stop use and ask doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- you get nervous, dizzy, or sleepless

## If pregnant or breast-feeding

ask a health professional before use.

#### Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

## Directions

• do not divide, crush, chew or dissolve the tablet; swallow tablet whole

	take 1 tablet with a glass of water every 12 hours on an empty stomach; do not take more than 2 tablets in 24 hours
children under 12 years	do not use
of age	
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

# Other information

- safety sealed: do not use if carton is opened or if individual blister units are torn or opened
- store between 20° to 25°C (68° to 77°F) store between 20° to 25°C (68° to 77°F)
- this product meets the requirements of USP dissolution test 3.

#### Inactive ingredients

corn starch, croscarmellose sodium, colloidal silicon dioxide, ferric oxide, hypromellose, kollidon SR, magnesium stearate, mannitol, powder cellulose and triethyl citrate.

## **Questions?**

Call 1-888-375-3784

Distributed by:

## Dr. Reddy's Laboratories, Inc.

Princeton, NJ 08540

Made in India

# **Principal Display Panel- Carton**

#### **Blister carton**



# **12HR ALLERGY AND CONGESTION RELIEF**

fexofenadine hcl and pseudoephedrine hci tablet, extended release

Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0518(NDC:43598-823)				
Route of Administration	ORAL						

		ient/Active Moiety					
Ingredient Name Basis of				f Strength	Strengt		
FEXOFENA UNII:E6582L		YDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENAL	OCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - FEXOFENADINE HYDROCHLORIDE			60 mg	
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N)PSEUDOEPHE(PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)HYDROCHLORIDE						120 mg	
Inactive	Ingre	dients					
Ingredient Name						Strength	
MANNITOL	UNII: 3	OWL53L36A)					
POWDERE	D CELL	ULOSE (UNII: SMD1X3XO9M)					
STARCH, C							
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)							
SILICON D	IOXIDE	(UNII: ETJ7Z6XBU4)					
FERRIC OX	IDE RE	<b>D</b> (UNII: 1K09F3G675)					
MAGNESIU	M STE	<b>RATE</b> (UNII: 70097M6I30)					
		(UNII: 3NXW29V3WO)					
TRIETHYL	CITRAT	E (UNII: 8Z96QXD6UM)					
Product	Chara	acteristics					
Color		(buff white to pale yellow color and other layer lig	ht red to	red color)	Score	no score	
Shape	CAPSU	LE			Size	<b>1</b> 6mm	
Flavor					Imprint Co	<b>de</b> R;195	
Contains							
Packagi	ng						
Packagi # Item (	-	Package Description	Mark	ceting Sta Date		eting End Date	
	Code	Package Description 4 in 1 CARTON	<b>Mark</b> 10/08/2	Date			
1 NDC:700	Code			Date			
# Item ( 1 NDC:700 0518-1	<b>Code</b> 00-	4 in 1 CARTON 5 in 1 BLISTER PACK; Type 0: Not a Combination		<b>Date</b> 019			
<pre># Item ( 1 NDC:700 0518-1 1 2 NDC:700</pre>	<b>Code</b> 00-	4 in 1 CARTON 5 in 1 BLISTER PACK; Type 0: Not a Combination Product	10/08/2	<b>Date</b> 019			
<ul> <li># Item (10,000)</li> <li>1 NDC:700 (0518-1)</li> <li>1 NDC:700 (0518-2)</li> </ul>	<b>Code</b> 00-	4 in 1 CARTON 5 in 1 BLISTER PACK; Type 0: Not a Combination Product 6 in 1 CARTON 5 in 1 BLISTER PACK; Type 0: Not a Combination	10/08/2	<b>Date</b> 019			
<ul> <li># Item (10,000)</li> <li>1 NDC:700 (0518-1)</li> <li>1 NDC:700 (0518-2)</li> <li>2 NDC:700 (0518-2)</li> <li>2 </li> </ul>	<b>Code</b> 00-	4 in 1 CARTON 5 in 1 BLISTER PACK; Type 0: Not a Combination Product 6 in 1 CARTON 5 in 1 BLISTER PACK; Type 0: Not a Combination	10/08/2	<b>Date</b> 019			
<ul> <li># Item (10,000)</li> <li>1 NDC:700 (0518-1)</li> <li>1 NDC:700 (0518-2)</li> <li>2 NDC:700 (0518-2)</li> <li>2 </li> </ul>	Code 00- 00-	4 in 1 CARTON 5 in 1 BLISTER PACK; Type 0: Not a Combination Product 6 in 1 CARTON 5 in 1 BLISTER PACK; Type 0: Not a Combination Product	08/13/2	<b>Date</b> 019			

# Labeler - Cardinal Health (063997360)