DYE-FREE CHILDRENS LORATADINE- loratadine tablet, chewable UP & UP

Dye-Free Children's Loratadine Chewable Tablets USP, 5 mg Drug Facts

Active ingredient (in each chewable tablet)

Loratadine USP, 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not useif you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you haveliver or kidney disease. Your doctor should determine if you need a different dose.

When using this productdo not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor ifan allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

chew or crush tablets completely before swallowing.

years ariu uver	hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.
- store between 20° to 25°C (68° to 77°F).

Inactive ingredients

aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions?

call toll-free Monday to Friday 8:30 am to 5:00 pm EST at 1-800-406-7984.

Distributed by Target Corporation Minneapolis, MN 55403

PRINCIPAL DISPLAY PANEL - 5 mg Tablet Blister Pack Carton

NDC 11673-115-30

Compare to active ingredient in Children's Claritin® Chewables*

Ages 2+ Years/ Dye-Free

Children's Allergy

Loratadine Chewable Tablets USP, 5 mg Antihistamine

Non-drowsy**

Indoor and outdoor allergies

24-hour relief of sneezing, runny nose, itchy, watery eyes, itchy throat or nose

up&up

**When taken as directed. See drug facts panel.

30 CHEWABLE TABLETS

THE CHEWABLE TABLETS ARE
TO BE CHEWED BEFORE SWALLOWING

Bubblegum Flavor

Actual Size

30 CHEWABLE TABLETS



DYE-FREE CHILDRENS LORATADINE

loratadine tablet, chewable

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-115
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	5 mg	

Inactive Ingredients				
Ingredient Name	Strength			
ASPARTAME (UNII: Z0H242BBR1)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MANNITOL (UNII: 30WL53L36A)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)				
STEARIC ACID (UNII: 4ELV7Z65AP)				

Product Characteristics			
Color	white (white to off-white)	Score	no score
Shape	ROUND (beveled edge)	Size	10mm
Flavor	BUBBLE GUM	Imprint Code	112
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673- 115-30	3 in 1 CARTON	11/17/2020	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210088	11/17/2020	

Labeler - UP & UP (006961700)

Establishment				
Name	Address	ID/FEI	Business Operations	
Ohm Laboratories Inc.		184769029	manufacture(11673-115)	

Revised: 6/2024 UP & UP