

**4252 FIRST AID KIT- 4252 first aid  
Honeywell Safety Products USA, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**4252 First Aid Kit (Triple, EW, Burn Jel, HC cr, BZK wipe, antiseptic hand gel, sting relief-68P24CCU)**

**Burn Jel**

***Active ingredient***

Lidocaine HCl 2.0%

**Burn Jel**

***Purpose***

External analgesic

**Burn Jel**

***Uses***

- temporarily relieves pain due to minor burns

**Burn Jel**

***Warnings***

**For external use only**

**Do not use**

- on large areas of the body, particularly over raw surfaces or blistered areas

**When using this product**

- avoid contact with eyes

**Stop use and ask a doctor if**

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

**Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

**Burn JEL**

***Directions***

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

**Burn Jel**

***Other information***

- store at room temperature - do not use if opened or torn

## **Burn Jel**

### ***Inactive ingredients***

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

## **Burn Jel**

### ***Questions***

1-800-430-5490

## **Triple**

### ***Active ingredient***

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

## **Triple**

### ***Purpose***

First aid antibiotic

First aid antibiotic

First aid antibiotic

## **Triple**

### ***Uses***

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

## **Triple**

### ***Warnings***

**For external use only**

**Allergy alert: do not use if you are allergic to any of the ingredients**

### **Do not use**

- in the eyes
- over large areas of the body
- Ask a doctor before use if you have
- a deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

**Keep out of the reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Triple*****Directions***

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

**Triple*****Other information***

- store at 15<sup>0</sup> to 25<sup>0</sup> C (59<sup>0</sup> to 77<sup>0</sup> F)
- tamper evident sealed packets
- do not use if packet is torn or opened

**Triple*****Inactive ingredient***

petrolatum

**Triple*****Questions?***

1-800-430-5490

**BZK Wipe*****Active ingredient***

Benzalkonium chloride 0.13% w/v

**BZK Wipe*****Purpose***

First aid antiseptic

**BzK Wipe*****Uses***

Antiseptic cleansing of face, hands, and body without soap and water

**BZK Wipe*****Warnings***

## **For external use only**

### **Do not use**

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

### **Stop use and ask a doctor if**

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

### **BZK Wipe**

#### ***Directions***

tear open packet and use as a washcloth

### **BZK Wipe**

#### ***Other information***

- store at room temperature 15<sup>0</sup> to 30<sup>0</sup> C (59<sup>0</sup> - 86<sup>0</sup> F)
- do not reuse towelette

### **BZK Wipe**

#### ***Inactive ingredient***

water

### **BZK Wipe**

#### ***Questions***

1-800-430-5490

### **Sting Relief**

#### ***Active ingredient (in each wipe)***

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

### **Sting Relief**

#### ***Purposse***

Antiseptic

Topical pain relief

## **Sting Relief**

### ***Uses***

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

## **Sting Relief**

### ***Warnings***

**For external use only**

**Flammable, keep away from open fire or flame**

### **Do not use**

- over large areas of the body
- in eyes
- over raw or blistered areas

### **Stop use and ask a doctor**

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Sting Relief**

### ***Directions***

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

## **Sting Relief**

### ***Inactive ingredients***

benzalkonium chloride, menthol, and purified water

## **Sting Relief**

### ***Questions or Comments?***

1-800-430-5490

## **Eyewash**

### ***Active ingredient***

Sterile Water 99%

## **Eyewash**

### ***Purpose***

Eyewash

## **Eyewash**

### ***Uses***

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

## **Eyewash**

### ***Warnings***

#### **For external use only**

- Obtain immediate medical treatment for all open wounds in or near eyes.
- To avoid contamination, do not touch tip of container to any surface.
- Do not reuse.
- Once opened, discard.

#### **Do not use**

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

#### **Stop use and ask a doctor if**

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

#### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Eyeash**

### ***Directions***

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

## **Eyewash**

### ***Inactive ingredients***

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

## **Eyeash**

### ***Questions***

Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917

## **Hydrocortisone**

### ***Active ingredient (in each gram)***

Hydrocortisone acetate (equivalent to Hydrocortisone 1%)

## **Hydrocortisone**

### ***Purpose***

Anti-itch cream

## **Hydrocortisone**

### ***Uses***

- for the temporary relief of itching associated with minor skin irritations and rashes

## **Hydrocortisone**

### ***Warnings***

#### **For external use only**

#### **Ask a doctor before use if**

- you are using any other hydrocortisone product

#### **When using the product**

- avoid contact with eyes
- do not begin use of any other hydrocortisone product unless you have consulted a doctor
- do not use for the treatment of diaper rash

#### **Stop use and ask a doctor if**

- condition worsens
- condition persists for more than 7 days
- condition clears up and recurs within a few days

#### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Hydrocortisone**

### ***Directions***

- adults and children 2 years and older:
- clean the affected area
- apply to the area not more than 3 to 4 times daily
- children under 2 years of age: consult a doctor

## **Hydrocortisone**

### ***Other information***

- store at room temperature (do not freeze)

## **Hydrocortisone**

### ***Inactive ingredients***

cetyl alcohol, citric acid, diazolidinyl urea, edetate disodium, glycerin, glyceryl monostearate, methylparaben, mineral oil, polyethylene glycol, propylene glycol, propylparaben, purified water, stearic acid, trolamine

## **Hydrocortisone**

### ***Questions or Comments?***

1-800-430-5490

## **Hand Sanitizer**

### ***Active ingredient***

Ethyl alcohol 62%

## **Hand Sanitizer**

### ***Purpose***

Antiseptic handwash

## **Hand Sanitizer**

### ***Uses***

- for hand washing to decrease bacteria on skin
- recommended for repeated use

## **Hand Sanitizer**

### ***Warnings***

**For external use only**

**Flammable, keep away from fire or flame**

### **When using this product**

- do not use in the eyes
- discontinue use if irritation and redness develops. If condition persists for more than 72 hours consult a doctor.

### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Hand Sanitizer**

### ***Directions***

wet hands thoroughly with product and allow to dry without wiping

## **Hand Sanitizer**

### ***Other information***

- store at 15<sup>0</sup> to 25<sup>0</sup> C (59<sup>0</sup> to 77<sup>0</sup> F)

## **Hand Sanitizer**

### ***Inactive ingredients***

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, dl-alpha tocopheryl acetate, fragrance, PEG-60 almond glycerides, propylene glycol, purified water, triisopropanolamine

## **Hand Sanitizer**

### ***Questions or Comments?***

1-800-275-3433 [info@waterjel.com](mailto:info@waterjel.com) [www.waterjel.com](http://www.waterjel.com)



**4252**

**68P2CCU Kit Contents**

1 TRIPLE ANTIBIOTIC 10 PER  
1 INSTANT COLD PACK 4" X 6"  
1 BURN JEL 1/8 OZ, 6 PER  
1 HYDROCORTISON,1.0%,1/32 OZ,10P  
1 POR. CLOTH TAPE 2X10Yd  
1 pOR. CLOTH TAPE 1/2X10Y  
3 GAUZE CLEAN-WRAP BDGE N/S 4"  
1 ABD COMBINE PAD 5" X 9"  
1 ABD PADS 8"X10" STERILE  
1 ELASTIC BANDAGE 3" X 4.5YD  
1 CPR FILTERSHIELD 77-100  
1 ANTISEPTIC WIPES BZK CHL 20'S  
1 1 OZ, BUFF EYEWASH  
1 SCISSOR UTILITY SHEARS 7-1/4"  
LBL STOCK 6-3/8"X4"  
LBL STOCK 4"X2-7/8"  
1 LBL STOCK 3"x1-7/8"  
3 PR LRG NITRILE GLVES ZIP BAG  
1 ANTISEPTIC HAND GEL 4OZ  
1 WATER-JEL BURN DRESSING 4 X 4  
1 KIT PP 24 UNIT FA  
1 STING Relief SWAB PACKAGED  
2 TRI BNDG NON WOVEN 40"X40"X56"  
1 EYE PADS STD OVAL STERILE  
1 GAUZE PADS 4"X4" 12PLY  
5 WOVEN FINGERTIP BANDAGE 3"  
10 HEAVY FLEX BANDAGE 7/8" X 3"  
5 HEAVY FLEX KNUCKLE BANDAGE  
5 HEAVY FLEX LARGE PATCH 2" X 3"  
1 ZIP-LOCK BAG 5" X 5" .002


**Burn Jel**

***Principal Display Panel***

796353 Rev. E Unit Carton Printing Plate for "B" size cartor



# Principal Display Panel



# BZK Wipe Principal Display Panel

47001083  
Rev B

Antiseptic Towelettes

**Honeywell**

02-16-35MD

**Antiseptic Towelettes**

*Benzalkonium chloride*  
*First aid antiseptic*

**Six-Saturated Towelettes**

Distributed by  
Honeywell Safety  
Products USA, Inc.  
Smithfield, RI 02917

47001083  
Rev B

**Antiseptic Towelettes**

Honeywell

**Drug Facts**

Active Ingredient	Purpose
Benzalkonium chloride 0.133% w/v	First aid antiseptic

**Uses** • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds

**Warnings**  
For external use only

**When using this product** • do not use in the eyes or apply over large areas of the body

**Ask a doctor before use** • in case of deep or puncture wounds, animal bites, or serious burns

**Stop use and consult a doctor if**

• irritation, redness or other symptoms develop • condition persists or gets worse

**Do not use** • longer than 1 week unless directed by doctor

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • tear open packet, unfold and use as washcloth


**Other information**

• store at room temperature 15° -30° C (59° -86° F) • do not reuse towelette

**Inactive ingredient** water

**Questions or comments** 1-800-430-5490

**Sting Relief**  
**Principal Display Panel**



**Eyewash**  
**Principal Display Panel**

Honeywell

TAMPER-EVIDENT CAP.  
TAPA CON SELLO DE SEGURIDAD.  
BOUCHON INDICATEUR D'INFRACTION.

eyesaline®

LAVAOJOS  
EYESALINE

Solución  
Isotónico Estéril

EYESALINE  
EYEWASH

Sterile  
Isotonic Solution

LAVAGE  
OCULAIRE  
EYESALINE

La Solution  
Isotonique Stérile

16 fl. oz. (473 mL)

NPN: 80057528  
64809 1 45033 117

Drug Facts (for USA only)

**Active ingredient** Sterile water 99%  
**Purpose** Eyewash  
**Uses** for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.  
**Warnings** For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.  
**Do not use** if solution changes color or becomes cloudy  
if you have open wounds in or near the eyes, get medical help right away  
**Stop use and consult a doctor if:**  
• you experience eye pain • changes in vision  
• continued redness or irritation of the eye  
• condition worsens or persists  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
• remove contacts before using • twist top to remove  
• flush the affected area as needed  
• control rate of flow by pressure on the bottle  
• if necessary, continue flushing with emergency eyewash or shower  
**Inactive ingredients** sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic  
**Questions?** Call 1-800-430-5490  
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

LABEL #32-0045/0 Rev. J REORDER / NUEVO PEDIDO / REAPPROVISIONNEMENT #32-000454-0000

space for lot code and supplier part number

PEEL / PELAR / PELEL

Datos de medicamento (Para EE.UU. solamente)


**Ingrediente Activo** Agua estéril 99%  
**Propósito** Lavaojos  
**Usos** para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aeros, o agua de cloruro  
**Advertencias** Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte.  
**No se use** si la solución se enturbia o cambia de color  
si tiene heridas abiertas en o cerca del ojo, obtenga ayuda medica de inmediato  
**Deje de usar y consulte a un médico si:**  
• experimenta dolor de ojo • cambio de visión  
• rojez continuo o irritación del ojo  
• la condición empeora o persiste  
**Manténgase fuera del alcance de los niños.** En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.  
**Instrucciones**  
• quite los lentes de contacto antes de usar la solución  
• tuerza la tapa para quitar  
• enjuague el área afectada según se necesite  
• controle el chorro haciendo presión el la botella  
• si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia  
**Ingredientes inactivos** cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico  
**¿Preguntas?** Llame al 1-800-430-5490  
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Information

**Usages** Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.  
**Advertissements** Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-le.  
**Ne pas utiliser** si la solution a changé de couleur ou si elle est brouillée  
si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin  
**Cesser d'utiliser la solution et consulter un médecin** si vous ressentez une douleur oculaire si votre vision change  
rougeur ou irritation persistante des yeux  
condition empire ou persiste  
**Garder hors de la portée des enfants.** En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.  
**Mode d'emploi** enlever les verres de contact avant l'utilisation dévisser le bouchon pour l'enlever rincer la zone touchée selon les besoins ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche  
**Ingédients** eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium  
**Des questions?** Faites le 1-800-430-5490  
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Hydrocortisone  
Principal Display Panel





**Hand Sanitizer**  
**Principal Display Panel**



A hand sanitizer bottle label with a blue and yellow color scheme. At the top, a blue circular cap with a white logo is partially visible. The label features a yellow banner with the word "INSTANT" in blue. Below this, the words "Hand Sanitizer" are written in large white font on a blue background. Underneath, "Antiseptic Gel With Vitamin E & Aloe" is written in blue. A yellow banner contains the text "Kills 99.9% of Germs Without Water" in blue. At the bottom, "240mL - (8 fl oz)" is written in blue. The label is framed by a thin black line.

**INSTANT**

# Hand Sanitizer

**Antiseptic Gel  
With Vitamin E & Aloe**

***Kills 99.9% of Germs  
Without Water***

**240mL - (8 fl oz)**





Distributed by Honeywell Safety Products USA, Inc Smithfield, RI 02917

**4252 FIRST AID KIT**

4252 first aid kit

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0498-4252
---------------------	----------------	---------------------------	---------------

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4252-01	1 in 1 KIT	09/13/2018	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	6 PACKET	21 g
Part 2	1 BOTTLE	30 mL
Part 3	5 PACKET	4.4 g
Part 4	5 PACKET	7 mL
Part 5	3 POUCH	1.2 mL
Part 6	10 PACKET	9 g
Part 7	1 BOTTLE, PLASTIC	118 mL
Part 8	10 PACKET	9 g

## Part 1 of 8

### BURN JEL

gel for burns gel

## Product Information

Item Code (Source)	NDC:0498-0203
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
TEA TREE OIL (UNII: VIF565UC2G)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER HOMO POLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
CARBOMER HOMO POLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/19/2018	

## Part 2 of 8

### EYESALINE EMERGENCY EYEWASH

purified water liquid

## Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

## Part 3 of 8

### TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

## Product Information

Item Code (Source) NDC:0498-0750

Route of Administration TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

## Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	09/19/2018	

## Part 4 of 8

### ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

## Product Information

Item Code (Source) NDC:0498-0501

Route of Administration TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	12/22/2017	

**Part 5 of 8****STING RELIEF PAD**

ethyl alcohol, lidocaine swab

**Product Information**

<b>Item Code (Source)</b>	NDC:0498-0733
<b>Route of Administration</b>	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE HYDROCHLORIDE</b> (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
<b>ALCOHOL</b> (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>MENTHOL</b> (UNII: L7T10EP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/23/2017	

## Part 6 of 8

### HYDROCORTISONE

anti-itch cream ointment

## Product Information

Item Code (Source)	NDC:0498-0800
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:WI4X0X7BPJ)	HYDROCORTISONE ACETATE	1 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
TROLAMINE (UNII: 9O3K93S3TK)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0800-34	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/06/2013	10/15/2019

**Part 7 of 8****INSTANT HAND SANITIZER**

alcohol liquid

**Product Information**

Item Code (Source)	NDC:59898-420
Route of Administration	TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 mL in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
TRISOPROPANOLAMINE (UNII: W9EN9DLM98)	
CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59898-420-12	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	04/15/2010	

## Part 8 of 8

### HYDROCORTISONE

anti-itch cream

#### Product Information

Item Code (Source)	NDC:0498-0801
Route of Administration	TOPICAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:W14X0X7BPJ)	HYDROCORTISONE ACETATE	1 g in 100 g

#### Inactive Ingredients

Ingredient Name	Strength
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
TROLAMINE (UNII: 9O3K93S3TK)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/06/2013	



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/13/2018	

**Labeler** - Honeywell Safety Products USA, Inc. (079287321)

**Registrant** - Honeywell Safety Products USA, Inc. (079287321)

## Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc		079287321	pack(0498-4252)

## Establishment

Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0203, 0498-0750, 0498-0800, 59898-420, 0498-0801)

## Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)

## Establishment

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0501)

## Establishment

Name	Address	ID/FEI	Business Operations
Safetec of America Inc		874965262	manufacture(0498-0733)

Revised: 10/2019

Honeywell Safety Products USA, Inc.