# **LEMNA MINOR- lemna minor pellet Boiron**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### Lemna minor 30C

Lemna minor 30C HPUS

Active ingredient\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Relieves stuffy nose worsened by damp weather \*

**Stop use and ask a doctor** if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

### Keep out of reach of children.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

# **BoironUSA.com Info@boiron.com 1-800-BOIRON-1** (1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.




### **Drug Facts**

Active ingredient See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.





nor 30 c

IDENCE, NOT FDA EVALU

Lot: Exp:

3 06960 43113 8

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

# **Drug Facts**

**Active ingredient**\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

**Drug Facts** (continued)

Inactive ingredients: lactose, sucrose



### **LEMNA MINOR**

lemna minor pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-3081	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LEMNA MINOR (UNII: 621HHM46SV) (LEMNA MINOR - UNII:621HHM46SV)	LEMNA MINOR	30 [hp_C] in 30 [hp_C]	

Inactive Ingredients		
Ingredient Name	Strength	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)		
SUCROSE (UNII: C151H8M554)		

Product Characteristics					
Color	white	Score			

Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

ı	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:0220-3081- 41	30 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	03/03/1983		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

## **Labeler -** Boiron (282560473)

## Registrant - Boiron, Inc. (014892269)

Establishment				
Name	Address	ID/FEI	Business Operations	
Boiron		282560473	manufacture(0220-3081)	

Revised: 8/2024 Boiron