

REFENESEN MUCUS RELIEF- guaifenesin tablet
Reese Pharmaceutical Co

Drug Facts

Active ingredient (per tablet)

Guaifenesin 400mg

Purpose

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus
- helps make coughs more productive

Warnings

Ask doctor before use if you have

- persistent or chronic cough, such as occurs with smoking, asthma, bronchitis or emphysema
- cough is accompanied by excessive phlegm (mucus)

Stop use and ask doctor if

- Symptoms are accompanied by fever, rash or persistent headache
- cough persists for more than 1 week or tends to recur

A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions

- **Adults and children 12 years of age and over:** take 1 tablet every 4 hours as needed

- **Children 6 to 10 under 12 years of age:** take 1/2 tablet every 4 hours as needed
- **Children under 6 years of age:** consult a doctor


Do not exceed 6 doses in a 24 hour period or as directed by a doctor

Other directions

store at 15°-30°C (59°-86°F)

Inactive ingredients

Magnesium Stearate, Microcrystalline Cellulose, Silicon Dioxide, Maltodextrin, Stearic acid, Povidone K30, Povidone 90F



TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredient (in each caplet)	Purpose
Guaifenesin 400 mg	Expectorant

Uses

- Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus.
- Helps make coughs more productive.

Warnings

Ask a doctor before use if you have:

- persistent or chronic cough, such as occurs with smoking, asthma, chronic bronchitis or emphysema.
- cough if accompanied by excessive phlegm (mucus).

Stop use and ask a doctor if:

- cough persists for more than 1 week or tends to recur.
- a persistent cough may be a sign of a serious condition.
- symptoms are accompanied by fever, rash or persistent headache.

If pregnant or breastfeeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately (800) 222-1222.

Directions

For adults and children 12 years and older	take 1 caplet every 4 hours as needed. Do not exceed 6 caplets in 24 hours.
For children 6 to under 12 years	take 1/2 caplet every 4 hours as needed. Do not exceed 3 caplets in 24 hours.
For children under 6 years	consult a doctor.

Other information Store at room temperature 15°-30°C (59°-86°F).

Inactive ingredients magnesium stearate, melibiodin, microcrystalline cellulose, polydextrose 330, polydextrose 90F, silicon dioxide, stearic acid.

Distributed By: **Reese Pharmaceuticals** • 1-800-321-7178
10677 Frank Ave., Cleveland, OH 44106
www.reese pharmaceutical.com • info@reese pharmaceutical.com

REV. 8/22 GUAF030R

No Varnish in this area
DO NOT PRINT BOX

Questions or Comments
Call 1-800-321-7178,
weekdays, 9am-4pm EST

REFENESEN MUCUS RELIEF

guaifenesin tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10956-845
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	400 mg

Inactive Ingredients

Ingredient Name	Strength
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POVIDONE K30 (UNII: U725QWY32X)	
POVIDONE K90 (UNII: RDH86HJV5Z)	

Product Characteristics

Color	white	Score	2 pieces
Shape	OVAL	Size	17mm
Flavor		Imprint Code	PH063
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10956-845-30	1 in 1 CARTON	04/15/2021	
1		30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/15/2021	

Labeler - Reese Pharmaceutical Co (004172052)**Registrant** - Reese Pharmaceutical Co (004172052)