NOSTRILLA- oxymetazoline hydrochloride spray, metered Insight Pharmaceuticals LLC

Nostrilla

Drug Facts

Active Ingredient (per spray)

oxymetazoline hydrochloride 0.05%

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
 - a cold
 - hay fever
 - upper respiratory allergies
 - helps clear nasal passages; shrinks swollen membranes
 - temporarily restores freer breathing through the nose

Warnings

Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- do not exceed recommended dosage
- temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge may occur
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- use of this container by more than one person may spread infection

Stop use and ask a doctor if

symptoms persist

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24 hour period
- children under 6 years of age: ask a doctor

Squeeze and unscrew to remove the protective cap. Align rail grooves and prime pump by depressing it firmly several times (see illustration on side). Hold bottle with thumb at base and nozzle between first and second fingers. With head upright, insert nozzle into nostril. Depress pump two or three times, all the way down, and sniff deeply.

Other Information

- store between 20° 25°C (68° 77°F). Avoid excessive heat or freezing.
- keep carton for full drug facts

Inactive ingredients


benzalkonium chloride, edetate disodium, glycerin, polyethylene glycol, povidone, propylene glycol, sodium phosphate dibasic, sodium phosphate monobasic, water

Questions or comments?

1-800-344-7239

PRINCIPAL DISPLAY PANEL

Nōstrilla® Oxymetazoline HCl Nasal Solution NASAL DECONGESTANT 1/2 FL. OZ (15 mL)



Drug Facts

Active ingredient

USAS - Etamporarily releaves nead congestion due to:

a cold: - hay lever - upper respiratory allergies

helps clear need passages; shrinks pecales months res

bemporarily restores freer breathing through the nose

- Warnings
 Auk a dector before use if you have
 heart disease
 heart disease
 dislates
 dislates
- When using this product

 it do not use more than directed

 it do not use more than directed

 it emporary discrimfort such as burning, stinging,
 sneezing, or an increase in nasal discharge may occur

 do not use for more than 2 days. Use ordy as of srected,
 Frequent or prolonged use may cause need congestion to
- recur or worsen, use of this container by more than one person may

Step one and ask a doctor if symptoms persist If prognant or breast-feeding, ask a health profe

before use. Keep out of reach of children. If swallbrood, get medical help or contact a Poisen Control Center (1-809-223-1222) right away

- adults and children 6 to under 12 years of age
 (with adult supervision): 2 or 3 sprays in each nostrif not
 more often than every 10 to 12 hours, Do not exceed 2
 doses in any 24-hour period.
- children under 6 years of age: esk a doctor Chiefe store y years of age: els. a occur?
 Squares and unscriew to remove the protective cap. Align
 rail grooves and prime gump by depressing it firely several
 times (see Bustration on side). Hold bottle with thumb at bees
 and needs between first and second fingers. With head
 upright, insert nough into neatif, Depress pump two or times
 times at the way down, and sall deeple.

 Other information store between 29"—29"C 38"—
 77"S, Avoid excessive heat or freezing. "Resp corton for full
 frust lacts."

Inactive ingredients berzekonium chlaride, edetate disedium, glycerin, solyethylane glycel, povicore, progriene glycel, sodiem phosphate dibasic, sodiem phosphate


Questions or comments? 1-800-344-7229

Nōstrilla

Fast Relief

Shrinks swollen membranes and helps clear nasal passages up to 12 hours.

EASY USE INSTRUCTIONS:



Tamper Evident: Do not use if printed seed over cap is broken or missing.

C2017 Distributed by: Insight Phermaceuticals LLC Terrytown, NY 10391 A Prestige Brands Company NL082162

NASAL DECONGESTANT

NASAL SPRAY **Effective Relief**

- of Nasal Congestion due to:
- Common colds
- Hay fever
- Allergies

12 HOUR

Nostrilla

Fast Relief

Pump spray delivers a measured dose of medication every time!

Helps clear your stuffy nose fast so you can breathe easier all day or night.

When clogged nasal passages force you to breathe through your mouth, your mouth and throat can become dry and irritated. Nöstrilla quickly helps relieve the nasal congestion to allow you to go about your daily activities in greater comfort.

EFFECTIVE RELIEF

- of nasal congestion due to
 - · common colds
 - · hay fever + allergies



1/2 FL 0Z

(15 mL)

NOSTRILLA

oxymetazoline hydrochloride spray, metered

Product Information

HUMAN OTC DRUG **Item Code (Source) Product Type** NDC:63736-730

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZ OLINE HYDROCHLORIDE	0.05 mg in 100 mL			

Inactive Ingredients				
Ingredient Name	Strength			
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POVIDONE (UNII: FZ 989GH94E)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)				
SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS (UNII: KH7I04HPUU)				
WATER (UNII: 059QF0KO0R)				

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63736- 730-01	1 in 1 CARTON	06/08/2009			
1		15 mL in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)				
2	NDC:63736- 730-02	1 in 1 CARTON	06/08/2009			
2		22.5 mL in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	06/08/2009		

Labeler - Insight Pharmaceuticals LLC (055665422)

Revised: 10/2024 Insight Pharmaceuticals LLC