## MANGANUM ACETICUM- manganese acetate tetrahydrate pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### Manganum aceticum 9C

Manganum aceticum 9C HPUS

Active ingredient\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Relieves hoarseness triggered by cold and damp conditions \*

**Stop use and ask a doctor** if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

#### Keep out of reach of children.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

# **BoironUSA.com Info@boiron.com 1-800-BOIRON-1** (1-800-264-7661)

Distributed by Boiron, Inc. Newtown Square, PA 19073

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.



#### **Drug Facts**

Active ingredient": See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

**Directions:** • Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.





# **Drug Facts**

**Active ingredient**\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.


**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

**Drug Facts** (continued) **Inactive ingredients:** lactose, sucrose **Questions or comments?** 

onUSA.com Info@Boiron.com no-roiron\_1 (1\_200\_264\_7661)



#### **MANGANUM ACETICUM**

manganese acetate tetrahydrate pellet

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0220-3292

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name

Basis of Strength

MANGANESE ACETATE TETRAHYDRATE (UNII: 9TO51D176N) (MANGANESE MANGANESE ACETATE
CATION (2+) - UNII: H6EP7W5457)

Basis of Strength

MANGANESE ACETATE
TETRAHYDRATE

9 [hp\_C]
in 9 [hp\_C]

Inactive Ingredients

Ingredient Name

Strength

SUCROSE (UNII: C151H8M554)

LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)

Product Characteristics				
Color	white	Score		
Shape	ROUND	Size	4mm	
Flavor		Imprint Code		
Contains				

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:0220-3292- 41	9 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		03/03/1983		
		03/03/1983		

### **Labeler -** Boiron (282560473)

## Registrant - Boiron, Inc. (014892269)

Establishment					
Name	Address	ID/FEI	Business Operations		
Boiron		282560473	manufacture(0220-3292)		

Revised: 7/2024 Boiron