MERCURIUS CORROSIVUS- mercuric chloride pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Mercurius corrosivus 9C

Mercurius corrosivus 9C HPUS

Less than 10⁻¹² mg mercury per pellet

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Relieves sore throat with pain while swallowing *

Uses: See symptoms on front panel.

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.



Drug Facts

Active ingredient :: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.



Mercurius corrosivus

Sore throat with pain while swallowing*

90

BOIRON

HOMEOPATHIC MEDICINE

Made in France

HPUS NDC 0220-3384-41

Lace than 10 -12 ma marcury per pollet

Mercurius corros

E

Do not use if pellet dispenser seal is broken



LOT: E

EXP:

3 06960

479109



Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued) **Inactive ingredients:** lactose, sucrose **Questions or comments?**

BoironUSA.com Info@Boiron.com

1-800-B0IRON-1 (1-800-264-7661) **C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details. Distributed by Boiron Inc. Newtown Square, PA 19073

dispense pellets?







Turn tube upside down.

into cap.

Twist until 5 pellets Carefully remove cap are dispensed and use it to pour pellets under the tongue.



HPUS NDC 0220-3384-41



HOMEOPATHIC MEDICINE

Made in France

Sore throat with pain while swallowing.*



Lot:

Exp:

06960

47910

Contains approx. 80 pellets. eel for Drugs Facts and instructions for use.

US

Mercurius corrosivus 9

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com 1-800-BOIRON-1 (1-800-264-7661)

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.


Distributed by Boiron Inc. Newtown Square, PA 19073











MERCURIUS CORROSIVUS

mercuric chloride pellet

—		
Produc	t intor	mation
I I OUUC		

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0220-3384

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MERCURIC CHLORIDE (UNII: 53GH7MZT1R) (MERCURIC CATION - UNII: ED30FJ8Y42)	MERCURIC CHLORIDE	9 [hp_C] in 9 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score		
Shape	ROUND	Size	4mm	
Flavor		Imprint Code		
Contains				

	Packaging				
-	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:0220-3384- 41	9 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		03/03/1983	

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

Establishment				
Name	Address	ID/FEI	Business Operations	
Boiron, Inc.		014892269	manufacture(0220-3384)	

Revised: 11/2025 Boiron