THUJA OCCIDENTALIS- thuja occidentalis leafy twig pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Thuja occidentalis 30X

Thuja occidentalis 30X HPUS

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Relieves warts *

Uses: See symptoms on front panel.

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

BoironUSA.com Info@boiron.com 1-800-BOIRON-1 (1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.



Drug Facts

Active ingredient ": See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.







Lot: Exp:

06960

73521

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: - Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: • Do not use if pellet dispenser seal is broken.

Drug Facts (continued) Inactive ingredients: lactose, sucrose **Questions or comments?**



THUJA OCCIDENTALIS

thuja occidentalis leafy twig pellet

| Date desert | Information |
|-------------|-------------|
| Product | Intormation |

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0220-5027

Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name Basis of Street

THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA OCCI OCCIDENTALIS LEAFY TWG - UNII:1NT28V9397)

THUJA OCCI THUJA OCCI DENTALIS LEAFY TWG - UNII:1NT28V9397)

| Basis of Strength | Strength |
|---------------------------------|---------------------------|
| THUJA OCCIDENTALIS LEAFY TWG | 30 [hp_X] in 30 [hp_X] |

| Inactive Ingredients | | |
|---|----------|--|
| Ingredient Name | Strength | |
| SUCROSE (UNII: C151H8M554) | | |
| LACTOSE, LINSPECIFIED FORM (LINII): 12R2A4N98G) | | |

| Product Characteristics | | | | |
|-------------------------|--------------|------------------------|--|--|
| white | Score | | | |
| ROUND | Size | 4mm | | |
| | Imprint Code | | | |
| | | | | |
| | white | white Score ROUND Size | | |

| Packaging | | | | | |
|-----------|---|-----------|--|-------------------------|-----------------------|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | | | 30 [hp_X] in 1 TUBE; Type 0: Not a Combination Product | 03/03/1983 | |

| Monograph Marketing St Date | art Marketing End Date |
|--------------------------------|---------------------------|
| 03/03/1983 | |
| | Date |

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

| Establishment | | | |
|---------------|---------|-----------|------------------------|
| Name | Address | ID/FEI | Business Operations |
| Boiron | | 282560473 | manufacture(0220-5027) |

Revised: 11/2025 Boiron