THUJA OCCIDENTALIS- thuja occidentalis leafy twig pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Thuja occidentalis 15C

Thuja occidentalis 15C HPUS

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Relieves warts *

Uses: See symptoms on front panel.

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

BoironUSA.com Info@boiron.com 1-800-BOIRON-1 (1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.



Drug Facts

Active ingredient": See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions: • Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.





Lot: Exp:

s 15 c

OMEOPATHIC PRACTIC

3 06960 73512 0

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

Drug Facts

Active ingredient**: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

Directions: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.


Other information: ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)

Inactive ingredients: lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com



THUJA OCCIDENTALIS

thuja occidentalis leafy twig pellet

| D . | | I | | ı £ - | | atio | |
|------------|-----|-----|----|-------|----|------|-----|
| _ | roc | 411 | CT | INTO | nm | | והו |
| | | 44 | | | _ | | |

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0220-5009

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA

OCCIDENTALIS LEAFY TWG - UNII:1NT28V9397)

THUJA OCCIDENTALIS

LEAFY TWG

15 [hp_C]

in 15 [hp C]

Inactive Ingredients

Ingredient Name Strength
LACTOSE, UNSPECIFIED FORM (UNII: |2B2A4N98G)

SUCROSE (UNII: C151H8M554)

Product Characteristics

| Color | white | Score | | |
|----------|-------|--------------|-----|--|
| Shape | ROUND | Size | 4mm | |
| Flavor | | Imprint Code | | |
| Contains | | | | |
| | | | | |

| Packaging | | | | |
|-----------|----------------------|--|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:0220-5009- 41 | 15 [hp_C] in 1 TUBE; Type 0: Not a Combination Product | 03/03/1983 | |

| Marketing Information | | | |
|---------------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | 03/03/1983 | |
| | | 03/03/1983 | |

Labeler - Boiron (282560473)

Registrant - Boiron, Inc. (014892269)

| Establishment | | | | | |
|---------------|---------|-----------|------------------------|--|--|
| Name | Address | ID/FEI | Business Operations | | |
| Boiron | | 282560473 | manufacture(0220-5009) | | |

Revised: 11/2025 Boiron