## NITROGEN- nitrogen gas Young Welding Supply, Inc

-----

## **Nitrogen**

NITROGEN COMPRESSED NF UN 1066 NON-FLAMMABLE GAS 2 35149 (01/15)

Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in theuse and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects, and the precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFICATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when the ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove the person to frexh are and keep comfortable for breathing. Get medical advice/attention. CAS:7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL

YOUNG WELDING SUPPLY, INC.

101 E. 1ST STREET • SHEFFIELD, AL 35660

256-383-5429



REFRIGERATED LIQUID
NITROGEN REFRIGERATED LIQUID NF
UN1977

#### **NON-FLAMMABLE GAS-2**

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in theuse and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects, and the precautions to be taken.

WARNING: CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY.

MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated place.

Wear cold insulating gloves, face shield, and eye protection.

Use a back flow preventive device in the piping.

DO NOT change or force fit connections...

Close valve after each use and when emmpty.

Always keep container in upright position.

Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Thaw frozen parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7727-37-9 DO NOT REMOVE THIS PRODUCT LABEL.

YOUNG WELDING SUPPLY, INC.

101 E. 1ST STREET • SHEFFIELD, AL 35660

256-383-5429



# NF UN1977



# R only.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGEN-IC BURNS OR INJURY.

> MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCA-TION.

> Do not handle until all safety precautions have been read and understood.

Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection.

Use a back flow preventive device in the piping.

DO NOT change or force fit connections.

Close valve after each use and when empty.

Always keep container in upright position.

Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7727-37-9
DO NOT REMOVE THIS PRODUCT LABEL.



# YOUNG WELDING SUPPLY, INC.

101 E. 1ST STREET • SHEFFIELD, AL 35660 256-383-5429

43549 (12/14)

## **NITROGEN**

nitrogen gas

Product Information				
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:58311-4444	
Route of Administration	RESPIRATORY (INHALATION)			

	Active Ingredient/Active Moiety				
Ingredient Name		<b>Basis of Strength</b>	Strength		
	NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	99 L in 100 L		

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:58311- 4444-1	7900 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1965		
2	NDC:58311- 4444-2	160 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1965		
3	NDC:58311- 4444-3	180 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1965		
4	NDC:58311- 4444-4	225 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1965		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA205766	01/01/1965		

Labeler - Young Welding Supply, Inc (034109918)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Young Welding Supply, Inc		034109918	manufacture(58311-4444)		

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
YOUNG WELDING SUPPLY INC		119245701	manufacture(58311-4444)	

Revised: 11/2025 Young Welding Supply, Inc