## NUX VOMICA- strychnos nux-vomica seed pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### Nux vomica 200CK

Active ingredient\*

See product name on the front panel (\*\*contains 0.443 mg of the active ingredient per pellet.)

Nux vomica 200ck

Less than 10<sup>-12</sup> mg strychnine alkaloids per pellet

Uses: See symptoms on front panel.

Relieves heartburn or drowsiness due to excessive eating or drinking, Irritability\*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073



#### **Drug Facts**

Active ingredient\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** • Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: • Do not use if pellet dispenser seal is broken.



**Nux vomica** 

200 ck



eating or drinking\*



#### HOMEOPATHIC MEDICINE

Made in France

HPUS NDC 0220-3707-41

Less than 10 <sup>-12</sup> mg strychnine alkaloids per pellet Do not use if pellet dispenser seal is broken



LOT:

EXP:

3 06960

52731 2

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.



**Active ingredient**\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

Nux vomica 200 ck

# **Drug Facts** (continued)

Inactive ingredients: lactose, sucrose

### Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-B0IRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see

BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073

dispense pellets?







Turn tube upside down.

into cap.

Twist until 5 pellets Carefully remove cap are dispensed and use it to pour pellets under the tongue.

Nux vomica

200 ck

HPUS NDC 0220-3707-41



HOMEOPATHIC MEDICINE

Made in France

Heartburn, drowsiness from excess eating or drinking.\*

Nux vomica 200

):

52731

NEOPATHIC PRACTIC

Contains approx. 80 pellets. US
Peel for Drugs Facts and instructions for use.

06960

## **Drug Facts**

**Active ingredient**\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.


**Directions:** Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

**Drug Facts** (continued) **Inactive ingredients:** lactose, sucrose

Questions or comments?

BoironUSA.com Info@Boiron.com 1-800-BOIRON-1 (1-800-264-7661)



#### **NUX VOMICA**

strychnos nux-vomica seed pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-3707
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX- VOMICA SEED	200 [kp_C] in 200 [kp_C]	

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)		

Product Characteristics			
Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220- 3707-41	200 [kp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	03/03/1983		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

### **Labeler -** Boiron (282560473)

### Registrant - Boiron, Inc. (014892269)

Establishment				
Name	Address	ID/FEI	Business Operations	
Boiron		282560473	manufacture(0220-3707)	

Revised: 11/2023 Boiron