

**SHISEIDO URBAN ENVIRONMENT OIL-FREE MINERAL SUNSCREEN SPF 42-  
titanium dioxide and zinc oxide emulsion  
SHISEIDO AMERICAS CORPORATION**

-----  
**SHISEIDO URBAN ENVIRONMENT OIL-FREE MINERAL SUNSCREEN SPF 42**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
TITANIUM DIOXIDE 4.9%	Sunscreen
ZINC OXIDE 13.6%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Inactive Ingredients**

DIMETHICONE • WATER • SILICA • ZINC OXIDE • DIPROPYLENE GLYCOL • GLYCERIN • CAPRYLYL METHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • ISODODECANE • HYDROGENATED POLYDECENE • PEG/PPG-14/7 DIMETHYL ETHER • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • PEG-10 DIMETHICONE • TREHALOSE • PHYTOSTERYL MACADAMIATE • ASCORBYL TETRAISOPALMITATE • THIOTAURINE • DIPOTASSIUM GLYCYRRHIZATE • SCUTELLARIA BAICALENSIS ROOT EXTRACT • PAEONIA ALBIFLORA ROOT EXTRACT • SODIUM HYALURONATE • SANGUISORBA OFFICINALIS ROOT EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • ONONIS SPINOSA ROOT EXTRACT • GARCINIA MANGOSTANA BARK EXTRACT • CURCUMA LONGA (TURMERIC) RHIZOME EXTRACT • PERILLA OCYMOIDES LEAF EXTRACT • SPIRULINA PLATENSIS EXTRACT • ALUMINUM HYDROXIDE • HYDROGEN DIMETHICONE • TRIETHOXYCAPRYLYLSILANE • BUTYLENE GLYCOL • ISOSTEARIC ACID • DISTEARDIMONIUM HECTORITE • TRISODIUM EDTA • SODIUM CITRATE • ALCOHOL • CITRIC ACID • SODIUM METABISULFITE • POLYSILICONE-2 • BARIUM SULFATE • SYZYGIIUM JAMBOS LEAF EXTRACT • TOCOPHEROL • PHENOXYETHANOL • BENZOIC ACID • IRON OXIDES •

### **Other information**

- protect this product in this container from excessive heat and direct sun.

### **Questions or comments?**

Call toll free 1-800-906-7503

### **PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton**

SHISEIDO  
GINZA TOKYO

Urban Environment

Sun Dual Care™

OIL-FREE  
MINERAL  
with HYALURONIC ACID

SPF  
42

BROAD SPECTRUM SPF 42  
WATER RESISTANT (40 MINUTES)  
SUNSCREEN

30mL 1 FL. OZ.

Urban Environment  
Oil-Free Mineral Sunscreen  
BROAD SPECTRUM SPF 42



SHISEIDO  
GINZA TOKYO

Urban Environment  
Sun Dual Care™

OIL-FREE  
MINERAL  
with HYALURONIC ACID

SPF  
42

BROAD SPECTRUM SPF 42  
WATER RESISTANT (40 MINUTES)  
SUNSCREEN

30mL 1 FL. OZ.

### Drug Facts (continued)

#### Warnings

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶



90% plant-derived bottle\*  
\*Without cap and plug

### Drug Facts (continued)

#### Inactive ingredients

DIMETHICONE - WATER - SILICA - ZINC OXIDE - DIPROPYLENE GLYCOL - GLYCERIN - CAPRYLYL METHACRYLATE - DIPHENYLSILOXY PHENYL TRIMETHICONE - ISODODECANE - HYDROGENATED POLYDECENE - PEG/PPG-14/7 DIMETHYL ETHER - PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - PEG-40 DIMETHICONE - TREHALOSE - PHYTOSTERYL MACADAMATE - ASCORBYL TETRAISOPALMITATE - THIOCTALBONE - DIPOTASSIUM GLYCERYLPHOSPHATE - SCUTELLARIA BAIKALENSIS ROOT EXTRACT - PAEONIA ALBIFLORA ROOT EXTRACT - SODIUM HYALURONATE - SANGUISORBA OFFICINALIS ROOT EXTRACT - CAMELLIA SINENSIS LEAF EXTRACT - ONONIS SPINOSA ROOT EXTRACT - GARCINIA MANGOSTANA BARK EXTRACT - CURCUMA LONGA (TURMERIC) RHIZOME EXTRACT - PERILLA OCYMOIDES LEAF EXTRACT - SPIRULINA PLATENSIS EXTRACT - ALUMINUM HYDROXIDE - HYDROGEN DIMETHICONE - TRIETHOXYCAPRYLYLSILANE - BUTYLENE GLYCOL - ISOSTEARIC ACID - DISTEARDIMONIUM HECTORITE - TRISODIUM EDTA - SODIUM CITRATE - ALCOHOL - CITRIC ACID - SODIUM METABISULFITE - POLYSILICONE-2 - BARIUM SULFATE - SYZYGIUM JAMBOS LEAF EXTRACT - TOCOPHEROL - PHENOXYETHANOL - BENZOIC ACID - IRON OXIDES

#### Other Information

■ protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503

<M100490-011>



<http://s1872.com/18211AA>  
See our website  
for more information.


58 X 43.5  
1 2 3 4

SHISEIDO  
URBAN ENVIRONMENT  
OIL-FREE MINERAL SUNSCREEN  
BROAD SPECTRUM SPF 42

Powered by Sun Dual Care™ infused with Hyaluronic Acid,  
To protect skin from UV rays, and boost hydration,

1. Seamlessly protects against harmful UVA/UVB and pollution.
2. Amplifies the helpful power of sunlight and supports skin's inner hydration ability. Dehydrated skin is instantly replenished.

- Oil-Free and mattifying. Powerful protection. For smooth, hydrated skin, 365 days a year.



## SHISEIDO URBAN ENVIRONMENT OIL-FREE MINERAL SUNSCREEN SPF 42

titanium dioxide and zinc oxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-672
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.8 g in 30 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5 g in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>HYDROGENATED POLYDECENE TYPE I</b> (UNII: U333RI6EB7)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>PHYTOSTERYL MACADAMIATE</b> (UNII: 233VSF903M)	
<b>ASCORBYL TETRAISOPALMITATE</b> (UNII: 47143LT58A)	
<b>THIOTAURINE</b> (UNII: NQZ2D7AO62)	
<b>GLYCYRRHIZINATE DIPOTASSIUM</b> (UNII: CA2Y0FE3FX)	
<b>SCUTELLARIA BAICALENSIS ROOT</b> (UNII: 7J95K7ID2S)	
<b>PAEONIA LACTIFLORA ROOT</b> (UNII: 3Z3866YW6P)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>SANGUISORBA OFFICINALIS ROOT</b> (UNII: 4NYV2HT01X)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>ONONIS SPINOSA ROOT</b> (UNII: FD2FMC53M1)	
<b>GARCINIA MANGOSTANA BARK</b> (UNII: N6A4WY566I)	
<b>TURMERIC</b> (UNII: 856YO1Z64F)	
<b>PERILLA FRUTESCENS LEAF</b> (UNII: T4L5881Y68)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>SYZYGIUM JAMBOS LEAF</b> (UNII: 407Z4W5LFF)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	

## Packaging

	Marketing Start	Marketing End
--	-----------------	---------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-672-10	1 in 1 CARTON	01/01/2022	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2022	

**Labeler** - SHISEIDO AMERICAS CORPORATION (193691821)

## Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	analysis(58411-672) , manufacture(58411-672)

Revised: 2/2026

SHISEIDO AMERICAS CORPORATION