

**SHISEIDO URBAN ENVIRONMENT OIL-FREE MINERAL SUNSCREEN SPF 42-
titanium dioxide and zinc oxide emulsion
SHISEIDO AMERICAS CORPORATION**

SHISEIDO URBAN ENVIRONMENT OIL-FREE MINERAL SUNSCREEN SPF 42

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
TITANIUM DIOXIDE 4.9%	Sunscreen
ZINC OXIDE 13.6%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

DIMETHICONE • WATER • SILICA • ZINC OXIDE • DIPROPYLENE GLYCOL • GLYCERIN • CAPRYLYL METHICONE • DIPHENYLSILOXY PHENYL TRIMETHICONE • ISODODECANE • HYDROGENATED POLYDECENE • PEG/PPG-14/7 DIMETHYL ETHER • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • PEG-10 DIMETHICONE • TREHALOSE • PHYTOSTERYL MACADAMIATE • ASCORBYL TETRAISOPALMITATE • THIOTAURINE • DIPOTASSIUM GLYCYRRHIZATE • SCUTELLARIA BAICALENSIS ROOT EXTRACT • PAEONIA ALBIFLORA ROOT EXTRACT • SODIUM HYALURONATE • SANGUISORBA OFFICINALIS ROOT EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • ONONIS SPINOSA ROOT EXTRACT • GARCINIA MANGOSTANA BARK EXTRACT • CURCUMA LONGA (TURMERIC) RHIZOME EXTRACT • PERILLA OCYMOIDES LEAF EXTRACT • SPIRULINA PLATENSIS EXTRACT • ALUMINUM HYDROXIDE • HYDROGEN DIMETHICONE • TRIETHOXYCAPRYLYLSILANE • BUTYLENE GLYCOL • ISOSTEARIC ACID • DISTEARDIMONIUM HECTORITE • TRISODIUM EDTA • SODIUM CITRATE • ALCOHOL • CITRIC ACID • SODIUM METABISULFITE • POLYSILICONE-2 • BARIUM SULFATE • SYZYGIIUM JAMBOS LEAF EXTRACT • TOCOPHEROL • PHENOXYETHANOL • BENZOIC ACID • IRON OXIDES •

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton

SHISEIDO
GINZA TOKYO

Urban Environment

Sun Dual Care™

OIL-FREE
MINERAL
with HYALURONIC ACID

SPF
42

BROAD SPECTRUM SPF 42
WATER RESISTANT (40 MINUTES)
SUNSCREEN

30mL 1 FL. OZ.

Urban Environment
Oil-Free Mineral Sunscreen
BROAD SPECTRUM SPF 42



SHISEIDO
GINZA TOKYO

Urban Environment
Sun Dual Care™

OIL-FREE
MINERAL
with HYALURONIC ACID

SPF
42

BROAD SPECTRUM SPF 42
WATER RESISTANT (40 MINUTES)
SUNSCREEN

30mL 1 FL. OZ.

Drug Facts (continued)

Warnings

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶



90% plant-derived bottle*
*Without cap and plug

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - SILICA - ZINC OXIDE - DIPROPYLENE GLYCOL - GLYCERIN - CAPRYLYL METHACRYLATE - DIPHENYLSILOXY PHENYL TRIMETHICONE - ISODODECANE - HYDROGENATED POLYDECENE - PEG/PPG-14/7 DIMETHYL ETHER - PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE - BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 - PEG-40 DIMETHICONE - TREHALOSE - PHYTOSTERYL MACADAMATE - ASCORBYL TETRAISOPALMITATE - THIOCTALBONE - DIPOTASSIUM GLYCERYLPHOSPHATE - SCUTELLARIA BAIKALENSIS ROOT EXTRACT - PAEONIA ALBIFLORA ROOT EXTRACT - SODIUM HYALURONATE - SANGUISORBA OFFICINALIS ROOT EXTRACT - CAMELLIA SINENSIS LEAF EXTRACT - ONONIS SPINOSA ROOT EXTRACT - GARCINIA MANGOSTANA BARK EXTRACT - CURCUMA LONGA (TURMERIC) RHIZOME EXTRACT - PERILLA OCYMOIDES LEAF EXTRACT - SPIRULINA PLATENSIS EXTRACT - ALUMINUM HYDROXIDE - HYDROGEN DIMETHICONE - TRIETHOXYCAPRYLYLSILANE - BUTYLENE GLYCOL - ISOSTEARIC ACID - DISTEARDIMONIUM HECTORITE - TRISODIUM EDTA - SODIUM CITRATE - ALCOHOL - CITRIC ACID - SODIUM METABISULFITE - POLYSILICONE-2 - BARIUM SULFATE - SYZYGIUM JAMBOS LEAF EXTRACT - TOCOPHEROL - PHENOXYETHANOL - BENZOIC ACID - IRON OXIDES

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M100490-011>



<http://s1872.com/18211AA>
See our website
for more information.


58 X 43.5
1 2 3 4

SHISEIDO
URBAN ENVIRONMENT
OIL-FREE MINERAL SUNSCREEN
BROAD SPECTRUM SPF 42

Powered by Sun Dual Care™ infused with Hyaluronic Acid,
To protect skin from UV rays, and boost hydration,

1. Seamlessly protects against harmful UVA/UVB and pollution.
2. Amplifies the helpful power of sunlight and supports skin's inner hydration ability. Dehydrated skin is instantly replenished.

- Oil-Free and mattifying. Powerful protection. For smooth, hydrated skin, 365 days a year.



SHISEIDO URBAN ENVIRONMENT OIL-FREE MINERAL SUNSCREEN SPF 42

titanium dioxide and zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-672
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.8 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
ISODODECANE (UNII: A8289P68Y2)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
TREHALOSE (UNII: B8WCK70T7I)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
THIOTAURINE (UNII: NQZ2D7AO62)	
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
ONONIS SPINOSA ROOT (UNII: FD2FMC53M1)	
GARCINIA MANGOSTANA BARK (UNII: N6A4WY566I)	
TURMERIC (UNII: 856YO1Z64F)	
PERILLA FRUTESCENS LEAF (UNII: T4L5881Y68)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
SYZYGIUM JAMBOS LEAF (UNII: 407Z4W5LFF)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

Packaging

Marketing Start Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-672-10	1 in 1 CARTON	01/01/2022	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	01/01/2022	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	ANALYSIS(58411-672) , MANUFACTURE(58411-672)

Revised: 11/2021

SHISEIDO AMERICAS CORPORATION