

CLARINS EVERLASTING YOUTH FLUID BROAD SPECTRUM SPF 15 TITANIUM DIOXIDE SUNSCREEN ILLUMINATING AND FIRMING FOUNDATION 107- titanium dioxide emulsion

Laboratoires Clarins

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CLARINS - EVERLASTING YOUTH FLUID - BROAD SPECTRUM SPF 15 - TITANIUM DIOXIDE - SUNSCREEN - Illuminating & Firming Foundation - 107

Drug Facts

Active ingredient

TITANIUM DIOXIDE 2.8%

Purpose

Sunscreen

Uses:

- helps prevent sunburn.
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only.

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- apply liberally 15 minutes before sun exposure
- apply to all skin exposed to the sun
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses.
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating.

Inactive ingredients

AQUA/WATER/EAU · DIMETHICONE · CI 77891/TITANIUM DIOXIDE · ISODODECANE · BUTYLENE GLYCOL · METHYL TRIMETHICONE · PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE · PENTYLENE GLYCOL · GLYCERIN · CI 77492/IRON OXIDES · DIMETHICONE/ PEG-10/15 CROSSPOLYMER · POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE · SODIUM CHLORIDE · ETHYLHEXYL PALMITATE · ALUMINUM HYDROXIDE · ACRYLATES/DIMETHICONE COPOLYMER · STEAROXYMETHICONE/DIMETHICONE COPOLYMER · SILICA · STEARIC ACID · ARGANIA SPINOSA KERNEL OIL · PARFUM/ FRAGRANCE · CI 77491/IRON OXIDES · DISTEARDIMONIUM HECTORITE · TRIETHOXYCAPRYLYLSILANE · SYNTHETIC FLUORPHLOGOPITE · PROPYLENE CARBONATE · ETHYLHEXYLGLYCERIN · TOCOPHERYL ACETATE · CI 77499/IRON OXIDES · AVENA SATIVA (OAT) KERNEL EXTRACT · DISODIUM EDTA · HYDROXYETHYL UREA · DIMETHICONOL · DIPROPYLENE GLYCOL · TRIHYDROXYSTEARIN · PHENOXYETHANOL · SODIUM CITRATE · ALGIN · SODIUM BENZOATE · ACACIA SENEGAL GUM · JANIA RUBENS EXTRACT · CICHORIUM INTYBUS (CHICORY) LEAF EXTRACT · FURCELLARIA LUMBRICALIS EXTRACT · HEXYLENE GLYCOL · SODIUM HYALURONATE · CAMELLIA SINENSIS LEAF EXTRACT · TOCOPHEROL · CAPRYLYL GLYCOL · XANTHAN GUM · LAPSANA COMMUNIS FLOWER/LEAF/STEM EXTRACT · MARIS SAL/SEA SALT/SEL MARIN · GLUCOMANNAN. [M3312A/107]

Other information:

- protect this product from excessive heat and direct sun.

Questions or comments?

Call 1-866-252-7467 (In the US) Monday-Friday, 8 a.m. to 5 p.m.

CLARINS - EVERLASTING YOUTH FLUID - BROAD SPECTRUM SPF 15 - TITANIUM DIOXIDE - SUNSCREEN - Illuminating & Firming Foundation - 107, 30mL 58668-3348-1

107

BEIGE

Everlasting Youth Fluid

CLARINS PARIS

107

Everlasting Youth Fluid

TEINT LUMIÈRE & FERMETÉ

BROAD SPECTRUM SPF 15
TITANIUM DIOXIDE - SUNSCREEN

ILLUMINATING & FIRING FOUNDATION

e 30 ml

1 fl. Oz.

- TEINT ÉCLATANT
 - LUMIÈRE BOOSTÉE
 - FERMETÉ RÉACTIVÉE
 - TEXTURE LIFT
 - LAISSE RESPIRER LA PEAU
- NOS FONDS DE TEINT SONT AUSSI DES SOINS**

- RADIANT COMPLEXION
 - BOOSTS LUMINOSITY
 - VISIBLY FIRMS SKIN
 - LIFT EFFECT
 - LETS SKIN BREATHE
- OUR FOUNDATIONS CARE FOR YOUR SKIN**



www.clarins.com

Drug Facts

Active ingredient TITANIUM DIOXIDE 2.8%	Purpose Sunscreen
---	-----------------------------

Uses:

- helps prevent sunburn.
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:
For external use only.

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- apply liberally 15 minutes before sun exposure
- apply to all skin exposed to the sun
- children under 6 months: Ask a doctor
- **Sun Protection Measures.**
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses.
 - reapply at least every 2 hours
 - use a water resistant sunscreen if swimming or sweating.

Drug Facts (continued)

Inactive ingredients

AQUA/WATER/EAU - DIMETHICONE - CI 77891/TITANIUM DIOXIDE - ISODODECANE - BUTYLENE GLYCOL - METHYL TRIMETHICONE - PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE - PENTYLENE GLYCOL - GLYCERIN - CI 77482/IRON OXIDES - DIMETHICONE/PEG-10/15 CROSSPOLYMER - POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE - SODIUM CHLORIDE - ETHYLHEXYL PALMATE - ALUMINUM HYDROXIDE - ACRYLATES/DIMETHICONE COPOLYMER - STEAROXYMETHICONE/DIMETHICONE COPOLYMER - SILICA - STEARIC ACID - ARGANIA SPINOSA KERNEL OIL - PARFUM/FRAGRANCE - CI 77491/IRON OXIDES - DISTEARDIMONIUM HECTOITTE - TRIETHOXYCAPRYLSILANE - SYNTHETIC FLUOROPHOSPHITE - PROPYLENE CARBONATE - ETHYLHEXYLGLYCERIN - TOCOPHERYL ACETATE - CI 77489/IRON OXIDES - AVEENA SATIVA (OAT) KERNEL EXTRACT - DISODIUM EDTA - HYDROXYETHYL UREA - DIMETHICONE - DIPROPYLENE GLYCOL - TRIHYDROXYSTEARIN - PHENOXETHANOL - SODIUM CITRATE - ALGIN - SODIUM BENZOATE - ACACIA SENEGAL GUM - JANIA RUBENS EXTRACT - CYCLOBIUM TRYBUS (CRICKET) LEAF EXTRACT - FURCELLARIA LUMBICALLIS EXTRACT - HEXYLENE GLYCOL - SODIUM HYALURONATE - DANDELION SINENSIS LEAF EXTRACT - TOCOPHEROL - CAPRYLYL GLYCOL - XANTHAN GUM - LIPSAHA COMMUNIS FLOWER/LEAF/STEM EXTRACT - MARIS SAL/SEA SALT/SEL MARIN - GLUCOMANNAN (MCC124/107)

Other information:

- protect this product from excessive heat and direct sun.

Questions or comments?
Call 1-866-252-7467 (In the US)
Monday-Friday, 8 a.m. to 5 p.m.

CLARINS
92200 NEUILLY-SUR-SEINE
95100 PONTAISE - FRANCE
MADE IN FRANCE

CET ARTICLE NE PEUT ÊTRE VENDU QUE PAR LES DÉPOSITAIRES AGRÉÉS CLARINS.
EXCLUSIVE SALE THROUGH AUTHORIZED RETAILERS.

OC511062




RÉF. 80054265


EMPLACEMENT CODE BARRES
BAR CODE SPACE
3380810327328



FACING



DOS



CLARINS - EVERLASTING YOUTH FLUID - BROAD SPECTRUM SPF 15 - TITANIUM DIOXIDE - SUNSCREEN - Illuminating & Firming Foundation - 107, 15mL 58668-3348-2

<p>CLARINS PARIS</p>	<p>Conseils d'utilisation : appliquer généreusement 15 minutes avant l'exposition solaire. Utilisez un écran solaire résistant à l'eau si vous nagez ou transpirez. Enfants de moins de 6 mois : demander à un médecin. Précautions et avertissements : ne pas utiliser sur les peaux abîmées. Cesser l'utilisation si une irritation cutanée se développe ou devient plus sévère. Si l'irritation persiste, consulter un praticien de soins de santé. Éviter tout contact avec les yeux. Rincer avec de l'eau pour l'enlever.</p>
<p>Everlasting Youth Fluid</p>	<p>Directions for use: apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. Children under 6 months: ask a doctor. Cautions and warnings: do not use on damaged and broken skin. Discontinue use if skin irritation develops or increases. If irritation persists, consult a health care practitioner. Avoid contact with eyes. Rinse with water to remove.</p>
<p>Teint Lumière & Fermeté</p>	<p>ACTIVE INGREDIENT/MEDICINAL INGREDIENT/ INGREDIENT MEDICINAL : TITANIUM DIOXIDE/ DIOXYDE DE TITANE : 2.8 %</p>
<p>Broad Spectrum SPF 15 Titanium Dioxide Sunscreen</p>	<p>Questions or comments? Call 1-866-252-7467 Monday-Friday, 8 a.m. to 5 p.m. Distrib. Canada: CLARINS CANADA Inc. 815 Desserte est Autoroute Chomedey - LAVAL (QUEBEC) H7W 5N4.</p>
<p>Large Spectre FPS 15 Filtre Solaire Dioxyde de Titane</p>	<p>Démonstration - Tester CLARINS - 92200 Neuilly-sur-Seine 95300 Pontoise - France Made in France</p>
<p>Illuminating & Firming Foundation</p>	<p>15 mL 0.5 Fl. Oz.</p>

107 beige

Ref : 80054284 / 0C39137

CLARINS - EVERLASTING YOUTH FLUID - BROAD SPECTRUM SPF 15 - TITANIUM DIOXIDE - SUNSCREEN - Illuminating & Firming Foundation - 107, 1.5mL 58668-3348-3

Everlasting Youth Fluid

SPF 15



Extrait de
chicorée
Chicory
extract

1,5 mL

0.05 FL. Oz.

Conseils d'utilisation : appliquer généreusement 15 minutes avant l'exposition solaire. Utilisez un écran solaire résistant à l'eau si vous nagez ou transpirez. Enfants de moins de 6 mois : demander à un médecin. **Précautions et avertissements :** ne pas utiliser sur les peaux abîmées. Cesser l'utilisation si une irritation cutanée se développe ou devient plus sévère. Si l'irritation persiste, consulter un praticien de soins de santé. Éviter tout contact avec les yeux. Rincer avec de l'eau pour l'enlever.

Directions for use: apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. Children under 6 months: ask a doctor. **Cautions and warnings:** do not use on damaged and broken skin. Discontinue use if skin irritation develops or increases. If irritation persists, consult a health care practitioner. Avoid contact with eyes. Rinse with water to remove.

ACTIVE INGREDIENT/MEDICINAL INGREDIENT/ INGREDIENT MEDICINAL :
TITANIUM DIOXIDE/ DIOXYDE DE TITANE : 2.8 %

Questions or comments? Call 1-866-252-7467 Monday-Friday, 8 a.m. to 5 p.m.

Distrib. Canada: CLARINS CANADA Inc. 815 Desserte est Autoroute Chomedey - LAVAL (QUEBEC) H7W 5N4.

107 beige

CLARINS - 92200 Neuilly-sur-Seine
95300 Pontoise - France
Made in France



Echantillon - Vente interdite / Sample - Not for sale.

CLARINS EVERLASTING YOUTH FLUID BROAD SPECTRUM SPF 15 TITANIUM DIOXIDE SUNSCREEN ILLUMINATING AND FIRMING FOUNDATION 107

titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58668-3348
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	28 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
METHYL TRIMETHICONE (UNII: S73ZQ10GXM)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	

PENTYLENE GLYCOL (UNII: 50C1307PZG)
GLYCERIN (UNII: PDC6A3C0OX)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
STEARIC ACID (UNII: 4ELV7Z65AP)
ARGAN OIL (UNII: 4V59G5UW9X)
FERRIC OXIDE RED (UNII: 1K09F3G675)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
OAT (UNII: Z6J799EAJK)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)
PHENOXYETHANOL (UNII: HE492ZZ3T)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
SODIUM ALGINATE (UNII: C269C4G2ZQ)
SODIUM BENZOATE (UNII: OJ245FE5EU)
ACACIA (UNII: 5C5403N26O)
CHICORY LEAF (UNII: WBQ249COFR)
FURCELLERAN (UNII: 30QS0PF14U)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
TOCOPHEROL (UNII: R0ZB2556P8)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
XANTHAN GUM (UNII: TTV12P4NEE)
LAPSANA COMMUNIS FLOWERING TOP (UNII: T9B77O7PZA)
KONJAC MANNAN (UNII: 36W3E5TAMG)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58668-3348-1	1 in 1 CARTON	06/01/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:58668-3348-2	15 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2019	
3	NDC:58668-3348-3	1.5 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

Labeler - Laboratoires Clarins (266317555)

Revised: 5/2019

Laboratoires Clarins