

4274 FIRST AID KIT - 4274 first aid kit
Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

4274 First Aid Kit (Triple, FABC, HC cr, BZK wipes- SF00001563)

First Aid Burn Cream

Active ingredient

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

First Aid Burn Cream

Purpose

First aid antiseptic

External analgesic

First Aid Burn Cream

Uses

- prevent skin infection
- for temporary relief of pain associated with minor burns

First Aid Burn Cream

Warnings

For external use only

Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occurs again within a few days

First Aid Burn Cream

Directions

- **adults and children 2 years of age and older:**
- clean the affected area

- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

First Aid Burn Cream

Other information

- tamper evident sealed packets
- do not use if packet is opened or torn

First Aid Burn Cream

Inactive ingredients

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

First Aid Burn Cream

Questions

1-800-430-5490

BZK Wipes

Active ingredient

Benzalkonium chloride 0.13% w/v

BZK Wipes

Purpose

First aid antiseptic

BZK

Uses

Antiseptic cleansing of face, hands, and body without soap and water

BZK

Warnings

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop

- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

BZK

Directions

- tear open packet and use as a washcloth

BzK

Inactive ingredient

water

BZK

Questions

1-800-430-5490

Hydrocortisone

Active ingredient (in each gram)

Hydrocortisone acetate (equivalent to Hydrocortisone 1%)

Hydrocortisone

Purpose

Anti-itch cream

Hydrocortisone

Uses

- for the temporary relief of itching associated with minor skin irritations and rashes

Hydrocortisone

Warnings

For external use only

Ask a doctor before use if

- if you are using any other hydrocortisone product

When using the product

- avoid contact with eyes
- do not begin use of any other hydrocortisone product unless you have consulted a doctor
- do not use for the treatment of diaper rash

Stop use and ask a doctor if

- condition worsens
- condition persists for more than 7 days
- condition clears up and recurs within a few days

Hydrocortisone

Directions

- adults and children 2 years and older:
- clean the affected area
- apply to the area not more than 3 to 4 times daily
- children under 2 years of age: consult a doctor

Hydrocortisone

Other information

- store at room temperature (do not freeze)

Hydrocortisone

Inactive ingredients

cetyl alcohol, citric acid, diazolidinyl urea, edetate disodium, glycerin, glyceryl monostearate, methylparaben, mineral oil, polyethylene glycol, propylene glycol, propylparaben, purified water, stearic acid, trolamine

Hydrocortisone

Questions or Comments?

1-800-430-5490

Triple

Active ingredients

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

Triple

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Triple

Uses

- first aid to help prevent infection in
- minor cuts
- scrapes
- burns

Do not use

- in the eyes
- over large areas of the body

Triple
Warnings

For external use only

Allergy alert do not use if you are allergic to any of the ingredients

Ask a doctor before use if you have

- a deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Triple
Directions

clean the affected area

apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily

may be covered with a sterile bandage

Triple
Other information

- store at 15⁰ to 25⁰ C (59⁰ to 77⁰ F)
- tamper evident sealed packets
- do not use if packet is torn or opened

Triple
Inactive ingredient

petrolatum

Triple
Questions?

1-800-430-5490

4274

SF00001563 kit contents

1 TWEEZER PLASTICS 4"



1 FIRST AID GUIDE ASHI

1 GAUZE CLEAN-WRAP BDGE N/S 2"



1 SCISSOR BDGE 4" RED PLS HDL

LBL STOCK 6-3/8"X4"
LBL STOCK 4"X2-7/8"
1 LBL STOCK 3"x1-7/8"
4 BZK ANTISEPTIC WIPE, BULK
1 PR LRG NITRILE GLVES ZIP BAG
1 1" X 3" PLASTIC BANDS 16/BAG
10 FIRST AID CREAM 1.0GR PKT EACH
2 TRIPLE BIOTIC FOIL PACK EACH
1 TAPE ADHESIVE 1/2 X 2.5 125133
2 HYDROCORTISONE 1% .9 G
1 KIT STL 10 UN WHITE 01
1 COLD PACK UNIT 4"X6" BULK
10 GAUZE PADS 2"X2" 12PLY
10 WOVEN FINGERTIP BANDAGE 2"
2 HEAVY FLEX LARGE PATCH 2" X 3"


First Aid Burn Cream
Principal Display Panel



Principal Display Panel



Hydrocortisone
Principal Display Panel



Honeywell
Hydrocortisone Cream 1%
 Anti-itch Cream

Hydrocortisone Cream 1%
 Temporary Relief of Minor Skin Irritations, Itching and Rashes
 Hydrocortisone 1%
 144 Packets
 Net Wt 1/32 oz (0.9 g) each

Honeywell

Honeywell

Honeywell

Honeywell

Hydrocortisone Cream 1%
 Anti-itch Cream

Drug Facts	Purpose
Active ingredient (in each gram) hydrocortisone acetate (equivalent to hydrocortisone 1%)	Anti-itch cream
Uses: For temporary relief of itching associated with minor skin irritations and rashes.	
Warnings: For external use only. Ask a doctor before use if you are using any other hydrocortisone product.	
When using the product: - avoid contact with eyes - do not begin the use of any other hydrocortisone product unless you have consulted a doctor - do not use for the treatment of diaper rash	
Stop use and ask a doctor if: - condition worsens - symptoms persist for more than 7 days - condition clears up and occurs again within a few days	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions: - adults and children 2 years of age or older: - clean the affected area - apply to affected area not more than 3 to 4 times daily - children under 2 years of age: do not use	
Other information: Store at room temperature (do not freeze)	
Inactive ingredients: cetyl alcohol, citric acid, disodium edetate, disodium glycinate, glycerin, glyceryl monostearate, methylparaben, mineral oil, polyethylene glycol, propylene glycol, propylparaben, purified water, stearic acid and tosilamine	
Questions or comments? 1-800-430-5490	

Hydrocortisone Cream 1%
 Anti-itch Cream

Hydrocortisone Cream 1%
 Temporary Relief of Minor Skin Irritations, Itching and Rashes
 Hydrocortisone 1%
 144 Packets
 Net Wt 1/32 oz (0.9 g) each

Distributed by
Honeywell Safety Products USA, Inc.
 Smithfield, RI 02917
 Re-order #2330144


Caution:
 This package is for industrial use only.
 Not for retail sales.
 Keep this and all drugs out of the reach of children.
 In case of ingestion, seek professional assistance or contact a poison control center immediately.

Hydrocortisone Cream 1%
 Anti-itch Cream

Hydrocortisone Cream 1%
 Temporary Relief of Minor Skin Irritations, Itching and Rashes
 Hydrocortisone 1%
 144 Packets
 Net Wt 1/32 oz (0.9 g) each

7730144 RevA

**Triple
 Principal Display Panel**



Honeywell

**TRIPLE
ANTIBIOTIC
OINTMENT**
Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate
First Aid Antibiotic

**Triple
Antibiotic
Ointment**
To Help Prevent Infection in
Minor Cuts, Scrapes and Burns

144 Packets
Net wt. per packet 0.5g (0.02 oz)

Honeywell

Honeywell

Honeywell

Honeywell

Drug Facts

Active ingredients (in each gram)	Purpose
Bacitracin zinc 400 units	First aid antibiotic
Neomycin sulfate 5 mg (equivalent to 3.5 mg neomycin base)	First aid antibiotic
Polymyxin B sulfate 5000 units	First aid antibiotic

Uses - first aid to help prevent infection in:
 • minor cuts • scrapes • burns

Warnings
For external use only.
Allergy alert - do not use if you are allergic to any of the ingredients.
Do not use
 • in the eyes
Ask a doctor before use if you have
 • deep or puncture wounds • animal bites • serious burns
Stop use and ask a doctor if
 • condition persists or gets worse
 • rash or other allergic reaction develops
 • you need to use longer than 1 week
Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 • clean the affected area
 • apply a small amount of product (an amount equal to the surface area of the tip of a finger) on the area 3 to 4 times daily.
 • may be covered with a sterile bandage.

Other information
 • stored at 20° to 25°C (68° to 77°F)
 • tamper evident sealed packets
 • do not use if packet is torn or opened

Inactive ingredient petrolatum

Questions? 1-800-438-5439

**TRIPLE
ANTIBIOTIC
OINTMENT**

Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate
First Aid Antibiotic

**Triple
Antibiotic
Ointment**

To Help Prevent Infection in
Minor Cuts, Scrapes and Burns
Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate

144 Packets
Net wt. per packet 0.5g (0.02 oz)

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

Re-order #231209G

Caution:

This package is for industrial use only.
Not for retail sales.

Keep this and all drugs out of the reach of children.
In case of ingestion, seek professional assistance or
contact a poison control center immediately.

**TRIPLE
ANTIBIOTIC
OINTMENT**

Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate
First Aid Antibiotic

**Triple
Antibiotic
Ointment**

To Help Prevent Infection in
Minor Cuts, Scrapes and Burns
Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate

144 Packets
Net wt. per packet 0.5g (0.02 oz)

771209G RevA

4274 Kit Label
SF00001563



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4274 FIRST AID KIT

4274 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4274
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4274-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	10 PACKET	9 g
Part 2	4 PACKET	5.6 mL
Part 3	2 PACKET	1.8 g
Part 4	2 PACKET	1.8 g
Part 5	2 PACKET	1.8 g

Part 1 of 5

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0903-34	10 in 1 BOTTLE, UNIT-DOSE		
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	12/20/2017	

Part 2 of 5

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

Item Code (Source) NDC:0498-0501

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	12/21/2017	

Part 3 of 5

HYDROCORTISONE

anti-itch cream ointment

Product Information

Item Code (Source) NDC:0498-0800

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:W14X0X7BPJ)	HYDROCORTISONE ACETATE	1 g in 100 g
--	------------------------	-----------------

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
TROLAMINE (UNII: 9O3K93S3TK)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0800-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/06/2013	10/15/2019

Part 4 of 5

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g

NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
--	----------	---------------

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	09/19/2018	

Part 5 of 5

HYDROCORTISONE

anti-itch cream

Product Information

Item Code (Source)	NDC:0498-0801
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE ACETATE (UNII: 3X7931PO74) (HYDROCORTISONE - UNII:W14X0X7BPJ)	HYDROCORTISONE ACETATE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
EDETATE DISODIUM (UNII: 7FLD91C86K)
LIGHT MINERAL OIL (UNII: N6K5787QVP)
STEARIC ACID (UNII: 4ELV7Z65AP)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
CETYL ALCOHOL (UNII: 936JST6JCN)
TROLAMINE (UNII: 9O3K93S3TK)
METHYL PARABEN (UNII: A2I8C7HI9T)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)
GLYCERIN (UNII: PDC6A3C0OX)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0801-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	10/15/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (079287321)

Establishment			
Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, INC		079287321	pack(0498-4274)

Establishment			
Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0903, 0498-0800, 0498-0750, 0498-0801)

Establishment			
Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0501)