

**4273 FIRST AID KIT- 4273 first aid kit
Honeywell Safety Products USA, INC**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4273: First Aid Kit (EW, PVP wipes, Sting relief- SF00001494)

Eyewash

Active ingredient

Sterile Water 99%

Eyewash

Purpose

Eyewash

Eyewash

Uses

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash

Warnings

For external use only Obtain immediate medical treatment for all open wounds in or near eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Eyewash

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash

Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyewash

Questions

1-800-430-5490

Sting Relief

Active ingredient (in each wipe)

Ethyl alcohol 50.0% Lidocaine HCl 2.0%

Sting Relief

Purpose

Antiseptic-Topical pain relief

Sting Relief

Uses

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief

Warnings

For external use only

Flammable, keep away from open fire or flame

Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

Stop use and ask a doctor

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Sting Relief

Directions

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief

Inactive ingredients

benzalkonium chloride, menthol, and purified water

Questions or Comments?

1-800-430-5490

PVP

Active ingredient

Povidone-iodine 10% (equivalent to 1% titratable iodine)

PVP

Purpose

First aid antiseptic

PVP

Uses

- first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

PVP

Warnings

For external use only.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours

- irritation and redness develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

PVP

Directions

- clean the affected area
- apply 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

PVP

Other information

- do not use on individuals who are allergic or sensitive to iodine
- store at controlled temperature 59-86°F (15-30°C)
- do not use if pouch is open or torn

PVP

Inactive ingredients

nonoxynol 9, water

PVP

Questions

1-800-430-5490

4273

SF00001494 Kit Contents

1 BANDAGE COMP, 4" OFFSET, 1 PER

1 PVP IODINE WIPES 10 PER

2 ADH BDG, CLOTH, 1"X3", 16 PER

1 FIRST AID GUIDE ASHI

1 ABD COMBINE PAD 5" X 9"

1 CPR FILTERSHIELD 77-100

1 1 OZ, BUFF EYEWASH


1 SCISSOR BDGE 4" RED PLS HDL

1 KIT TWEEZER 3 1/2" SLANTED

LBL STOCK 6-3/8"X4"

- 1 LBL STOCK 3"x1-7/8"
- 1 KIT STL 10 UN WHITE 01
- 1 BUTTERFLY CLOSURE 16
- 1 STING Relief SWAB 10

Eyewash Principal Display Panel

			TAMPER-EVIDENT CAP. TAPA CON SELLO DE SEGURIDAD. BOUCHON INDICATEUR D'INFRACTION.		
			NPN: 80057528  64809 1 45033 17		
LAVAOJOS EYESALINE Solución Isotónico Estéril	EYESALINE EYEWASH Sterile Isotonic Solution	LAVAGE OCULAIRE EYESALINE La Solution Isotonique Stérile	16 fl. oz. (473 mL)		
			Drug Facts (for USA only)		
			Active ingredient Sterile water 99%		
			Purpose Eyewash		
			Uses for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.		
			Warnings For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.		
			Do not use <ul style="list-style-type: none"> if solution changes color or becomes cloudy if you have open wounds in or near the eyes, get medical help right away 		
			Stop use and consult a doctor if: <ul style="list-style-type: none"> you experience eye pain continued redness or irritation of the eye condition worsens or persists 		
			Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		
			Directions <ul style="list-style-type: none"> remove contacts before using flush the affected area as needed control rate of flow by pressure on the bottle if necessary, continue flushing with emergency eyewash or shower 		
			Inactive ingredients sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic		
			Questions? Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917		


Datos de medicamento (Para EE.UU. solamente)

Ingrediente Activo	Propósito
Agua estéril 99%	Lavaojos
Usos para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aéreos, o agua de cloruro	
Advertencias Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte.	
No se use <ul style="list-style-type: none"> si la solución se enturbia o cambia de color si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato 	
Deje de usar y consulte a un médico si: <ul style="list-style-type: none"> experimenta dolor de ojo rojez continuo o irritación del ojo la condición empeora o persiste 	
Manténgase fuera del alcance de los niños. En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.	
Instrucciones <ul style="list-style-type: none"> quite los lentes de contacto antes de usar la solución tuerza la tapa para quitar enjuague el área afectada según se necesite controle el chorro haciendo presión en la botella si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia 	
Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico	
¿Preguntas? Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917	

Information


Usages Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.
Advertissements Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.
Ne pas utiliser <ul style="list-style-type: none"> si la solution a changé de couleur ou si elle est brouillée si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin
Cesser d'utiliser la solution et consulter un médecin <ul style="list-style-type: none"> vous ressentez une douleur oculaire rougeur ou irritation persistante des yeux condition empire ou persiste
Garder hors de la portée des enfants. En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.
Mode d'emploi <ul style="list-style-type: none"> enlever les verres de contact avant l'utilisation enlever le bouchon pour l'enlever rincer la zone touchée selon les besoins ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche
Ingredients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium
Des questions? Faites le 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Sting Relief Principal Display Panel



825366 Rev B

Honeywell 032043P




Sting Relief Wipes

Use for:
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches
Saturated Wipes

100 wipes

Honeywell 032043P



Sting Relief Wipes

Use for:
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches
Saturated Wipes

100 wipes

Drug Facts

Active Ingredients	Purpose
Ethyl alcohol 50.0%.....	First aid antiseptic
Lidocaine HCl 2.0%.....	Topical analgesic

Uses first aid to help prevent infection in minor scrapes and temporary relief of itching of insect bites.

Warnings
For external use only.
Flammable, keep away from fire or flame.

Do not use • over large areas of the body • in eyes • over raw or blistered areas

Stop use and ask a doctor • if conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.
If swallowed, get medical help or contact Poison Control center right away.

Directions
• adults and children 2 years and older: apply to cleaned affected area not more than 3 times daily.
• children under 2 years of age: consult a doctor.


Inactive Ingredients
benzalkonium chloride, menthol, purified water

Questions or comments? 1-800-430-5490

Distributed by
Honeywell Safety
Products, USA, Inc.
Smithfield, RI 02917

www.honeywellsafety.com


USA
1-800-430-5490
0-401-943-4400



8 21812 101284 1

Made in USA
Packaged in Mexico

PVP Principal Display Panel



35132PV

10 EACH
P.V.P. IODINE SWABS

Drug Facts

Active ingredient (in each swab)	Purpose
Povidone-iodine 10% (equivalent to 1% titratable iodine).....	First aid antiseptic

Use first aid to help prevent infection in minor cuts, scrapes and burns

Warnings
For external use only

Do not use • in or near the eyes • over large areas of the body • on individuals who are allergic or sensitive to iodine

Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns

When using this product do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if • condition persists or gets worse • irritation or redness develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Reverse cardboard sleeve, then crush at dot between thumb and forefinger. Allow solution to saturate tip and apply solution to injury.
• clean the affected area • apply to affected area 1 to 3 times daily
• may be covered with a sterile bandage • discard swab after single use

Other information • store at room temperature away from light • keep from freezing or excessive heat
• do not use if package is torn or open

Inactive ingredients citric acid, disodium phosphate, nonoxynol 9, sodium hydroxide, water.

Questions or comments? 1-800-430-5490


P.V.P.

Iodine Swabs

First Aid Antiseptic
Povidone-Iodine 10%

Net wt. 10 Swabs 0.02 fl oz (0.5 mL) each REORDER NO. 35132PV

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917



6 69635 35101 9

77132 PV RevA

**4273 Kit Label
SF00001494**

LOGO SIZE:6.87" X 3.36"
Screen number SF00001494-4740

10 UNIT STEEL KIT PRINTED TWO COLORS PMS Green C and Black



If distributor is signing for end user approval of logo, distributor assumes responsibility.

This drawing has been reviewed and approved for the following: Model type of kit, size of logo, PMS color of logo and placement of the logo on the first aid kit.

Needs changes
 Approved

(A digital signature or response via email with attached approval are both accepted as an approval to this form. Please indicate any changes needed)

 Name Signature Date

4273 FIRST AID KIT

4273 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4273
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4273-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	30 mL
Part 2	10 POUCH	4 mL
Part 3	10 POUCH	3 mL

Part 1 of 3

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 2 of 3

STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product Information

Item Code (Source)	NDC:0498-0733
--------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/23/2017	

Part 3 of 3

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (118768815)

Revised: 1/2024

Honeywell Safety Products USA, INC