

4272 FIRST AID KIT - 4272 first aid kit
Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

4272 First Aid Kit (Pyrocaine Sp, EW, Burn Jel, PVP wipe, 1st aid Pack: triple, amm. Inh, Sting relief- SF00001416)

Eyewash

Active ingredient

Sterile Water 99%

Eyewash

Purpose

Eyewash

Eyewash

Uses

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash

Warnings

For external use only Obtain immediate medical treatment for all open wounds in or near eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Eyewash

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash

Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyewash

Questions

1-800-430-5490

Triple

Active ingredient (each gram contains)

Bacitracin zinc 400 units - Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base) Polymyxin B sulfate 5000 units

Triple

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Triple

Uses

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

Triple

Warnings

For external use only

Allergy alert do not use if you are allergic to any of the ingredients

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- a deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of the reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Triple**Directions**

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Triple**Other information**

store at 15⁰ to 25⁰ C (59⁰ to 77⁰ F) tamper evident sealed packets - do not use if packet is torn or opened

Triple**Inactive ingredient**

petrolatum

Triple**Questions**

1-800-430-5490

Ammonia**Active ingredient**

Ammonia 15%

Ammonia**Purpose**

Respiratory stimulant

Ammonia**Uses**

- to prevent or treat fainting

Ammonia**Warnings****For external use only****Do not use**

- if you have breathing problems such as asthma or emphysema

Stop use and ask a doctor if

- condition persists

Keep out of reach of children

- If swallowed get medical help or contact a Poison Control Center right away.

Ammonia

Directions

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

Ammonia

Other information

- store at room temperature away from light

Ammonia

Inactive ingredient

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

Ammonia

Questions or Comments?

1-800-430-5490

Pyrocaine

Active ingredient

Benzocaine 20%

Benzethonium chloride 0.2%

Pyrocaine

Purpose

Topical anesthetic

Topical antiseptic

Pyrocaine

Uses

For the temporary relief of pain and itching, and to help protect against skin infection in:

- minor burns
- minor skin irritations
- minor cuts and scrapes
- insect bites
- sunburns

Do not use

- in or near the eyes or over large portions of the body
- in case of deep or puncture wounds or on:
- raw surfaces
- blistered areas

- animal bites
- serious burns

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Pyrocaine

Warnings

For external use only

Flammable

- keep away from fire or flame
- contents under pressure
- do not puncture, incinerate or expose container to temperatures above 120 ° F

Stop use and ask a doctor if

- If condition persists or worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days

Pyrocaine

Directions

- clean the affected area
- shake can well before using
- hold can 6 to 12 inches away from the affected area and spray liberally
- apply to affected area not more than 3 times daily
- for adult institutional use only
- not intended for use on children

Pyrocaine

Other information

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

Pyrocaine

Inactive ingredients

butane, dipropylene glycol, isobutane, propane

Burn Jel

Active ingredient

Lidocaine HCL 2.0%

Burn Jel

Purpose

External analgesic

Burn Jel

USes

- temporarily relieves pain due to minor burns

Do not use

- on large areas of the body, particularly over raw surfaces or blistered areas

Burn Jel

Warnings

For external use only

When using this product

- avoid contact with eyes

Stop use and ask a doctor if

- the condition gets worse
- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Burn Jel

Directions

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

Burn Jel

Other information

- store at room temperature
- do not use if opened or torn

Burn Jel

Inactive ingredients

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

Burn Jel

Questions

1-800-430-5490

PVP

Active ingredient

Povidone-iodine 10%

(equivalent to 1% titratable iodine)

PVP

Purpose

First aid antiseptic

PVP

Uses

- first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

PVP

Warnings

For external use only.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours
- irritation and redness develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

PVP

Directions

- clean the affected area
- apply 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first
- discard wipe after single use

PVP

Other information

- do not use on individuals who are allergic or sensitive to iodine
- store at controlled temperature 59-86°F (15-30°C)
- do not use if pouch is open or torn

PVP

Inactive ingredients

no noxynol 9, water

PVP

Questions

1-800-430-5490

ting Relief

Active ingredient (in each wipe)

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

Sting Relief

Purpose

Antiseptic

Topical pain relief

Sting Relef

Uses

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief

Warnings

For external use only

Flammable, keep away from open fire or flame

Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

Stop use and ask a doctor

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Sting Relief

Directions

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief

Inactive ingredients

benzalkonium chloride, menthol, and purified water

Sting Relief

Questions or Comments?

1-800-430-5490

4272

SF00001416 Kit Contents

1 TRIPLE ANTIBIOTIC 10 PER
1 AMMONIA INHALANTS 10 PER
1 GAUZE BANDAGE, 4" X 6 YD
1 TOURNIQUET, 1 PER
2 TRIANGULAR BDG, NON-STERILE
1 ADH TAPE, .5" X 2.5 YD, 2 PER
1 GAUZE COMPRESS, 1728 SQ IN 1
2 INSTANT COLD PACK 4" X 6"
3 ADHESIVE BDG, PLSTIC, 1"X3"16PER
1 1 OZ EYE WASH W/PADS & STRIPS
1 BURN JEL 1/8 OZ, 6 PER
1 WATER JEL DRESSING 4" X 4"
1 FIRST AID GUIDE ASHI
1 BLOODSTOPPER
1 SCISSOR BDGE 4" RED PLS HDL
1 KIT TWEEZER 3 1/2" SLANTED
LBL STOCK 6-3/8"X4"
LBL STOCK 4"X2-7/8"
1 LBL STOCK 3"x1-7/8"
1 PR LRG NITRILE GLVES ZIP BAG
1 KIT PP 24 UNIT FA
2 PVP IODINE SWABS 10
1 STING Relief SWAB 10
1 PYRO-CAINE AERO 2/BX

Eyewash
Principal Display Panel

HoneywellTAMPER-EVIDENT CAP.
TAPA CON SELLO DE SEGURIDAD.
BOUCHON INDICATEUR D'INFRACTION.**eyesaline®****LAVAOJOS
EYESALINE****EYESALINE
EYEWASH****LAVAGE
OCULAIRE
EYESALINE**Solución
Isotónico EstérilSterile
Isotonic SolutionLa Solution
Isotonique Stérile**16 fl. oz. (473 mL)****Drug Facts (for USA only)****Active ingredient** Sterile water 99% **Purpose** Eyewash**Uses**

for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.

Warnings

For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away

Stop use and consult a doctor if:

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye

condition worsens or persists

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Questions? Call 1-800-430-5490

Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

LABEL #22-204510 Rev. J
REORDER / NUEVO PEDIDO / REAPROVISIONAMIENTO #22-00054-0000

space for lot code and supplier part number

PEEL / PELAR / PEELER

Datos de medicamento (Para EE.UU. solamente)**Ingrediente Activo** Agua estéril 99%**Propósito** Lavados**Usos**

para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aéros. o agua de cloruro

Advertencias

Para uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte.

No se usa

- si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato

Deje de usar y consulte a un médico si:

- experimenta dolor de ojo
- cambio de visión
- rojez continuo o irritación del ojo
- la condición empeora o persiste

Manténgase fuera del alcance de los niños.

En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.

Instrucciones:

- quite los lentes de contacto antes de usar la solución
- tuerza la tapa para quitar
- enjuague el área afectada según se necesite
- controle el chorro haciendo presión en la botella
- si es necesario, sigue enjuagando con un lavajos o ducha de emergencia

Ingredientes inactivos

cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico

¿Preguntas? Llame al 1-800-430-5490

Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Information**Usages**

Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.

Advertissements

Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.

Ne pas utiliser

- si la solución a cambiado de color o si ella es brouillée
- si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin

Cessez d'utiliser la solution et consulter un médecin

- vous ressentez une douleur oculaire
- si votre vision change
- rougeur o irritation persistante des yeux
- condition empire o persiste

Garder hors de la portée des enfants.

En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.


Mode d'emploi

- enlever los verres de contact avant l'utilisation
- dévisser le bouchon pour l'enlever
- rincer la zone touchée selon les besoins
- ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant
- si nécessaire, continuer de rincer avec unesolution de rinçage oculaire d'urgence ou una douche

Ingrediente eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium**Des questions?** Faites le 1-800-430-5490



Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

**Triple
Principal Display Panel**



Ammonia Principal Display Panel

796006 Rev. E Unit Carton Printing Plate for "A" size carton.





796006 Rev. E (page 3 of 3)

Pyrocaine


Principal Display Panel




Burn Jel Principal Display Panel



Principal Display Panel



Sting Relief Principal Display Panel



4272 Kit Label SF00001416



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4272 FIRST AID KIT

4272 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4272
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4272-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	6 PACKET	21 g
Part 2	10 POUCH	4 mL
Part 3	20 POUCH	6 mL
Part 4	1 BOTTLE	30 mL
Part 5	10 PACKET	9 g
Part 6	10 AMPULE	3 mL
Part 7	2 CAN	28.4 g

Part 1 of 7

BURN JEL

gel for burns gel

Product Information

Item Code (Source)	NDC:0498-0203
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98P1200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CARBO MER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
METHYLPARABEN (UNII: A2I8C7H19T)	
TEA TREE OIL (UNII: VIF565UC2G)	
EDETA TE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
CARBO MER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
DIACOLIDINYL UREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/19/2018	

Part 2 of 7

STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product Information

Item Code (Source)	NDC:0498-0733
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
MENTHOL (UNII: L7T10EIP3A)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0733-00	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/23/2017	

Part 3 of 7

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 4 of 7

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

Part 5 of 7

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:II6QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	white	Score
Shape		Size
Flavor		Imprint Code
Contains		

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	09/19/2018	

Part 6 of 7

AMMONIA INHALENT

ammonia inhalent inhalant

Product Information

Item Code (Source)	NDC:0498-3334
Route of Administration	RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII:5138Q19F1X)	AMMONIA	0.045 g in 0.3 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-3334-00	0.3 mL in 1 AMPULE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 7 of 7

PYROCAINE BURN

benzocaine, benzethonium chloride aerosol, spray

Product Information

Item Code (Source) NDC:0498-0011

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	20 g in 100 g
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
1,1,3-TRI(3-TERT-BUTYL-4-HYDROXY-6-METHYLPHENYL)BUTANE (UNII: BF6E9O0XJN)	
ISOBUTANE (UNII: BXR49TP611)	
1,1,3-TRIS(2-CHLOROETHOXY)PROPANE (UNII: 4FEX9N888E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0011-77	14.2 g in 1 CAN; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	01/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (079287321)

Establishment

Name	Address	ID/FEI	Business Operations
James Alexander		040756421	manufacture(0498-3334)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, INC		079287321	pack(0498-4272)

Establishment

Name	Address	ID/FEI	Business Operations
Dixon Investments		115315822	manufacture(0498-0011)

Establishment

Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0750, 0498-0203)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)

Establishment

Name	Address	ID/FEI	Business Operations
Sion Medical Biotech		532775194	manufacture(0498-0121)

Establishment

Name	Address	ID/FEI	Business Operations
Safetec of America Inc		874965262	manufacture(0498-0733)

Revised: 4/2019

Honeywell Safety Products USA, INC