### RHUS TOX- toxicodendron pubescens leaf pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### Rhus tox 30X

Rhus tox 30X

(\*\*contains 0.443 mg of the active ingredient per pellet)

Joint Pain Improved By Motion\*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen

If pregnant or breast-feeding ask a health professional before use

Keep out of reach of children

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073



## Joint pain improved by motion.\*



Lot:

Exp:

30

3 06960

63121

7

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

# **Drug Facts**

**Active ingredient**\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

**Drug Facts** (continued) **Inactive ingredients:** lactose, sucrose

### Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-B0IRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see

BoironUSA.com/info for details.

Distributed by Boiron Inc. Newtown Square, PA 19073

How to dispense pellets?







Turn tube upside down.

Twist until 5 pellets are dispensed into cap.

Carefully remove cap and use it to pour pellets under the tongue.

# Rhus toxicodendron

HPUS NDC 0220-4417-41



Made in France HOMEOPATHIC MEDICINE Joint pain improved by motion.\*



Lot:

63121 06960

Exp:

Rhus toxicodendron 30 x



## **Drug Facts**

**Active ingredient**\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

**Drug Facts** (continued) **Inactive ingredients:** lactose, sucrose

**Questions or comments?** 


BoironUSA.com Info@Boiron.com

1-800-B0IRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.

Newtown Square, PA 19073



#### **RHUS TOX**

toxicodendron pubescens leaf pellet

#### **Product Information**

**Product Type HUMAN OTC DRUG Item Code (Source)** NDC:0220-4417

**Route of Administration** ORAL

#### **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength Strength** TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON TOXICODENDRON

PUBESCENS LEAF - UNII:6IO182RP7A)

30 [hp\_X] in 30 [hp\_X] **PUBESCENS LEAF** 

| Inactive Ingredients                         |          |  |
|--|----------|--|
| Ingredient Name                              | Strength |  |
| LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G) |          |  |
| SUCROSE (UNII: C151H8M554)                   |          |  |

| Product Characteristics |       |              |     |
|-------------------------|-------|--------------|-----|
| Color                   | white | Score        |     |
| Shape                   | ROUND | Size         | 4mm |
| Flavor                  |       | Imprint Code |     |
| Contains                |       |              |     |

| P | Packaging            |  |                         |                       |
|---|----------------------|--|-------------------------|-----------------------|
| # | Item Code            | Package Description                                    | Marketing Start<br>Date | Marketing End<br>Date |
| 1 | NDC:0220-4417-<br>41 | 30 [hp_X] in 1 TUBE; Type 0: Not a Combination Product | 03/03/1983              |                       |
|   |                      |  |                         |                       |

| Marketing Information     |   |                         |                       |
|---------------------------|---|-------------------------|-----------------------|
| Marketing<br>Category     | Application Number or Monograph<br>Citation | Marketing Start<br>Date | Marketing End<br>Date |
| unapproved<br>homeopathic |   | 03/03/1983              |                       |
|                           |   |                         |                       |

### **Labeler -** Boiron (282560473)

### Registrant - Boiron, Inc. (014892269)

| Establishment |         |           |                        |
|---------------|---------|-----------|------------------------|
| Name          | Address | ID/FEI    | Business Operations    |
| Boiron        |         | 282560473 | manufacture(0220-4417) |

Revised: 11/2023 Boiron