H.E.B SOLUTIONS SUNSCREEN- sport spf 50 continuous spray aerosol, spray H.E.B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

H.E.B Solutions Sunscreen Sport SPF 50 Continuous Spray

Active ingredients

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 4.0%, Oxybenzone 5.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

Stop use and ask a doctor if

• rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- hold can 4-6 inches away from body, spray evenly to ensure complete coverage
- do not spray into face. Spray into hand and apply to face.
- use in well ventilated, but not windy areas
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information


- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

SD alcohol 40-B, acrylates/octylacrylamide copolymer, saccharomyces/podophyllum peltatum ferment filtrate, stearoxytrimethylsilane, glycerin, caprylic/capric triglyceride, aloe barbadensis leaf juice, tocopherol, fragrance, butylene glycol

Label







50 Sport Sunscreen Sweat & Water Resistant (80 min

Sweat & Water Resistant (80 minutes) UVA/UVB Protection Paraben Free*

BROAD SPECTRUM SPF 50





SUNSCREEN NET WT. 9.1 OZ (258 g)

Dermatologist Tested Oil Free · PABA Free Hypoallergenic Contains Aloe and Vitamin E





PLEASE





Dermatologist Tested Oil Free · PABA Free · Hypoallergenic Contains Aloe and Vitamin E

	Drug Facts
	Active ingredients Purpose
	Homosekite 10% Octisate 5%
SPORT	Octocrytene 4% Uxybenzone 5%
	Universities by Uses - helps prevent sunburn - if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun
	Warnings
	Proventing use only Rammable:
Court Comment	Warnings For external use only enversion of the second sec
Sport Sunscreen	Do not use • on damaged or broken skin
UVA/UVB Protection	When using this product • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.
Sweat and Water	The second
Resistant (80 minutes)	
Paraben Free*	Diffections * spray blocally and spread evently by hand 15 minutes before sure exposure * hald container 4 4-6 inches away from the skin to apply * do not spray directly into face. Spray into hands then apply to face • do not apply in windry conditions • use in a well-ventilated area * reapply: after 80 minutes • or not apply in windry conditions • use in a well-ventilated area * reapply: after 80 minutes of swimming • or sweating • immoditiely after tweel dying • at least event > buss • hafters undre 6 months of appl. Asks
	Difference was in the skin to apply a finite the similar to mituse order sur double * mitude container of the skin to apply = 0 on fargray directly into face. Spray into hards then apply to face or a do not apply in windy conditions + use in a well-verifiated area * reapply: marks then apply to face or a do not apply in windy conditions + use in a well-verifiated area * reapply: marks then apply to face or a do not apply into a single area * reapply = into a down and the single area * reapply = int
BROAD SPECTRUM SPF 50	and aging to because in tax, regularity use a subscient with a broad operation of a funding and other sun protection measures including: • finit time in the sun, especially from 10 a.m 2 p.m. • wear Inc-deeved shirts, pants, hais, and sundasses
Λ	Other information • protect the product in this container from excessive heat and direct sun • may stain or
	damage some fabrics, materials or surfaces
	Inactive ingredients acrybtes/ctylarylamide copolymer, alse barbadensis leat juice, butylene glycol, capyl-locapit trigheretie, tragrane, glycetin, saccharomyces/podoptyllum petatum ferment filtrate, SD alcohd 40-9, stastovytemistylisene, locophacu
	40-5, stearoxytimetry(stane, toconerd.
\mathbb{W}	duestions or comments? car to mee 1-800-527-7731
2- 5.5 UZ (155a) CANS	The second secon
	PLEASE
2 - 5.5 0Z (156g) CANS NET WT. 11 0Z (312g)	

Dermatologist tested Oil Free · PABA Free · Rub-Free Formula Hypoallergenic Contains Aloe and Vitamin E







Drug Facts	
Active ingredients Autorities 35 Biowelds 105	Purpose
Octompte 5% Octocrylene 4% Digkenzone 5%	Sunstition
USES • helps prevent surface • if used as do measures (see Simethers), decreases the risk of a caused by the sur-	acted with other sun protaction Kin cancer and early skin aging
Warnings For external use only	
FLAMMABLE: • do not use near heat, flame or while smoking • avoid long term storage above TDPTF (40°C)	
Do not use + on damaged or broken skin.	
When using this product - keep out of eyes, Rinse - de not, puncture er incinente, Contants under temperatures aleree 120° F.	with water to remove, pressure, • do not store at
Stop use and ask a doctor if + righ occurs,	
Keep out of reach of children. If swallowed, get m Control Center right away.	edical help or contect a Poison
Directions • application of the set of the set of the set • distance of the set of the set of the set • de that party into face, Serve into hand and apply in • are in wall realized, but not which areas • set of the set of the set of the set of the set • set of the set • set of the set of t	
 Initializing cars reveal appropriate and the set of t	equively use a subscream with a protection measures including: A/R
Other Information • prior this product from eccessive heat and direct is • may stein or damage some fairling, materials or surf-	
Inactive ingredients 50 doke 40-8, acty sucharmously-septement printer former 1 growin, conflictures bightenide, also baths trapanee, buylane gloof	trafa, stearonytrimethypitane,
Questions or Comments? Do to the two	800-517-7781
and the second s	

 HIEBO
 Sport Sunscreen
 A-52 02 (156 g) CANS NET MT. 22 02 (654 g)
 00 nome

 Soort Sunscreen
 Sport Sunscreen
 A-53 02 (156 g) CANS NET MT. 22 02 (654 g)
 00 nome

H.E.B SOLUTIONS S	UNSCREEN				
sport spf 50 continuous spray	y aerosol, spray				
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:37808-978	
Route of Administration	TOPICAL				
Active Ingredient/Active	Moiety				
Ingre	dient Name		Basis of Stre	ngth	Strength
AVOBENZONE (UNII: G63QQF2NO)	X) (AVOBENZONE - UNII:G63	BQQF2NOX)	AVOBENZONE		30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V065	SV4M95S)	HOMOSALATE		100 mg in 1 g

OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZONE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
GLYCERIN (UNII: PDC6A3C0OX)	
STEAROXYTRIMETHYLSILANE (UNII: 9862TW94B2)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
PODOPHYLLUM (UNII: 2S713A4VP3)	

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-978- 74	76.5 g in 1 CAN; Type 0: Not a Combination Product	03/27/2017	
2	NDC:37808-978- 63	2 in 1 PACKAGE	03/23/2017	
2	NDC:37808-978- 37	156 g in 1 CAN; Type 0: Not a Combination Product		
3	NDC:37808-978- 75	4 in 1 PACKAGE	02/07/2019	
3	NDC:37808-978- 37	156 g in 1 CAN; Type 0: Not a Combination Product		
4	NDC:37808-978- 48	258 g in 1 CAN; Type 0: Not a Combination Product	02/07/2012	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC monograph not final	part352	02/07/2012	

Labeler - H.E.B (007924756)

Revised: 12/2022