

4278 FIRST AID KIT- 4278 first aid kit
Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4278: First Aid Kit (Eye Wash, BCM SF00002177)

Active ingredient

Sterile Water 99%

Purpose

Eyewash

Uses

- For flushing the eye to remove loose foreign material, air pollutants, or chlorinated water

Warnings

For external use only- Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed

- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Inactive Ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Questions?

Call **1-800-430-5490**

Honeywell Safety Products USA, Inc. Smithfield, RI 02917

First Aid Burn Cream

Active ingredient

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

First Aid Burn Cream

Purpose

First aid antiseptic

External analgesic

First Aid Burn Cream

Uses

- prevent skin infection
- for temporary relief of pain associated with minor burns

First Aid Burn Cream

Warnings

For external use only

Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occurs again within a few days

First Aid Burn Cream***Directions***

- **adults and children 2 years of age and older:**
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

Other information

- tamper evident sealed packets
- do not use if packet is opened or torn

Inactive ingredients

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

Questions

1-800-430-5490

BZK Antiseptic Wipe***Active ingredient***

Benzalkonium chloride 0.13%

BZK***Purpose***

First aid antiseptic

BZK***Uses***

Antiseptic cleansing of face, hands, and body without soap and water

BZK

Warnings

For external use only

BZK

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

BZK

Directions

- .tear open packet and use as a washcloth

BZK

Other information

- store at room temperature 15 ° to 30 ° C (59 ° - 86 °F)
- do not reuse towelette

BZK

Inactive ingredients

water

BZK

Questions

1-800-430-5490

Aypanal

Active ingredient

Acetaminophen 325 mg

Aypanal

Purpose

Pain reliever/fever reducer

Aypanal

Uses

- temporarily relieves minor aches and pains due to the common cold and headache
- temporarily reduces fever

Ask a doctor before use if you have

liver disease

Aypanal

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: more than 4,000 mg in 24 hours, which is the maximum daily amount - child takes

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

skin reddening
blisters
rash

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if

you are taking the blood thinning drug warfarin

if pregnant or breast feeding

ask a health professional before use

Keep out of reach of children

Keep out of reach of children

Overdose Warning

Overdose warning: In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Aypanal

Directions

- do not take more than directed (see overdose warning) adults and children 12 years of age or older
- take two tablets every 4-6 hours while symptoms last
- do not take more than directed (see overdose warning)

adults and children 12 years of age or older

- take two tablets every 4-6 hours while symptoms last
- do not take more than 12 tablets in 24 hours
- children 6 to under 12 years of age
- take 1 tablet every 4-6 hours while symptoms last
- do not take more than 5 tablets in 24 hours
- children under 6 years
- consult a doctor

Aypanal

Other information

store at room temperature 15 ° to 30 ° C (59 ° - 86 °F) TAMPER EVIDENT PACKETS- DO NOT USE IF OPEN OR TORN

Aypanal

Inactive ingredients

corn starch, microcrystalline cellulose, povidone, sodium starch glycolate, stearic acid.

Aypanal

Questions or Comments?

1-800-430-5490

Sting Relief

Active ingredient

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

Sting Relief

Purpose

Antiseptic

Topical pain relief

Sting Relief

Uses

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief

Warnings

For external use only

Flammable, keep away from open fire or flame

Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

Stop use and ask a doctor

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Sting Relief

Directions

- **adults and children 2 years and older:** Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief

Inactive ingredients

benzalkonium chloride, menthol, and purified water

Sting relief

Questions or Comments

1-800-430-5490

Neomycin Antibiotic Ointment

Active ingredient

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Neomycin Antibiotic Ointment

Purpose

First aid antibiotic

Neomycin Antibiotic Ointment

Uses

first aid to help prevent infection in - minor cuts - scrapes - burns

Neomycin Antibiotic Ointment

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Neomycin Antibiotic Ointment

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Neomycin Antibiotic Ointment

Other information

store at 15 ° to 25 °C (59 ° to 77 °F)

Neomycin Antibiotic Ointment

Inactive ingredient

petrolatum

Neomycin Antibiotic Ointment Questions

1-800-430-5490

4277

SF00002177 Kit Contents

1 GAUZE PADS, 3" X 3", 4 PER
1 TWEEZER PLASTICS 4"
1 FIRST AID GUIDE ASHI
2 GAUZE CLEAN-WRAP BDGE N/S 2"
1 GAUZE CLEAN-WRAP BDGE N/S 3"
1 ABD COMBINE PAD 5" X 9"
1 BAGGED COMP MISC
1 1 OZ, BUFF EYEWASH
1 SCISSOR BDGE 4" RED PLS HDL
LBL STOCK 6-3/8"X4"
LBL STOCK 4"X2-7/8"
1 LBL STOCK 3"x1-7/8"
1 LBL NORTH CONTS 6.75X3.5 ID B
2 PR LRG NITRILE GLVES ZIP BAG
2 1" X 3" PLASTIC BANDS 16/BAG
2 TAPE ADHESIVE 1/2 X 2.5 125133
1 ADH BNDG PLASTIC EX-LG 4"X 2"
1 KIT, PP 16 UNIT FA
1 LBL CONTENTS ANSI Z308.1-2009 REV B
1 TRI BNDG NON WOVEN 40"X40"X56"
1 COLD PACK UNIT 4"X6" BULK
4 GAUZE PADS 2"X2" 12PLY
1 EYE PADS STD OVAL STERILE
3 WOVEN FINGERTIP BANDAGE 2"
2 WOVEN KNUCKLE BANDAGE

Eye Wash Package label

Visible top when label is closed

Hinge Area	<p>Drug Facts</p> <p>Active ingredient Sterile water 99%</p> <p>Purpose EYEWASH</p> <p>Uses For flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.</p> <p>Warnings For external use only Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.</p> <p>Do not use</p> <ul style="list-style-type: none"> if solution changes color or becomes cloudy if you have open wounds in or near the eyes, get medical help right away. <p>Stop use and consult a doctor if</p> <ul style="list-style-type: none"> you experience eye pain changes in vision continued redness or irritation of the eye condition worsens or persists 	<p>Drug Facts (continued)</p> <p>Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> flush the affected area as needed control the rate of flow of solution by pressure on the bottle if necessary, continue flushing with emergency eyewash as shown <p>Inactive ingredients sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic</p> <p>Questions? Call 1-800-430-5490</p> <p>Honeywell Safety Products USA, Inc. Smithfield, RI 02917</p> <p>eyesaline Honeywell EYEWASH Sterile Isotonic Solution</p> <p>30 mL (1 fl. oz.)</p>
	<p>Lot number (do not print)</p>	

Top Panel
3/32" from die edges

<p>Datos de medicamento</p> <p>Ingrediente Activo Agua esteril 99%</p> <p>Propósito Lavajos</p> <p>Usos para el lavado de ojo para quitar las partículas sueltas y extrañas, contaminantes aéreos, o agua de cloruro.</p> <p>Advertencias Solo para el uso externo Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Una vez abierto,</p> <p>No se use</p> <ul style="list-style-type: none"> si la solución se enturbia o cambia de color si tiene heridas abiertas en o cerca de los ojos, obtenga ayuda médica de inmediato. <p>Deje de usar y consulte a un médico si usted</p> <ul style="list-style-type: none"> experimenta dolor de ojo cambio de visión rojez continuo o irritación en el ojo la condición empeora o persiste 	<p>Datos de medicamento (continuado)</p> <p>Manténgase fuera del alcance de los niños En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.</p> <p>Instrucciones</p> <ul style="list-style-type: none"> enjuague el área afectada según se necesita controle el chorro haciendo presión en la botella si es necesario, sigue enjuagado con un lavajos o ducta de emergencia <p>Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico</p> <p>Preguntas? Llame al 1-800-430-5490</p> <p>Honeywell Safety Products USA, Inc. Smithfield, RI 02917</p> <p>eyesaline Honeywell LAVAJOS Solución Isotónica Esteril</p> <p>30 mL (1 fl. oz.)</p>
--	--

Back
1/8" from die edges



Label Patent Number
Can be anywhere on the label at 3.5pt minimum
(use any dark color on that layer)

<p>Information</p> <p>Usages Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.</p> <p>Advertissements Pour usage externe seulement Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jeter.</p> <p>Ne pas utiliser</p> <ul style="list-style-type: none"> si la solution a changé de couleur ou si elle est troublee si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin <p>Cesser d'utiliser la solution et consulter un médecin</p> <ul style="list-style-type: none"> vous ressentez une douleur oculaire si votre vision change rougeur ou irritation persistante des yeux condition empire ou persiste 	<p>Information (suite)</p> <p>Garder hors de la portée des enfants. En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.</p> <p>Mode d'emploi</p> <ul style="list-style-type: none"> incer la zone touchée selon les besoins ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche <p>Ingredients eau distillée, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium</p> <p>Des questions? Faites le 1-800-430-5490</p> <p>Honeywell Safety Products USA, Inc. Smithfield, RI 02917</p> <p>eyesaline Honeywell LAVAGE OCULAIRE La Solution Isotonique Stérile</p> <p>30 mL (1 fl. oz.)</p>
--	--



Base
3/32" from die edges

Printable Text Area

First Aid Burn Cream Principal Display Panel



Principal Display Panel



Aypanal Principal Display Panel

AYPANAL
25 Packets (2 Tablets Per Packet)
Quantity 50 Tablets

AYPANAL
25 Packets (2 Tablets Per Packet)
Quantity 50 Tablets

AYPANAL
Acetaminophen 325 mg
Pain Reliever-Fever Reducer

**25 Packets (2 Tablets Per Packet)
Quantity 50 Tablets**

PACKAGE NOT CHILD-RESISTANT

UNIT NO. 35225AP

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

6 69635 55170 5

77225-01 Rev.B

Drug Facts (continued)

Other information • store at room temperature 15°-30°C (59°-86°F)
• TABLETS EXHIBIT FRACITIS. DO NOT USE IF OPEN OR TORN

Inactive ingredients corn starch, microcrystalline cellulose, polydioxane, sodium starch glycolate, stearic acid

Questions or comments? 1-800-430-5490

Drug Facts (continued)

Directions - do not take more than directed (see warnings)

adults and children
• take 2 tablets every 4 to 6 hours while symptoms last
• do not take more than 12 tablets in 24 hours

children 6 to under
• take 1 tablet every 4 to 6 hours while symptoms last
• do not take more than 5 tablets in 24 hours

children under 6 years
consult a doctor

Warnings

Liver warning: In case of accidental harm or contact a poison control center right away. From a medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Keep out of reach of children

If you are not sure whether a drug contains acetaminophen (paracetamol) or not, ask a doctor or pharmacist. If you are not sure whether a drug contains acetaminophen (paracetamol) or not, ask a doctor or pharmacist.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

• pain gets worse or lasts more than 5 days in children under 12 years
• pain gets worse or lasts more than 3 days in adults
• fever gets worse or lasts more than 3 days
• redness or swelling is present
• new symptoms occur

Ask a doctor or pharmacist before use if you have liver disease

• skin redness • blisters • rash
• skin reaction occurs, stop use and seek medical help right away.

Drug Facts (continued)

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if
• adult takes more than 4,000 mg acetaminophen in 24 hours, which is the maximum daily amount
• child takes more than 5 doses in 24 hours, which is the maximum daily amount
• taken with other drugs containing acetaminophen
• adults has 3 or more alcoholic drinks every day while using this product

Uses - temporarily relieves minor aches and pains due to the common cold and headache
• temporarily reduces fever

Active ingredient (in each tablet) Acetaminophen 325 mg

Purpose Pain reliever/fever reducer

Sting Relief Principal Display Panel

Honeywell

825366 Rev B

Sting Relief Wipes

Use for:
Minor Cuts • Scrapes • Insect Bites

100 wipes

Drug Facts

Active Ingredients
Ethyl alcohol 50.0%
Lidocaine HCl 2.0%

Purpose
First aid antiseptic
Topical analgesic

Uses first aid to help prevent infection in minor scrapes and temporary relief of itching of insect bites.

Warnings
For external use only.
Flammable, keep away from fire or flame.

Do not use • over large areas of the body • in eyes • over raw or blistered areas

Stop use and ask a doctor • if conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.
If swallowed get medical help or contact Poison Control center right away.

Directions
• adults and children 2 years and older: apply to cleaned affected area not more than 3 times daily.
• children under 2 years of age: consult a doctor.

Inactive Ingredients
benzalkonium chloride, menthol, purified water

Questions or comments? 1-800-430-5490

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

www.honeywellsafety.com

USA
1-800-430-5490
0-401-343-4400

8 21812 01284 1

Made in USA
Packaged in Mexico

Neomycin Antibiotic Ointment Principal Display Panel

822568-25

**Neomycin First
aid antibiotic**

020126-25

Neomycin
First aid antibiotic
Neomycin sulfate
First aid antibiotic

Distributed by:
Honeywell Safety Products
USA, Inc. Smithfield,
RI 02917

25 Packets, Net Wt 1/32 oz (0.9 g) each

Neomycin First aid antibiotic

822568-25

Drug Facts	
Active ingredient (in each gram)	Purpose
Neomycin sulfate (equivalent to 3.5 mg neomycin)	First aid antibiotic
Use first aid to help prevent infection in minor • cuts • scrapes • burns	
Warnings	
For external use only	
Allergy alert • do not use if you are allergic to any of the ingredients	
Do not use • in the eyes • over large areas of the body	
Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns	
Stop use and ask a doctor if • conditions persists or gets worse • rash or other allergic reaction develops	
• you need to use longer than one week	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • clean the affected area	
• apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily	
• may be covered with a sterile bandage	
Other information store at 15° to 25°C (59° to 77°F)	
Inactive ingredient petrolatum	
Questions or comments? 1-800-430-5490	

4278 Kit Label
SF00002177

46001363 Rev.C
Prints 3 colors
Black, Red (PMS 186) and Blue (PMS 072)

Refill Information

US Poison Control 1-800-222-1222



Contact your authorized Honeywell Safety Products
Distributor with your refill orders.

Honeywell

www.honeywellsafety.com

USA	CANADA	EUROPE
1-401-943-4400	1-514-351-7233	+31 (0) 118 656400
1-800-430-4110	1-888-212-7233	

46001363 Rev. C

4278 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4278
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4278-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	30 mL
Part 2	3 PACKET	6
Part 3	6 POUCH	2.4 mL
Part 4	10 PACKET	9 g
Part 5	10 PACKET	9 g
Part 6	10 PACKET	14 mL

Part 1 of 6

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
---------------------------	---------------

Route of Administration	OPHTHALMIC
--------------------------------	------------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 2 of 6

AYPANAL NON-ASPIRIN

acetaminophen tablet

Product Information

Item Code (Source)	NDC:0498-2001
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z 65AP)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STARCH, CORN (UNII: O8232NY3SJ)	
POVIDONE (UNII: FZ989GH94E)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	circle;U
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0498-2001-01	2 in 1 PACKET; Type 0: Not a Combination Product		
---	------------------	--	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/10/2012	

Part 3 of 6

STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product Information

Item Code (Source)	NDC:0498-0733
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug		12/22/2017	

other

12/23/2017

Part 4 of 6**FIRST AID BURN**

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source)	NDC:0498-0903
---------------------------	---------------

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

Part 5 of 6

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source) NDC:0498-0730

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

Part 6 of 6

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information**Item Code (Source)** NDC:0498-0501**Route of Administration** TOPICAL**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/21/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (118768815)

Revised: 1/2024

Honeywell Safety Products USA, INC