

**4277 FIRST AID KIT- 4277 first aid kit
Honeywell Safety Products USA, INC**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4277: First Aid Kit (FABC, triple, alcohol wipes- SF00001990)

First Aid Burn Cream

Active ingredient

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

First Aid Burn Cream

Purpose

First aid antiseptic

External analgesic

First Aid Burn Cream

Uses

- prevent skin infection
- for temporary relief of pain associated with minor burns

First Aid Burn Cream

Warnings

For external use only

Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens

- symptoms persist for more than 7 days or clear up and occurs again within a few days

First Aid Burn Cream

Directions

- **adults and children 2 years of age and older:**
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

First Aid Burn Cream

Other information

- tamper evident sealed packets
- do not use if packet is opened or torn

First Aid Burn Cream

Inactive ingredients

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

First Aid Burn Cream

Questions

1-800-430-5490

Alcohol Wipe

Active ingredient

Isopropyl alcohol 70%

Alcohol Wipe

Purpose

First aid antiseptic

Alcohol Wipe

Uses

- first aid to help prevent infection in minor cuts, scrapes, and burns

Alcohol Wipe

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burn

When using this product

- do not use longer than one week unless directed by a doctor

Stop use and consult a doctor

- if condition persists or gets worse

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Alcohol Wipe

Directions

- clean the affected area
- apply wipe to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard wipe after single use

Alcohol Wipe

Other information

store at room temperature 15⁰ to 25⁰ C (59⁰ to 77⁰F)

Alcohol Wipe

Inactive ingredient

water

Alcohol Wipe

Questions

1-800-430-5490

Triple

Active ingredient (each gram contains)

Bacitracin zinc 400 units - Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)
Polymyxin B sulfate 5000 units

Triple

Purpose

First aid antibiotic
First aid antibiotic
First aid antibiotic

Triple

Uses

first aid to help prevent infection in

- minor cuts
- scrapes
- burns

Triple

Warnings

For external use only

Allergy alert do not use if you are allergic to any of the ingredients

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- a deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of the reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Triple

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Triple**Other information**

store at 15 ° to 25 ° C (59 ° to 77 ° F) tamper evident sealed packets - do not use if packet is torn or opened

Triple**Inactive ingredient**

petrolatum

Triple**Questions**



1-800-430-5490

4277**SF00001990 Kit Contents**

- 1 GAUZE BANDAGE, 2" X 6 YD, 2 PER
- 1 ADHESIVE BDG, PLSTIC, 1" X 3" 16 PER
- 1 ADHES TAPE W/P 1" X 2 1/2 YD
- 1 CPR FILTERSHIELD 77-100
- 1 SCISSOR BDGE 4" RED PLS HDL
- LBL STOCK 6-3/8" X 4"
- 1 LBL STOCK 3" X 1-7/8"
- 2 PR LRG NITRILE GLVES ZIP BAG
- 2 FIRST AID CREAM 1.0GR PKT EACH
- 3 TRIPLE BIOTIC FOIL PACK EACH
- 3 WIPE ALCOHOL PREP IPA 70% (DUKAL)
- 1 KIT STL 10 UN WHITE 01
- 1 TRI BNDG NON WOVEN 40" X 40" X 56"
- 3 EYE PADS STD OVAL STERILE
- 3 NON ADHERENT PAD 2" X 3"


**First Aid Burn Cream
Principal Display Panel**

796353-10 Rev. A Unit Carton Printing Plate for "B" size



Alcohol Wipe Label

825362T Rev. A
 white printed
 Pms 072 blue, Pms 186 red,
 Pms 7459 blue and black



Triple Principal Display Panel

Honeywell

**TRIPLE
ANTIBIOTIC
OINTMENT**

Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate
First Aid Antibiotic

**Triple
Antibiotic
Ointment**

To Help Prevent Infection in
Minor Cuts, Scrapes and Burns

144 Packets
Net wt. per packet 0.5g (0.02 oz)

Honeywell

Honeywell

Honeywell

Honeywell

Drug Facts

Active Ingredients (in each gram)	Purpose
Bacitracin zinc 400 units	First aid antibiotic
Neomycin sulfate 5 mg (equivalent to 3.5 mg neomycin base)	First aid antibiotic
Polymyxin B sulfate 5000 units	First aid antibiotic

Uses

- first aid to help prevent infection in:
- minor cuts
- scrapes
- burns

Warnings

For external use only.

Allergy alert

- do not use if you are allergic to any of the ingredients.

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition persists or gets worse
- rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean affected area
- apply a small amount of product (amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- keep out of reach of children (39 to 79°F)
- tamper evident sealed packets
- do not use if packet is broken or opened

Inactive ingredient petrolatum

Questions? 1-800-438-5689

**TRIPLE
ANTIBIOTIC
OINTMENT**

Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate
First Aid Antibiotic

**Triple
Antibiotic
Ointment**

To Help Prevent Infection in
Minor Cuts, Scrapes and Burns

Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate

144 Packets
Net wt. per packet 0.5g (0.02 oz)

Distributed by
**Honeywell Safety
Products USA, Inc.**
Smithfield, RI 02917

Re-order #231209G

Caution:

This package is for industrial use only.
Not for retail sales.

Keep this and all drugs out of the reach of children.
In case of ingestion, seek professional assistance or
contact a poison control center immediately.

**TRIPLE
ANTIBIOTIC
OINTMENT**

Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate
First Aid Antibiotic

**Triple
Antibiotic
Ointment**

To Help Prevent Infection in
Minor Cuts, Scrapes and Burns

Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate

144 Packets
Net wt. per packet 0.5g (0.02 oz)

771209G Rev A

**4277 Kit Label
SF00001990**



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

4277 FIRST AID KIT

4277 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4277
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4277-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	2 PACKET	1.8 g
Part 2	3 POUCH	1.2 mL
Part 3	3 PACKET	2.7 g

Part 1 of 3

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source) NDC:0498-0903

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII: 98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

Part 2 of 3

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source) NDC:0498-0143

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 3 of 3

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

Item Code (Source) NDC:0498-0750

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	5000 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (118768815)