

MEIJER OIL FREE 30- avobenzone, octocrylene, oxybenzone lotion
Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Avobenzone 2.0%
Octocrylene 5.0%
Oxybenzone 3.0%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decrease the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only. Do not use on damaged or broken skin.

When using this product

Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

- apply liberally 15 minutes before sun exposure
- reapply
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats and sunglasses

- children under 6 months of age: Ask a doctor

Inactive ingredients


Water, Ethylhexyl Benzoate, Cetearyl Alcohol, Butyloctyl Salicylate, Diisopropyl Adipate, Neopentyl Glycol Diheptanoate, Phenethyl Benzoate, VP/Eicosene Copolymer, Polymethylsilsesquioxane, Caprylyl Glycol, Dimethicone, Glycerin, Triethanolamine, Coco-Glucoside, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Polymethyl Methacrylate, Ceteth-10 Phosphate, Dicaprylyl Phosphate, Disodium EDTA, Paraffin, Tocopherol, Sodium Ascorbyl Phosphate, Aloe Barbadensis Leaf Juice, Phenoxyethanol.

Other Information

protect this product from excessive heat and direct sun

Principle Display Panel



Drug Facts	
Active Ingredients	Purpose
Avobenzone 2.0%, Octocrylene 5.0%, Oxybenzone 3.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of the reach of children . If product is swallowed, get medical help or contact a Poison Control Center right away. • May stain some fabrics.	
Directions • apply liberally 15 minutes before sun exposure • reapply after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats and sunglasses • children under 6 months of age: Ask a doctor	
Inactive Ingredients Water, Ethylhexyl Benzoate, Cetearyl Alcohol, Butyloctyl Salicylate, Diisopropyl Adipate, Neopentyl Glycol Diheptanoate, Phenethyl Benzoate, VP/Eicosene Copolymer, Polymethylsiloxane, Caprylyl Glycol, Dimethicone, Glycerin, Triethanolamine, Coco-Glucoside, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Polymethyl Methacrylate, Ceteth-10 Phosphate, Diethyl Phosphate, Disodium EDTA, Paraffin, Tocopherol, Sodium Ascorbyl Phosphate, Aloe Barbardensis Leaf Juice, Phenoxyethanol.	
Other information • protect this product from excessive heat and direct sun	
Made in USA	
	
DIST. BY MEIJER DISTRIBUTION, INC. 2929 WALKER AVE NW GRAND RAPIDS, MI 49544 www.meijer.com	

MEIJER OIL FREE 30

avobenzone, octocrylene, oxybenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 mL in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 mL in 100 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	3 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
2-ETHYLHEXYL BENZOATE (UNII: R63ZWW1A13)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
PHENETHYL BENZOATE (UNII: 0C143929GK)	
POLYMETHYLSILSESQUOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
COCO GLUCOSIDE (UNII: ICS790225B)	
CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO)	
CETETH-10 PHOSPHATE (UNII: 4E05O5N49G)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PARAFFIN (UNII: I9O0E3H2ZE)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-012-56	236 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2012	

Labeler - Meijer Distribution Inc (006959555)