

STOPAIN EXTRA STRENGTH GEL- menthol gel
Troy Manufacturing, Inc.

Stopain Extra Strength Gel

Drug Facts

Active Ingredient

Menthol 8.0%

Purpose

Topical Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with: • simple backache • arthritis • strains • bruises • sprains

Warnings

For external use only.Avoid contact with eyes

Flammable: Keep away from fire or flame.

When using this product

• use only as directed • do not bandage tightly or use a heating pad • do not apply to wounds or damaged skin

Stop use and ask a doctor if

• condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days • redness is present • excessive irritation of the skin develops

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older: • apply directly onto affected area, not more than 3 to 4 times daily • wash hands after use

Children under 2 years of age: do not use, consult a doctor

Other Information

Store at room temperature

Inactive Ingredients

acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).

Questions or comments?

1-800-201-7246

Package Labeling: 473 mL

Fast Acting • Long Lasting



**Extra Strength
PAIN RELIEVING GEL**

Immediate, Penetrating Relief from:

- Arthritis
- Muscle Aches
- Joint & Back Pain

with MSM & Glucosamine

16 FL OZ (473mL)

Stopain. Exactly what it does.®

Drug Facts

Active Ingredient	Purpose
Menthol 8.0%	Topical Analgesic

Uses For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings For external use only. Avoid contact with eyes.

Flammable: Keep away from fire or flame.

When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin

Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Adults and children 2 years of age and older: ■ apply directly onto affected area, not more than 3 to 4 times daily ■ wash hands after use
Children under 2 years of age: do not use, consult a doctor

Other Information Store at room temperature

Inactive Ingredients acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).

Questions or comments? 1-800-201-7246



Manufactured for:
Troy Healthcare, LLC
130 Lions Drive • Hazleton, PA 18202
800-201-PAIN (7246) • www.stopain.com



© 2024
Troy Healthcare, LLC
2-581 REV 02 / 1224



Package Labeling:946 mL

Fast Acting • Long Lasting



Extra Strength
PAIN RELIEVING **GEL**

Immediate, Penetrating Relief from:

- Arthritis
- Muscle Aches
- Joint & Back Pain

with **MSM & Glucosamine**

32 FL OZ (946mL)

Stopain. Exactly what it does.®

Drug Facts

Active Ingredient	Purpose
Menthol 8.0%	Topical Analgesic

Uses For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings For external use only. Avoid contact with eyes.

Flammable: Keep away from fire or flame.

When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin

Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions Adults and children 2 years of age and older: ■ apply directly onto affected area, not more than 3 to 4 times daily ■ wash hands after use
Children under 2 years of age: do not use, consult a doctor

Other Information Store at room temperature

Inactive Ingredients acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).

Questions or comments? 1-800-201-7246



Manufactured for:
Troy Healthcare, LLC
130 Lions Drive • Hazleton, PA 18202
800-201-PAIN (7246) • www.stopain.com



© 2024
Troy Healthcare, LLC
2-582 REV 02 / 1224



7 24909 88032 6

Package Labeling:63936-8800-1

Fast Acting • Long Lasting



Extra Strength
PAIN RELIEVING **GEL**

Immediate, Penetrating Relief from:

- Arthritis
- Muscle Aches
- Joint & Back Pain

with **MSM & Glucosamine**

128 FL OZ (3,785mL)

Stopain. Exactly what it does.®

Drug Facts

Active Ingredient	Purpose
Menthol 8.0%	Topical Analgesic

Uses For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings For external use only. Avoid contact with eyes.

Flammable: Keep away from fire or flame.

When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin

Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions Adults and children over 12 years: ■ apply directly onto affected area without the need to bandage ■ repeat if necessary, but do not apply more than 4 times daily. Children 12 years or younger: ask a doctor.

Other Information ■ Store at room temperature

Inactive Ingredients acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP).



Manufactured for:
Troy Healthcare, LLC
130 Lions Drive • Hazleton, PA 18202
800-201-PAIN (7246) • www.stopain.com



©2022 Troy Healthcare, LLC 2-583 REV 01 / 0022

LONG-LASTING APPLICATION

Works on Contact


Absorbs Quickly

Sweat Resistant

Non-Greasy

Non-Staining

Vanishing Scent



Package Labeling:63936-8800-4

Drug Facts

Active Ingredient **Purpose**
Menthol 8.0%..... Topical Analgesic

Uses For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings For external use only. Avoid contact with eyes.

Flammable: Keep away from fire or flame.

When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin

Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older: ■ apply directly onto affected area, not more than 3 to 4 times daily ■ wash hands after use

Children under 2 years of age: do not use, consult a doctor

Other Information Store at room temperature

Inactive Ingredients acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP)

Questions or comments? 1-800-201-7246



Manufactured for:
Troy Healthcare, LLC
130 Lions Drive • Hazleton, PA 18202
800-201-PAIN (7246) • www.stopain.com

©2025 Troy Healthcare, LLC 2-880 REV 02 / 1125

Fast Acting • Long Lasting

Stopain. Exactly what it does.®



**Extra Strength
PAIN RELIEVING GEL**

Immediate, Penetrating Relief from:

- Arthritis
- Muscle Aches
- Joint & Back Pain

with MSM & Glucosamine

3 FL OZ (88mL)

STOPAIN EXTRA STRENGTH GEL

menthol gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63936-8800
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	80 mg in 1 mL

Inactive Ingredients

Ingredient Name			Strength	
EUCALYPTUS OIL (UNII: 2R04ONI662)				
GLUCOSAMINE SULFATE (UNII: 1FW7WLR731)				
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)				
PEG-8 DIMETHICONE (UNII: GIA7T764OD)				
PENTYLENE GLYCOL (UNII: 50C1307PZG)				
PEPPERMINT OIL (UNII: AV092KU4JH)				
TROLAMINE (UNII: 9O3K93S3TK)				
WATER (UNII: 059QF0KO0R)				
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63936-8800-3	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/10/2022	
2	NDC:63936-8800-2	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/10/2022	
3	NDC:63936-8800-1	3785 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/10/2022	
4	NDC:63936-8800-4	88 mL in 1 TUBE; Type 0: Not a Combination Product	10/01/2023	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M017	10/10/2022	

Labeler - Troy Manufacturing, Inc. (160075248)

Revised: 12/2025

Troy Manufacturing, Inc.