

**4287 FIRST AID KIT- 4287 first aid kit
Honeywell Safety Products USA, INC**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4287: First Aid Kit (EW, aypanal, triple, alcohol wipe- SF00003256)

Eyewash

Active ingredient

Sterile Water 99%

Eyewash

Purpose

Eyewash

Eyewash

Uses

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyewash

Warnings

For external use only Obtain immediate medical treatment for all open wounds in or near eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Eyewash

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyewash

Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyewash

Questions

1-800-430-5490

Triple

Active ingredients

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

Triple

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Triple

Uses

- first aid to help prevent infection in
- minor cuts
- scrapes
- burns

Triple

Warnings

For external use only

Allergy alert do not use if you are allergic to any of the ingredients

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- a deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Triple

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Triple

Other information

- store at 15 ° to 25 ° C (59 ° to 77 ° F)
- tamper evident sealed packets
- do not use if packet is torn or opened

Triple

Inactive ingredient

petrolatum

Alcohol

Active ingredient

Isopropyl alcohol 70%

Alcohol

Purpose

First aid antiseptic

Alcohol

Uses

- first aid to help prevent infection in minor cuts, scrapes, and burns

Alcohol

Warnings

For external use only

Flammable, keep away from fire or flame.

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

deep or puncture wounds

animal bites

serious burns

When using this product

- do not use longer than one week unless directed by a doctor

Stop use and consult a doctor

- if condition persists or gets worse

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Alcohol

Directions

- clean the affected area
- apply wipe to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard wipe after single use

Alcohol

Other information

store at room temperature 15 ° to 25 ° C (59 ° to 77 ° F)

Alcohol

Inactive ingredient

water

Aypanal
Active ingredient

Acetaminophen 500 mg

Aypanal
Purpose

Pain reliever/fever reducer

Aypanal
Uses

- temporarily relieves minor aches and pains due to the common cold and headache
- temporarily reduces fever

Ask a doctor before use if you have

- liver disease

Aypanal
Warnings

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg in 24 hours, which is the maximum daily amount.
- with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If skin reaction occurs, stop use and seek medical help right away

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription).
- If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor or pharmacist before use if

- you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur

- redness or swelling is present

If pregnant or breastfeeding

- ask a health professional before use.

Keep out of reach of children.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Aypanal***Directions***

- **do not take more than directed (see overdose warning)**
- adults and children 12 years of age and over: Take 2 tablets with water every 6 hours while symptoms last.
- do not take any more than 8 tablets in 24 hours.
- children under 12: consult a doctor

Aypanal***Other information***

- store at room temperature 15⁰ -30⁰ C (59⁰ -86⁰ F)
- TAMPER EVIDENT- DO NOT USE IF OPEN OR TORN

Aypanal***Inactive ingredients***

microcrystalline cellulose, povidone, sodium starch glycolate, starch, stearic acid

Aypanal***Questions or Comments***

1-800-430-5490

4287**SF00003256 KIT CONTENTS**

1 1X3 PLASTIC 100/BOX

1 FINGERTIP "T" WOVEN 40/BOX

1 SWIFT KNUCKLE 40/BX

1 ADHESIVE TAPE W/P 1/2"X 5 YD

1 GZE PADS STERILE 2"X 2" 25'S

1 ALCOHOL WIPES 50'S

1 AYPANAL NON-ASP IND 2/ENV 100
1 TRIPLE BIOTIC .5 GRAM PKT 20
1 4OZ BFS EYEWASH TRILINGUAL BOTTLE
1 F A KIT EMPTY BLANK 140
1 POCKET INSERT RED #140 KIT 2R
1 LBL STOCK 6-3/8"X4"
1 LBL STOCK 4"X2-7/8"
1 COLD PACK 5"X 9" BULK

Eyewash
Principal Display Panel

Honeywell

TAMPER-EVIDENT CAP.
TAPA CON SELLO DE SEGURIDAD.
BOUCHON INDICATEUR D'INFRACTION.

eyesaline®

LAVAOJOS
EYESALINE

EYESALINE
EYEWASH

LAVAGE
OCULAIRE
EYESALINE

Solución
Isotónico Estéril

Sterile
Isotonic Solution

La Solution
Isotonique Stérile

16 fl. oz. (473 mL)

NPN: 80057528
64809 1 45033 3

Drug Facts (for USA only)

Active ingredient Sterile water 99%
Purpose Eyewash
Uses for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.
Warnings
For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.
Do not use
• if solution changes color or becomes cloudy
• if you have open wounds in or near the eyes, get medical help right away
Stop use and consult a doctor if:
• you experience eye pain • changes in vision
• continued redness or irritation of the eye
• condition worsens or persists
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions
• remove contacts before using • twist top to remove
• flush the affected area as needed
• control rate of flow by pressure on the bottle
• if necessary, continue flushing with emergency eyewash or shower
Inactive ingredients sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic
Questions? Call 1-800-430-5490
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

LABEL #32-004510 Rev. J REORDER / NUEVO PEDIDO / REAPPROVISIONNEMENT #32-000454-0000

space for lot code and supplier part number

PEEL / PELAR / PELEL


Datos de medicamento (Para EE.UU. solamente)

Ingrediente Activo Agua estéril 99%
Propósito Lavaojos
Usos para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aeros, o agua de cloruro
Advertencias
Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte.
No se use • si la solución se enturbia o cambia de color
• si tiene heridas abiertas en o cerca del ojo, obtenga ayuda medica de inmediato
Deje de usar y consulte a un médico si:
• experimenta dolor de ojo • cambio de visión
• rojez continuo o irritación del ojo
• la condición empeora o persiste
Manténgase fuera del alcance de los niños.
En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.
Instrucciones
• quite los lentes de contacto antes de usar la solución
• tuerza la tapa para quitar
• enjuague el área afectada según se necesite
• controle el chorro haciendo presión el la botella
• si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia
Ingredientes inactivos cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico
¿Preguntas? Llame al 1-800-430-5490
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Information

Usages Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.
Advertissements
Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jeter.
Ne pas utiliser
• si la solution a changé de couleur ou si elle est brouillée
• si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin
Cesser d'utiliser la solution et consulter un médecin
• vous ressentez une douleur oculaire • si votre vision change
• rougeur ou irritation persistante des yeux
• condition empire ou persiste
Garder hors de la portée des enfants.
En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.
Mode d'emploi
• enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant
• si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche
Ingédients eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium
Des questions? Faites le 1-800-430-5490
Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Triple
Principal Display Panel



Honeywell

**TRIPLE
ANTIBIOTIC
OINTMENT**
Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate
First Aid Antibiotic

**Triple
Antibiotic
Ointment**
To Help Prevent Infection in
Minor Cuts, Scrapes and Burns
144 Packets
Net wt. per packet 0.5g (0.02 oz)

Honeywell

Honeywell

Honeywell

Honeywell

Drug Facts	
Active ingredients (in each gram)	Purpose
Bacitracin zinc 400 units	First aid antibiotic
Neomycin sulfate 5 mg (equivalent to 3.5 mg neomycin base)	First aid antibiotic
Polymyxin B sulfate 5000 units	First aid antibiotic
Uses	First aid to help prevent infection in:
	• minor cuts • scrapes • burns
Warnings	
For external use only.	
Allergy alert	• do not use if you are allergic to any of the ingredients
Do not use	• in the eyes
Ask a doctor before use if you have	• deep or puncture wounds • animal bites • serious burns
Stop use and ask a doctor if	• condition persists or gets worse
	• rash or other allergic reaction develops
	• you need to use longer than 1 week
Keep out of reach of children.	
	If swallowed, get medical help or contact a Poison Control Center right away.
Directions	
	• clean the affected area
	• apply a small amount of product (an amount equal to the surface area of the tip of a finger) on the area 3 to 4 times daily.
	• may be covered with a sterile bandage
Other information	
	• stored at 20° to 25°C (68° to 77°F)
	• tamper evident sealed packets
	• do not use if packet is torn or opened
Inactive ingredient	petrolatum
Questions?	1-800-438-5439

**TRIPLE
ANTIBIOTIC
OINTMENT**

Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate
First Aid Antibiotic

**Triple
Antibiotic
Ointment**

To Help Prevent Infection in
Minor Cuts, Scrapes and Burns
Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate

144 Packets
Net wt. per packet 0.5g (0.02 oz)

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

Re-order #231209G

Caution:

This package is for industrial use only.
Not for retail sales.

Keep this and all drugs out of the reach of children.
In case of ingestion, seek professional assistance or
contact a poison control center immediately.

**TRIPLE
ANTIBIOTIC
OINTMENT**

Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate
First Aid Antibiotic


**Triple
Antibiotic
Ointment**

To Help Prevent Infection in
Minor Cuts, Scrapes and Burns
Bacitracin zinc, Neomycin sulfate,
Polymyxin B sulfate

144 Packets
Net wt. per packet 0.5g (0.02 oz)

771209G RevA

**Alcohol
Principal Display Panel**



Aypanal
Principal Display Panel

4287 Kit Label
SF000003256

AYPANAL
25 Packets (2 Tablets Per Packet)
Quantity 50 Tablets

Drug Facts (continued)

Other information • store at room temperature 15°-30°C (59°-86°F)
• TAKERS EVENT PACKETS - DO NOT USE IF OPEN OR TORN

Inactive ingredients corn starch, microcrystalline cellulose, povidone, sodium starch glycolate, stearic acid

Questions or comments? 1-800-430-5490

Honeywell

AYPANAL
25 Packets (2 Tablets Per Packet)
Quantity 50 Tablets


AYPANAL
Acetaminophen 325 mg
Pain Reliever-Fever Reducer

25 Packets (2 Tablets Per Packet)
Quantity 50 Tablets

PACKAGE NOT CHILD-RESISTANT

UNIT NO. 35225AP

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917



6 69635 55170 5

Drug Facts (continued)

Warnings - rash
- skin redness
- blisters
- skin reaction occurs, stop use and seek medical help right away.

Do not use with any other drug containing acetaminophen (see description).
If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Stop use and ask doctor if - pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years

Ask a doctor before use if you have liver disease

Ask a doctor before use if you have liver disease

Overdose warning: In case of accidental overdose, get medical help or contact a poison control center right away. For more information, call a poison control center or call 1-800-430-5490.

Directions - **do not take more than directed (see overdose warning)**
adults and children
• take 2 tablets every 4 to 6 hours while symptoms last
• do not take more than 12 tablets in 24 hours
children 6 to under
• take 1 tablet every 4 to 6 hours while symptoms last
• do not take more than 5 tablets in 24 hours

Keep out of reach of children.
If prepared or broken, **washing**
hands with soap and water before and after each use.

Ask a doctor before use if you have liver disease

Drug Facts

Active ingredient (in each tablet)	Purpose
Acetaminophen 325 mg	Pain reliever/fever reducer

Uses - temporarily relieves minor aches and pains due to the common cold and headache
- temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if
• adult takes more than 4,000 mg acetaminophen in 24 hours, which is the maximum daily amount
• child takes more than 5 doses in 24 hours, which is the maximum daily amount
• taken with other drugs containing acetaminophen
• adults has 3 or more alcoholic drinks every day while using this product

UNIT NO. 35225AP

77225-01 Rev.B



Distributed by Honeywell Safety Products USA, Inc Smithfield, RI 02917

4287 FIRST AID KIT

4287 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4287
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4287-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	20 PACKET	10 g
Part 3	50 POUCH	20 mL
Part 4	50 PACKET	100

Part 1 of 4

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source) NDC:0498-0100

Route of Administration OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	12/18/2018	

Part 2 of 4

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-36	0.5 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug		00/10/2018	

other

09/19/2018

Part 3 of 4**ALCOHOL WIPE**

isopropyl alcohol swab

Product Information**Item Code (Source)** NDC:0498-0143**Route of Administration** TOPICAL**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 4 of 4**AYPANAL NON-ASPIRIN**

acetaminophen tablet

Product Information

Item Code (Source)	NDC:0498-2001
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	circle;U
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/10/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (118768815)

