### 4132 FIRST AID KIT- 4132 first aid kit Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

0498-4132: First Aid Kit (Eye Wash, BCM:FABC, BZK, Aypnal, sting rel, neomycin- SF00003655)

#### Active ingredient

Sterile Water 99%

#### **Purpose**

Eyewash

#### Uses

 For flushing the eye to remove loose foreign material, air pollutants, or chlorinated water

### Warnings

**For external use only-** Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

#### Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away

# Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the ey
- condition worsens or persists

# Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- remove contacts before using
- twist top to remove

- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

#### **Inactive Ingredients**

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

#### **Questions?**

Call **1-800-430-5490** 

Honeywell Safety Products USA, Inc. Smithfield, RI 02917

### First Aid Burn Cream Active ingredient

Benzalkonium chloride o.13%

Lidocaine HCl 0.5%

### First Aid Burn Cream *Purpose*

First aid antiseptic

External analgesic

# First Aid Burn Cream *Uses*

- prevent skin infection
- for temporary relief of pain associated with minor burns

# First Aid Burn Cream Warnings

# For external use only

#### Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

# Ask a doctor before use if you have

- deep or puncture wounds
- animal bites

serious burns

#### Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occurs again within a few days

# First Aid Burn Cream Directions

- adults and children 2 years of age and older:
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: consult a doctor

#### Other information

- tamper evident sealed packets
- do not use if packet is opened or torn

### Inactive ingredients

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

#### **Questions**

1-800-430-5490

### BZK Antiseptic Wipe Active ingredient

Benzalkonium chloride 0.13%

# BZK *Purpose*

First aid antiseptic

#### BZK Uses

Antiseptic cleansing of face, hands, and body without soap and water

#### **BZK**

#### Warnings

#### For external use only

#### **BZK**

#### Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

### Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

#### Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

#### **BZK**

#### **Directions**

• .tear open packet and use as a washcloth

#### **BZK**

#### Other information

- store at room temperature 15 ° to 30 ° C (59 ° 86 °F)
- do not reuse towelette

#### **BZK**

#### Inactive ingredients

water

#### BZK Questions

1-800-430-5490

### Aypanal Active igredient

Acetaminophen 325 mg

### Aypanal *Purpose*

Pain reliever/fever reducer

#### **Aypanal**

#### Uses

- temporarily relieves minor aches and pains due to the common cold and headache
- temporarily reduces fever

#### Ask a doctor before use if you have

liver disease

# Aypanal *Warnings*

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take: more than 4,000 mg in 24 hours, which is the maximum daily amount - child takes

**Allergy alert**: Acetaminophen may cause severe skin reactions. Symptoms may include:

skin reddening blisters rash

#### Do not use

 with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

# Ask a doctor before use if you have

liver disease

# Ask a doctor or pharmacist before use if

you are taking the blood thinning drug warfarin

# if preganat or breast feeding

ask a health professional before use

# Keep out of rech of children

Keep out of reach of children

# Overdose Warning

Overdose warning: In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### Aypanal Directions

- do not take more than directed (see overdose warning) adults and children 12 years of age or older
- take two tablets every 4-6 hours while symptoms last
- do not take more than directed (see overdose warning)

#### adults and children 12 years of age or older

- take two tablets every 4-6 hours while symptoms last
- do not take more than 12 tablets in 24 hours
- children 6 to under 12 years of age
- take 1 tablet every 4-6 hours while symptoms last
- do not take more than 5 tablets in 24 hours
- children under 6 years
- consult a doctor

# Aypanal Other information

store at room temperature 15  $^{\rm o}$  to 30  $^{\rm o}$  C (59  $^{\rm o}$  - 86  $^{\rm o}$ F) TAMPER EVIDENT PACKETS- DO NOT USE IF OPEN OR TORN

### Aypanal Inactive ingredients

corn starch, microcrystalline cellulose, povidone, sodium starch glycolate, stearic acid.

# Aypanal Questions or Comments?

1-800-430-5490

# Sting Relief Active ingredient

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

### Sting Relief Purpose

Antiseptic

Topical pain relief

# Sting Relief

#### Uses

prevent infection in minor scrapes, and temporary relief of itching of insect bites

# Sting Relief *Warnings*

### For external use only

Flammable, keep away from open fire or flame

#### Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

#### Stop use and ask a doctor

• if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

# Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

### Sting Relief Directions

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

# Sting Relief Inactive ingredients

benzalkonium chloride, menthol, and purified water

# Sting relief *Questions or Comments*

1-800-430-5490

# Neomycin Antibiotic Ointment Active ingredient

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

# Neomycin Antibiotic Ointment *Purpose*

# Neomycin Antibiotic Ointment *Uses*

first aid to help prevent infection in - minor cuts - scrapes - burns

# Neomycin Antibiotic Ointment *Warnings*

#### For external use only

#### Do not use

- in the eyes
- over large areas of the body

#### Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

#### Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

# Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

# Neomycin Antibiotic Ointment *Directions*

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

# Neomycin Antibiotic Ointment *Other information*

store at 15 ° to 25 °C (59 ° to 77 °F)

# Neomycin Antibiotic Ointment *Inactive ingredient*

petrolatum

# Neomycin Antibiotic Ointment *Questions*

1-800-430-5490

#### 4132 SF00003655 Kit Contents

- 1 GAUZE PADS, 3" X 3", 4 PER
- 1 TWEEZER PLASTICS 4"
- 1 FIRST AID GUIDE ASHI
- 2 GAUZE CLEAN-WRAP BDGE N/S 2"
- 1 GAUZE CLEAN-WRAP BDGE N/S 3"
- 1 ABD COMBINE PAD 5" X 9"
- 1 CPR FILTERSHIELD 77-100
- 1 BAGGED COMP MISC
- 11 OZ, BUFF EYEWASH
- 1 SCISSOR BDGE 4" RED PLS HDL
- LBL STOCK 6-3/8"X4"
- LBL STOCK 4"X2-7/8"
- 1 LBL STOCK 3"x1-7/8"
- 2 PR LRG NITRILE GLVES ZIP BAG
- 2 1" X 3" PLASTIC BANDS 16/BAG
- 2 TAPE ADHESIVE 1/2 X 2.5 125133
- 1 ADH BNDG PLASTIC EX-LG 4"X 2"
- 1 KIT, PP 16 UNIT FA
- 1 LBL CONTENTS ANSI Z308.1-2009 REV B
- 1 TRI BNDG NON WOVEN 40"X40"X56"
- 1 COLD PACK UNIT 4"X6" BULK
- 4 GAUZE PADS 2"X2" 12PLY
- 1 EYE PADS STD OVAL STERILE
- 3 WOVEN FINGERTIP BANDAGE 2"
- 2 WOVEN KNUCKLE BANDAGE

#### Eye Wash Package label

#### #32-004513 Rev. H



Top Panel 3/32" from die edges



Back 1/8" from die edges


Label Patent Number Can be anywhere on the label at 3.5pt minimum (use any dark color on that layer)



3/32" from die edges


Printable Text Area

First Aid Burn Cream Principal Display Panel




# **Principal Display Panel**







Aypanal Principal Display Panel



# Sting Relief Principal Display Panel



# Neomycin Antibiotic Ointment Principal Display Panel



### Neomycin Firsta aid antibiotic 822568-25 Active ingredient (in each gram) ..... ......Purpose Use first aid to help prevent infection in minor - cuts scrapes burns Warnings For external use only Allergy alert · do not use if you are allergic to any of the ingredients Do not use • in the eyes • over large areas of the body Ask a doctor before use if you have + deep or puncture wounds - animal bites - serious burns Stop use and ask a doctor if - conditions persists or gets worse - rash or other allergic reaction develops you need to use longer than one week Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions - clean the affected area · apply a small amount of product (equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ay be covered with a sterile bandage Other information store at 15° to 25°C (59° to 77°F) Inactive ingredient petrolatum Questions or comments? 1-800-430-5490

Cover Size: 9.75"w x 6.5"h TYPE OF KIT: Plastic 16 Unit Kit

SCREEN NUMBER: SF00003655-5194 LOGO SIZE: 8.88" x 5.50"

PRINTED IN: PMS Red 485 and PMS 349 Green



# FIRST AID

FOR REFILL CALL - (888) 259-7788

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

If distributor is signing for end user approval of logo, distributor assumes responsibility.				
This drawing has been reviewed and approved for the following: kit size, ink color(s), kit part number and logo being printed on the kit				
Needs changes  (A digital signature or response via email with attached approval are both accepted as an approval to this form. Please indicate any changes needed)				
Name		Signature		Date

FRM-03-052 Rev. \* (8/18/10)

1/1

# **4132 FIRST AID KIT**

4132 first aid kit kit

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0498-4132

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
NDC:0498-4132-	1 in 1 KIT; Type 0: Not a Combination	10/19/2019		

Quant	uantity of Parts			
Part #	Package Quantity	Total Product Quantity		
Part 1	1 BOTTLE	30 mL		
Part 2	3 PACKET	6		
Part 3	6 POUCH	2.4 mL		
Part 4	10 PACKET	9 g		
Part 5	10 PACKET	9 g		
Part 6	10 PACKET	14 mL		

# Part 1 of 6

# **EYESALINE EMERGENCY EYEWASH**

Product

purified water liquid

Product Information	
Item Code (Source)	NDC:0498-0100

**Route of Administration** OPHTHALMIC

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL	

Inactive Ingredients			
Ingredient Name	Strength		
SODIUM CHLORIDE (UNII: 451W47IQ8X)			
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)			
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)			

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:0498-0100- 01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M018	12/18/2018		

# Part 2 of 6

### **AYPANAL NON-ASPIRIN**

acetaminophen tablet

#### **Product Information**

Item Code (Source) NDC:0498-2001

**Route of Administration** ORAL

# **Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN 325 mg

Inactive Ingredients	
Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STARCH, CORN (UNII: O8232NY3SJ)	
POVIDONE (LINII: FZ 989GH94E)	

Product Characteristics					
Color	white	Score	2 pieces		
Shape	ROUND	Size	10mm		
Flavor		Imprint Code	circle;U		
Contains					

ı	Packaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1 NDC:0498-2001- 01	2 in 1 PACKET; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		04/10/2012		

# Part 3 of 6

# **STING RELIEF PAD**

ethyl alcohol, lidocaine swab

#### **Product Information**

Item Code (Source) NDC:0498-0733

Route of Administration TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

Inactive Ingredients		
Ingredient Name	Strength	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)		
MENTHOL (UNII: L7T10EIP3A)		
WATER (UNII: 059QF0KO0R)		

l	Packaging				
	#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
	1		0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing In	nformation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/23/2017	

# Part 4 of 6

### **FIRST AID BURN**

benzalkonium chloride, lidocaine hydrochloride cream

# **Product Information**

Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZ ALKONIUM CHLORIDE	0.13 g in 100 g	
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g	

Inactive Ingredients		
Ingredient Name	Strength	
GLYCERIN (UNII: PDC6A3C0OX)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
ALOE VERA LEAF (UNII: ZY81Z83H0X)		
WATER (UNII: 059QF0KO0R)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
CETYL ALCOHOL (UNII: 936JST6JCN)		
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)		
PEG-100 STEARATE (UNII: YD01N1999R)		
LIGHT MINERAL OIL (UNII: N6K5787QVP)		
EDETATE DISODIUM (UNII: 7FLD91C86K)		
TROLAMINE (UNII: 903K93S3TK)		

Pa	ckaging			
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing In	formation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

# Part 5 of 6

# **NEOMYCIN**

antibiotic ointment

#### **Product Information**

Item Code (Source) NDC:0498-0730

Route of Administration TOPICAL

# **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

### **Inactive Ingredients**

Ingredient Name Strength

PETROLATUM (UNII: 4T6H12BN9U)

#### **Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:0498-0730- 01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

# **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/31/2010	

### Part 6 of 6

### **ANTISEPTIC TOWELETTE**

benzalkonium chloride liquid

#### **Product Information**

Item Code (Source) NDC:0498-0501

**Route of Administration** TOPICAL

#### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

# Inactive Ingredients Ingredient Name Strength WATER (UNII: 059QF0KO0R)

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1		1.4 mL in 1 PACKET; Type 0: Not a Combination Product				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved drug other		12/21/2017			

Marketing Information				
oplication Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	10/18/2018			
	•	Citation Date		

# Labeler - Honeywell Safety Products USA, INC (118768815)

Revised: 1/2024 Honeywell Safety Products USA, INC