

**WALGREENS CHILDRENS COLD PLUS COUGH PLUS RUNNY NOSE-  
acetaminophen, chlorpheniramine maleate, and dextromethorphan  
hydrobromide suspension  
WALGREENS CO.**

-----  
**Walgreen Children's Cold + Cough + Runny Nose Relief**

***Drug Facts***

---

***Active ingredients (in each 5 Purposes  
mL)***

---

Acetaminophen 160 mg	Pain reliever/fever reducer
Chlorpheniramine maleate 1 mg	Antihistamine
Dextromethorphan HBr 5 mg	Cough suppressant

---

**Uses**

- temporarily relieves the following cold/flu symptoms:
  - minor aches and pains
  - headache
  - sore throat
  - sneezing and runny nose
  - cough
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a

doctor promptly.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- to make a child sleepy
- in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.
- if your child has ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if your child has**

- liver disease
- a breathing problem such as chronic bronchitis
- glaucoma
- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

### **Ask a doctor or pharmacist before use if your child is**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- **do not exceed recommended dose (see overdose warning)**
- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

### **Stop use and ask a doctor if**

- pain or cough gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

**Keep out of reach of children.**

### **Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if

you do not notice any signs or symptoms.

## Directions

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed (see overdose warning)**
- **shake well before using**
- mL = milliliter
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- remove the child protective cap and squeeze your child's dose into the dosing cup
- repeat dose every 4 hours, while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (mL)
under 36	under 4 years	do not use
36-47	4 to 5 years	do not use unless directed by a doctor
48-95	6 to 11 years	10 mL

**Attention:** use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

## Other information

- **each 5 mL contains:** sodium 3 mg
- store at room temperature

**TAMPER-EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS TORN OR MISSING**

## Inactive ingredients

anhydrous citric acid, carboxymethylcellulose sodium, D&C Red No. 33, edetate disodium, FD&C Blue No. 1, FD&C Red No. 40, flavors, glycerin, microcrystalline cellulose, propyl gallate, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucrose, xanthan gum

## Questions or comments?

**1-866-467-2748**

## PRINCIPAL DISPLAY PANEL

Compare to the active ingredients in Children's Tylenol® Cold + Cough + Runny Nose\*

NDC 0363-7920-04

**Children's Cold + Cough +  
Runny Nose Relief**

**Acetaminophen** - Pain Reliever-Fever Reducer

**Chlorpheniramine Maleate** - Antihistamine

**Dextromethorphan HBr** - Cough Suppressant

***Oral Suspension***

**Ages 6-11 Years**

- **Fever**
- **Sore Throat**
- **Sneezing**
- **Runny Nose**
- **Cough**

**Grape Flavor**

Naturally and Artificially Flavored

**4 FL OZ (120 mL)**

<b>IMPORTANT: Keep this carton for future reference on full labeling.</b>
---

**TAMPER-EVIDENT: DO NOT USE IF PRINTED INNER SEAT UNDER CAP IS TORN OR MISSING.**

**Distributed by:**

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Children's Tylenol® Cold + Cough + Runny Nose.



## WALGREENS CHILDRENS COLD PLUS COUGH PLUS RUNNY NOSE

acetaminophen, chlorpheniramine maleate, and dextromethorphan hydrobromide suspension

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-7920
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Acetaminophen (UNII: 36209ITL9D) (Acetaminophen - UNII:36209ITL9D)	Acetaminophen	160 mg in 5 mL

<b>Chlorpheniramine Maleate</b> (UNII: V1Q0O9OJ9Z) (Chlorpheniramine - UNII:3U6IO1965U)	Chlorpheniramine Maleate	1 mg in 5 mL
<b>Dextromethorphan Hydrobromide</b> (UNII: 9D2RTI9KYH) (Dextromethorphan - UNII:7355X3ROTS)	Dextromethorphan Hydrobromide	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
anhydrous citric acid (UNII: XF417D3PSL)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
D&C red no. 33 (UNII: 9DBA0SBB0L)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C blue no. 1 (UNII: H3R47K3TBD)	
FD&C red no. 40 (UNII: WZB9127XOA)	
glycerin (UNII: PDC6A3C0OX)	
microcrystalline cellulose (UNII: OP1R32D61U)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
water (UNII: 059QF0KO0R)	
sodium benzoate (UNII: OJ245FE5EU)	
sorbitol (UNII: 506T60A25R)	
sucrose (UNII: C151H8M554)	
xanthan gum (UNII: TTV12P4NEE)	

Product Characteristics

Color	PURPLE	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-7920-04	1 in 1 CARTON	02/24/2023	
1		120 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/24/2023	

Labeler - WALGREENS CO. (008965063)

