

## **PAIN RELIEF ANTI INFLAMMATORY - ibuprofen tablet**

### **Select Corporation**

-----

#### **Drug Facts**

Active Ingredients Ibuprofen USP 200 mg

Pain reliever/fever reducer nonsteroidal anti-inflammatory drug

Directions: • do not take more than directed • the smallest effective dose should be used • adults and children 12 years and over: • take 1 tablet every 4 to 6 hours while symptoms persist • if pain or fever does not respond to 1 tablet, 2 tablets may be used • do not exceed 6 tablets in 24 hours, unless directed by a doctor children under 12 years: • ask a doctor

Uses • temporarily relieves minor aches and pains due to: • headache • muscular aches • minor pain of arthritis • toothache • backache • the common cold • menstrual cramps • temporarily reduces fever

Warnings: Allergy alert: Ibuprofen may cause a severe allergic reaction, especially in people allergic to aspirin.

Symptoms may include: • hives • facial swelling • asthma (wheezing) • shock • skin reddening • rash • blisters. If an allergic reaction occurs, stop use and seek medical help right away. Stomach bleeding

warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you: • are age 60 or older • have had stomach ulcers or bleeding problems • take a blood thinning (anticoagulant) or steroid drug • take other drugs containing prescription or nonprescription NSAID's (aspirin, ibuprofen, naproxen, or others) • have 3 or more alcoholic drinks every day while using this product • take more or for a longer time than directed Do not use • if you have ever had an allergic reaction to any other pain reliever/fever reducer • right before or after heart surgery Ask a doctor before use if • you have problems or serious side effects from taking pain relievers or fever reducers • the stomach bleeding warning applies to you • you have a history of stomach problems such as heartburn • you have high blood pressure, heart disease, liver cirrhosis, or kidney disease you have asthma • you are taking a diuretic Ask a doctor or pharmacist before use if you

are • taking aspirin for heart attack or stroke, because ibuprofen may decrease this benefit of aspirin

• under a doctor's care for any serious condition • taking any other drug When using this product • take with food or milk if stomach upset occurs • the risk of heart attack or stroke may increase if you use more than directed or for longer than directed Stop use and ask a doctor if • you experience any of the following signs of stomach bleeding • feel faint • vomit blood • have bloody or black stools • you have stomach pain that does not get better • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • redness or swelling is present in the painful area • any new symptoms appear



If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use ibuprofen during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

KEEP OUT OF REACH OF CHILDREN.

Inactive ingredients: colloidal silicon dioxide, croscarmellose sodium, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, pregelatinized starch, talc, titanium dioxide.

MM1

Pain Relief - Anti-Inflammatory



ibuprofen tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52904-486
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
IBUPROFEN (UNII: WK2XYI10QM) (IBUPROFEN - UNII:WK2XYI10QM)	IBUPROFEN	200 mg

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TALC (UNII: 7SEV7J4R1U)	
STARCH, CORN (UNII: O8232NY3SJ)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
POLYETHYLENE GLYCOL 300 (UNII: 5655G9Y8AQ)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

### Product Characteristics

<b>Color</b>	white (snow white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (115)	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	115
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52904-486-02	2 in 1 PACKET		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA091239	10/15/2012	

**Labeler** - Select Corporation (053805599)

**Registrant** - Select Corporation (053805599)

